

**Table 28. Percent Vegetative Cover by Species in Seasonal Wetland Habitat - Waterbody 52**  
**2000 Annual Monitoring Report**  
**Former Fort Ord, Monterey County, California**

Code	Scientific Name	Common Name	1 %	2 %	3 %	4 %	Transect 1						Average Cover (%)
							5 %	6 %	7 %	8 %	9 %	10 %	
AGEX	<i>Agrostis exarata</i>	western bent-grass							5	10		10	2.50
ALSA	<i>Alopecurus saccatus</i>	Pacific foxtail						2	2				0.40
BRMI	<i>Briza minor*</i>	small quaking grass								10	2		1.20
COCA	<i>Conyza canadensis</i>	horseweed		2								2	0.40
CRSC	<i>Crypsis schoenoides</i>	swamp grass				1							0.10
CYER	<i>Cyperus erythrorhizos</i>	red-rooting cyperus	15								1		1.60
DACA	<i>Danthonia californica</i>	California oatgrass										1	0.10
DEDA	<i>Deschampsia danthonioides</i>	annual hair-grass	10				15						2.50
ELMA	<i>Eleocharis macrostachya</i>	pale spike-rush				8	30	90	85				21.30
ERBO	<i>Erodium botrys*</i>	long-beaked filaree								5			0.50
GECA	<i>Geranium carolinianum</i>	Carolina geranium											0.00
GNLA	<i>Gnaphalium luteo-album*</i>	weedy cudweed	20									10	5.00
GNPA	<i>Gnaphalium palustre</i>	lowland cudweed		2	5		3			1			1.10
GNPU	<i>Gnaphalium purpureum</i>	purple cutweed		5									0.50
HOBR	<i>Hordeum b. brachyantherum</i>	meadow barley											0.00
JUBU	<i>Juncus b. bufonius</i>	common toad rush				20							2.00
JULE	<i>Juncus lesueurii</i>	salt rush		10						15			2.50
JUOC	<i>Juncus occidentalis</i>	western rush										2	0.20
LAGL	<i>Lasthenia glaberrima</i>	smooth lasthenia				20	10	30	2				6.20
LETR	<i>Leymus triticoides</i>	beardless ryegrass									3		0.30
LOMU	<i>Lolium multiflorum*</i>	Italian ryegrass									2		0.20
LOPU	<i>Lotus purshianus</i>	Spanish clover											0.00
LYHY	<i>Lythrum hyssopifolium*</i>	grass poly		5	5	2				1			1.30
MALE	<i>Malvella leprosa</i>	alkali mallow		10	35	75	50	35	5				21.00
OXCA	<i>Oxalis pes-caprae*</i>	Bermuda buttercup									2		0.20
PHLE	<i>Phalaris lemmonii</i>	Lemmon's canary grass	5		10		30		20				6.50
PLCH	<i>Plagiobothrys chorisianus hickmanii</i>	Hickman's popcornflower				1		2					0.30
POSE	<i>Poa secunda</i>	Pacific bluegrass											0.00
POMA	<i>Polypogon maritimus*</i>	maritime beard-grass	30	55	20	10							11.50
PO	<i>Potentilla sp.</i>	potentilla	5								15	5	2.50
RUAC	<i>Rumex acetosella*</i>	sheep sorrel									25	25	5.00
RUCR	<i>Rumex crispus*</i>	curly dock					5						0.50
RUSA	<i>Rumex salicifolius</i>	willow dock	5			1							0.60
SCKO	<i>Scirpus koilolepis</i>	keeled club-rush				1							0.10
STAJ	<i>Stachys a. ajugoides</i>	bugle hedge nettle								45	5		5.00
TRBA	<i>Trifolium barbigerum</i>	bearded clover		5						10	8		2.30
TRMI	<i>Trifolium microcephalum</i>	small-headed clover			5								0.50
TRWI	<i>Trifolium willdenovii</i>	tomcat clover											0.00
VELA	<i>Verbena lasiostachys</i>	western vervain									3		0.30
<b>Total Vegetative Cover</b>			<b>90</b>	<b>94</b>	<b>100</b>	<b>119</b>	<b>143</b>	<b>159</b>	<b>119</b>	<b>97</b>	<b>76</b>	<b>65</b>	<b>106.20</b>
BG	--	Bare Ground	10	20						35	25	35	12.50
<b>Total Cover</b>			<b>100</b>	<b>114</b>	<b>100</b>	<b>119</b>	<b>143</b>	<b>159</b>	<b>119</b>	<b>132</b>	<b>101</b>	<b>100</b>	<b>118.70</b>

\*Non-native species

**Table 28. Percent Vegetative Cover by Species in Seasonal Wetland Habitat - Waterbody 52**  
**2000 Annual Monitoring Report**  
**Former Fort Ord, Monterey County, California**

Code	Scientific Name	Common Name	Transect 2								Average Cover (%)	Combined Average Cover (%)
			1 % Cover	2 % Cover	3 % Cover	4 % Cover	5 % Cover	6 % Cover	7 % Cover	8 % Cover		
AGEX	<i>Agrostis exarata</i>	western bent-grass									0.00	1.25
ALSA	<i>Alopecurus saccatus</i>	Pacific foxtail						1	1		0.25	0.33
BRMI	<i>Briza minor</i> *	small quaking grass	10							5	1.88	1.54
COCA	<i>Conyza canadensis</i>	horseweed									0.00	0.20
CRSC	<i>Crypsis schoenoides</i>	swamp grass			1	2					0.38	0.24
CYER	<i>Cyperus erythrorhizos</i>	red-rooting cyperus									0.00	0.80
DACA	<i>Danthonia californica</i>	California oatgrass									0.00	0.05
DEDA	<i>Deschampsia danthonioides</i>	annual hair-grass				10			1		1.38	1.94
ELMA	<i>Eleocharis macrostachya</i>	pale spike-rush			15	5	100	100	50	35	38.13	29.71
ERBO	<i>Erodium botlys</i> *	long-beaked filaree									0.00	0.25
GECA	<i>Geranium carolinianum</i>	Carolina geranium	1							1	0.25	0.13
GNLA	<i>Gnaphalium luteo-album</i> *	weedy cudweed	8						1	1	1.25	3.13
GNPA	<i>Gnaphalium palustre</i>	lowland cudweed				2					0.25	0.68
GNPU	<i>Gnaphalium purpureum</i>	purple cutweed									0.00	0.25
HOBR	<i>Hordeum b. brachyantherum</i>	meadow barley				3	3			3	1.13	0.56
JUBU	<i>Juncus b. bufonius</i>	common toad rush	5			10				5	2.50	2.25
JULE	<i>Juncus lesueurii</i>	salt rush	20								2.50	2.50
JUOC	<i>Juncus occidentalis</i>	western rush									0.00	0.10
LAGL	<i>Lasthenia glaberrima</i>	smooth lasthenia		5	10		5	20			5.00	5.60
LETR	<i>Leymus triticoides</i>	beardless ryegrass									0.00	0.15
LOMU	<i>Lolium multiflorum</i> *	Italian ryegrass									0.00	0.10
LOPU	<i>Lotus purshianus</i>	Spanish clover	8								1.00	0.50
LYHY	<i>Lythrum hyssopifolium</i> *	grass poly	3	15	5	15		1	5	8	6.50	3.90
MALE	<i>Malvella leprosa</i>	alkali mallow		5	55	5	7	10	40	2	15.50	18.25
OXCA	<i>Oxalis pes-caprae</i> *	Bermuda buttercup									0.00	0.10
PHLE	<i>Phalaris lemmonii</i>	Lemmon's canary grass			15		35				6.25	6.38
PLCH	<i>Plagiobothrys chorisianus hickmanii</i>	Hickman's popcornflower		2	1				5		1.00	0.65
POSE	<i>Poa secunda</i>	Pacific bluegrass				1					0.13	0.06
POMA	<i>Polypogon maritimus</i> *	maritime beard-grass	45	25		5				1	9.50	10.50
PO	<i>Potentilla</i> sp.	potentilla									0.00	1.25
RUAC	<i>Rumex acetosella</i> *	sheep sorrel									0.00	2.50
RUCR	<i>Rumex crispus</i> *	curly dock						3			0.38	0.44
RUSA	<i>Rumex salicifolius</i>	willow dock									0.00	0.30
SCKO	<i>Scirpus koilolepis</i>	keeled club-rush									0.00	0.05
STAJ	<i>Stachys a. ajugoides</i>	bugle hedge nettle						5	30	30	8.13	6.56
TRBA	<i>Trifolium barbigerum</i>	bearded clover	10			2				2	1.75	2.03
TRMI	<i>Trifolium microcephalum</i>	small-headed clover									0.00	0.25
TRWI	<i>Trifolium willdenovii</i>	tomcat clover				50				15	8.13	4.06
VELA	<i>Verbena lasiostachys</i>	western vervain									0.00	0.15
Total Vegetative Cover			110	52	102	110	150	140	133	108	90.50	98.35
BG	--	Bare Ground	5	50	40						9.50	11.00
Total Cover			115	102	142	110	150	140	133	108	100.0	109.35

\*Non-native species