

**Table 9. OE Site 11 Percent Cover for Herbaceous Quadrat Sampling
2000 Annual Monitoring Report
Former Fort Ord, Monterey County, California**

CODE	Scientific Name	Common Name	Transect 3						Average Cover (%)
			1 %	2 %	3 %	4 %	5 %	6 %	
ADFA	<i>Adenostoma fasciculatum</i>	chamise							0.0
AICA	<i>Aira caryophylllea*</i>	silvery hair-grass							0.0
ARTO	<i>Arctostaphylos t. tomentosa</i>	shaggy-barked manzanita		100		2			20.4
BAPI	<i>Baccharis pilularis</i>	coyote brush							0.0
CECR	<i>Ceanothus cuneatus rigidus</i>	Monterey ceanothus							0.0
DOHE	<i>Dodecatheon hendersonii</i>	Henderson's shooting star							0.0
ERGL	<i>Erechtites glomerata*</i>	cut-leaved fireweed				7	7		2.8
ERCO	<i>Eriophyllum confertiflorum</i>	golden-yarrow							0.0
GAPO	<i>Galium porrigens</i>	climbing bedstraw		7	7				2.8
GAEL	<i>Garrya elliptica</i>	coast silk-tassel							0.0
GNSP	<i>Gnaphalium sp.</i>	cudweed							0.0
HEAR	<i>Heteromeles arbutifolia</i>	toyon				5			1.0
HESC	<i>Helianthemum scoparium</i>	rush rose							0.0
HOCU	<i>Horkelia c. cuneata</i>	wedge-leaved horkelia							0.0
HYGL	<i>Hypochaeris glabra*</i>	smooth cat's ear					1		0.2
LOSC	<i>Lotus scoparius</i>	deerweed							0.0
MIAU	<i>Mimulus aurantiacus</i>	sticky monkey flower		2	30			7	7.8
NAAT	<i>Navarretia atractyloides</i>	holly-leaved navarretia						2	0.4
PETR	<i>Pentagramma triangularis</i>	goldback fern							0.0
UNAG	Unknown annual grass	Unknown annual grass				7		2	1.8
UNPG	Unkonwn perennial grass	Unkonwn perennial grass						8	1.6
Total Vegetative Cover			0	109	37	21	16	11	17.0
BG	--	Bare Ground	35			79	84	89	57.4
BRUSH	--	Brush Pile	65		65				26.0
DV--	--	Dead Vegetation							
Total Cover			100	109	102	100	100	100	100.4

*Non-native species

**Table 9. OE Site 11 Percent Cover for Herbaceous Quadrat Sampling
2000 Annual Monitoring Report
Former Fort Ord, Monterey County, California**

CODE	Scientific Name	Common Name	Transect 5						Average Cover (%)
			1 %	2 %	3 %	4 %	5 %	6 %	
ADFA	<i>Adenostoma fasciculatum</i>	chamise	80	15	15			10	24.0
AICA	<i>Aira caryophylla</i> *	silvery hair-grass	15						3.0
ARTO	<i>Arctostaphylos t. tomentosa</i>	shaggy-barked manzanita							0.0
BAPI	<i>Baccharis pilularis</i>	coyote brush		3				4	1.4
CECR	<i>Ceanothus cuneatus rigidus</i>	Monterey ceanothus			15				3.0
DOHE	<i>Dodecatheon hendersonii</i>	Henderson's shooting star				0.5			0.1
ERGL	<i>Erechtites glomerata</i> *	cut-leaved fireweed							0.0
ERCO	<i>Eriophyllum confertiflorum</i>	golden-yarrow							0.0
GAPO	<i>Galium porrigens</i>	climbing bedstraw			7			4	2.2
GAEL	<i>Garrya elliptica</i>	coast silk-tassel			1				0.2
GNSP	<i>Gnaphalium</i> sp.	cudweed	3					10	2.6
HEAR	<i>Heteromeles arbutifolia</i>	toyon							0.0
HESC	<i>Helianthemum scoparium</i>	rush rose							0.0
HOCU	<i>Horkelia c. cuneata</i>	wedge-leaved horkelia							0.0
HYGL	<i>Hypochaeris glabra</i> *	smooth cat's ear	3					8	2.2
LOSC	<i>Lotus scoparius</i>	deerweed							0.0
MIAU	<i>Mimulus aurantiacus</i>	sticky monkey flower	2	10	15			40	13.4
NAAT	<i>Navarretia atractyloides</i>	holly-leaved navarretia							0.0
PETR	<i>Pentagramma triangularis</i>	goldback fern						1	0.2
UNAG	Unknown annual grass	Unknown annual grass		52		10		70	26.4
UNPG	Unkonwn perennial grass	Unkonwn perennial grass							0.0
Total Vegetative Cover			103	80	53	10.5	88	59	78.7
BG	--	Bare Ground		5	15	65		70	31.0
BRUSH	--	Brush Pile							
DV--	--	Dead Vegetation		25	45	25	15	15	25.0
Total Cover			103	110	113	100.5	103	144	134.7

*Non-native species

**Table 9. OE Site 11 Percent Cover for Herbaceous Quadrat Sampling
2000 Annual Monitoring Report
Former Fort Ord, Monterey County, California**

CODE	Scientific Name	Common Name	Transect 8						Combined Average Cover (%)	Average Cover (%)
			1 %	2 %	3 %	4 %	5 %	6 %		
ADFA	<i>Adenostoma fasciculatum</i>	chamise		15	1	25			6.8	10.28
AICA	<i>Aira caryophylla</i> *	silvery hair-grass							0.0	1.00
ARTO	<i>Arctostaphylos t. tomentosa</i>	shaggy-barked manzanita							0.0	6.80
BAPI	<i>Baccharis pilularis</i>	coyote brush				8			1.3	0.91
CECR	<i>Ceanothus cuneatus rigidus</i>	Monterey ceanothus							0.0	1.00
DOHE	<i>Dodecatheon hendersonii</i>	Henderson's shooting star							0.0	0.03
ERGL	<i>Erechtites glomerata</i> *	cut-leaved fireweed							0.0	0.93
ERCO	<i>Eriophyllum confertiflorum</i>	golden-yarrow	10	5		2	4		3.5	1.17
GAPO	<i>Galium porrigens</i>	climbing bedstraw							0.0	1.67
GAEL	<i>Garrya elliptica</i>	coast silk-tassel							0.0	0.07
GNSP	<i>Gnaphalium</i> sp.	cudweed				3			0.5	1.03
HEAR	<i>Heteromeles arbutifolia</i>	toyon							0.0	0.33
HESC	<i>Helianthemum scoparium</i>	rush rose					4		0.7	0.22
HOCU	<i>Horkelia c. cuneata</i>	wedge-leaved horkelia			3	8	2		2.2	0.72
HYGL	<i>Hypochaeris glabra</i> *	smooth cat's ear		3		1			0.7	1.02
LOSC	<i>Lotus scoparius</i>	deerweed	20	10				25	9.2	3.06
MIAU	<i>Mimulus aurantiacus</i>	sticky monkey flower							0.0	7.07
NAAT	<i>Navarretia atractyloides</i>	holly-leaved navarretia				2			0.3	0.24
PETR	<i>Pentagramma triangularis</i>	goldback fern							0.0	0.07
UNAG	Unknown annual grass	Unknown annual grass				1	5	2	1.3	9.84
UNPG	Unkonwn perennial grass	Unkonwn perennial grass							0.0	0.53
Total Vegetative Cover			30	33	4	50	15	27	20.0	48.00
BG	--	Bare Ground	85	80	97	50	95	69	79.3	55.91
BRUSH	--	Brush Pile								8.67
DV--	--	Dead Vegetation	5	10	5	25	15	4	10.7	11.89
Total Cover			120	123	106	125	125	100	110.0	124.47

*Non-native species