

TABLES

**Table 1. Sites 2/12 COCs in Groundwater, ACLs, and Discharge Limits
Annual Evaluation Report, January through December 2005
Sites 2/12 Groundwater Remedy, Former Fort Ord, California**

Chemicals of Concern	Sites 2/12 ¹ Aquifer Cleanup Levels (µg/L)	Discharge Limits for Treated Water ² (µg/L)
Chloroform	2.0	0.5
1,2-Dichloroethane	0.5	0.5
1,1-Dichloroethene	6.0	0.5
cis-1,2-Dichloroethene	6.0	0.5
Total 1,3-Dichloropropene	0.5	0.5
Tetrachloroethene (perchloroethene)	3.0	0.5
Trichloroethene	5.0	0.5
Vinyl Chloride	0.1	0.3

Notes:

- 1 Record of Decision, Basewide Remedial Investigation Sites, Fort Ord, California, January 13, 1997.
- 2 Discharge to wells overlying the contaminated groundwater plume need only meet aquifer cleanup levels. All limits are laboratory detection limits.
- µg/L micrograms per liter

**Table 2. Sites 2/12 Weekly System Flow Rate Summary
Annual Evaluation Report, January through December 2005
Sites 2/12 Groundwater Remedy, Former Fort Ord, California**

Week Ending ¹	Total Treated Water			OU2 Excess		Total Injection	
	Volume (gallons)	Average Flow Rate (gpm)	Cumulative Volume (million gallons)	Volume (gallons)	Average Flow Rate (gpm)	Volume (gallons)	Average Flow Rate (gpm)
1/7/2005	3,296,852	335	740.28	3,125,020	318	6,665,225	677
1/14/2005	3,411,671	333	743.69	3,136,676	306	6,895,650	672
1/21/2005	2,712,581	268	746.40	3,444,055	340	321,275	32
1/28/2005	3,159,307	319	749.56	3,216,268	325	NR	NR
2/4/2005	2,935,447	291	752.50	3,353,653	333	NR	NR
2/11/2005	2,637,697	256	755.13	3,430,260	332	NR	NR
2/18/2005	3,117,151	319	758.25	2,841,887	291	NR	NR
2/25/2005	3,167,077	312	761.42	3,296,912	325	6,317,210	623
3/4/2005	3,297,495	325	764.72	2,988,701	295	5,939,215	586
3/11/2005	3,458,695	342	768.17	3,436,738	340	6,627,850	656
3/18/2005	3,383,143	338	771.56	3,603,536	360	6,708,850	670
3/25/2005	3,268,716	323	774.83	3,641,361	360	6,663,375	659
4/1/2005	3,187,600	320	778.01	3,483,944	350	6,418,825	644
4/8/2005	3,330,531	328	781.34	3,510,609	346	6,598,675	651
4/15/2005	3,389,864	333	784.73	3,740,942	368	6,781,650	667
4/22/2005	3,447,647	345	788.18	3,659,524	366	6,759,025	677
4/29/2005	3,484,750	344	791.67	3,657,585	361	6,794,375	671
5/6/2005	3,456,435	342	795.12	3,631,761	360	6,750,100	669
5/13/2005	3,218,555	325	798.34	3,491,801	353	6,385,750	645
5/20/2005	3,317,909	319	801.66	3,371,244	324	6,406,350	615
5/27/2005	3,150,626	320	804.81	3,264,288	332	6,118,050	622
6/3/2005	3,108,587	310	807.92	3,822,356	381	6,578,850	657
6/10/2005	2,953,348	290	810.87	4,254,954	417	6,864,075	673
6/17/2005	2,828,293	284	813.70	4,124,804	414	6,614,800	664
6/24/2005	2,838,030	278	816.54	4,040,648	396	6,542,000	641
07/01/05	2,220,125	220	818.76	3,151,780	313	5,096,250	506
07/08/05	1,821,632	181	820.58	3,450,690	342	4,975,850	494
07/15/05	2,803,478	278	823.39	3,077,365	305	5,617,250	557
07/22/05	2,948,834	293	826.33	3,120,310	310	5,712,596	567
07/29/05	2,969,997	295	829.30	3,217,482	319	5,829,004	578
08/05/05	2,845,988	282	832.15	3,114,938	309	5,649,400	560
08/12/05	2,769,180	275	834.92	3,427,506	340	5,849,525	580
08/19/05	2,791,207	277	837.71	3,522,894	349	5,998,150	595
08/26/05	2,822,645	280	840.53	3,580,972	355	6,093,200	604
09/02/05	2,541,618	252	843.07	2,985,324	296	5,182,800	514
09/09/05	2,822,645	280	845.90	3,477,600	345	5,846,400	580
09/16/05	2,541,618	252	848.44	2,944,664	292	4,864,630	483
09/23/05	2,514,802	249	850.95	3,015,250	299	5,286,620	524
09/30/05	2,379,274	236	853.33	3,325,374	330	5,458,950	542
10/07/05	2,487,700	247	855.82	3,628,830	360	5,861,325	581
10/14/05	2,445,578	243	858.27	3,740,094	371	5,928,750	588
10/21/05	2,464,295	244	860.73	3,648,695	362	5,804,775	576
10/28/05	2,150,903	213	862.88	3,853,902	382	5,843,700	580
11/04/05	2,150,903	213	865.03	3,620,438	359	5,481,025	544
11/11/05	2,178,283	216	867.21	3,660,751	363	5,839,034	579
11/18/05	2,205,648	219	869.42	3,641,634	361	5,850,282	580
11/25/05	2,211,099	219	871.63	3,843,875	381	6,051,974	600
12/02/05	2,218,017	220	873.85	3,720,284	369	5,838,301	579
12/09/05	2,711,083	269	876.56	3,868,871	384	6,579,934	653
12/16/05	2,623,500	260	879.18	4,335,459	430	6,958,550	690
12/23/05	2,680,984	266	881.86	3,868,871	384	5,945,032	590
12/30/05	2,721,600	270	884.58	3,823,980	379	6,545,580	649
Annual Period	147,601,000	282	884.58	182,237,360	348	287,740,062	595

Notes:

¹ Meter readings are ordinarily recorded each Friday. If Friday data are not available, then the next closest complete set of meter readings is used.

gpm gallons per minute
NR Not Recorded

**TABLE 3. WEEKLY EXTRACTION SUMMARY
ANNUAL EVALUATION REPORT - 2005
SITES 2/12 GROUNDWATER REMEDY
FORMER FORT ORD, CALIFORNIA**

Week Ending ¹	EW-12-01-180U		EW-12-01-180M		EW-12-02-180U		EW-12-02-180M		EW-12-03-180U		EW-12-03-180M		EW-12-04-180U		EW-12-04-180M	
	Volume (gallons)	Average Flow Rate ² (gpm)	Volume (gallons)	Average Flow Rate (gpm)	Volume (gallons)	Average Flow Rate (gpm)	Volume (gallons)	Average Flow Rate (gpm)	Volume (gallons)	Average Flow Rate ² (gpm)	Volume (gallons)	Average Flow Rate (gpm)	Volume (gallons)	Average Flow Rate (gpm)	Volume (gallons)	Average Flow Rate (gpm)
1/7/2005	147,500	15	103,500	11	139,500	14	519,900	53	249,700	25	506,600	51	523,600	53	1,076,100	109
1/14/2005	132,000	13	101,400	10	245,600	24	515,000	50	236,400	23	497,600	48	520,600	51	1,065,000	104
1/21/2005	136,200	13	98,400	10	229,300	23	474,800	47	232,000	23	463,200	46	17,900	2	1,048,300	103
1/28/2005	139,300	14	103,400	10	261,300	26	512,400	52	241,700	24	499,800	50	294,900	30	1,063,900	107
2/4/2005	156,200	15	111,300	11	272,300	27	222,500	22	260,800	26	216,600	21	539,100	53	1,089,000	108
2/11/2005	176,600	17	117,800	11	395,960	38	NR	NR	328,960	32	NR	NR	550,140	53	1,116,700	108
2/18/2005	149,900	15	104,200	11	265,040	27	378,500	39	260,540	27	511,900	52	452,160	46	NR	NR
2/25/2005	162,720	16	111,620	11	281,260	28	547,000	54	273,760	27	547,340	54	NR	NR	NR	NR
3/4/2005	155,380	15	107,980	11	272,740	27	543,100	54	268,140	26	528,760	52	212,500	21	NR	NR
3/11/2005	141,200	14	100,800	10	254,200	25	522,900	52	247,100	24	515,900	51	530,000	52	1,078,635	107
3/18/2005	140,000	14	100,000	10	249,900	25	515,100	51	241,300	24	508,200	51	523,300	52	1,036,360	103
3/25/2005	143,500	14	104,200	10	182,600	18	521,600	52	244,900	24	513,600	51	459,000	45	1,029,815	102
4/1/2005	NR	NR	108,700	11	263,100	26	528,200	53	254,600	26	522,200	52	380,400	38	1,068,277	107
4/8/2005	NR	NR	110,000	11	260,200	26	526,800	52	253,100	25	521,900	51	531,900	52	1,032,987	102
4/15/2005	NR	NR	110,500	11	260,400	26	528,600	52	253,900	25	524,400	52	534,900	53	1,043,089	103
4/22/2005	150,700	15	110,500	11	262,400	26	529,300	53	257,700	26	526,300	53	538,100	54	1,007,468	101
4/29/2005	151,200	15	110,900	11	264,100	26	532,400	53	259,400	26	530,800	52	541,900	54	1,007,468	100
5/6/2005	152,000	15	111,400	11	265,300	26	535,000	53	260,700	26	534,800	53	545,000	54	991,824	98
5/13/2005	151,200	15	107,800	11	261,300	26	522,000	53	254,600	26	399,800	40	531,900	54	951,272	96
5/20/2005	151,400	15	106,700	10	255,500	25	542,700	52	260,000	25	398,200	38	552,700	53	967,925	93
5/27/2005	137,400	14	98,700	10	246,700	25	506,800	52	236,100	24	504,200	51	516,200	52	850,519	86
6/3/2005	133,900	13	100,400	10	246,700	25	511,100	51	236,800	24	460,400	46	521,500	52	835,158	83
6/10/2005	162,800	16	111,900	11	282,000	28	548,900	54	272,200	27	0	0	553,400	54	944,692	93
6/17/2005	160,000	16	110,100	11	273,100	27	535,000	54	262,400	26	0	0	544,200	55	883,328	89
6/24/2005	162,000	16	111,800	11	276,000	27	541,900	53	266,400	26	0	0	550,100	54	NR	NR
07/01/05	179,450	18	117,450	12	202,200	20	392,550	39	195,550	19	0	0	575,800	57	758,607	75
07/08/05	196,900	20	123,100	12	128,400	13	243,200	24	124,700	12	0	0	601,500	60	633,885	63
07/15/05	177,200	18	120,500	12	299,100	30	564,900	56	291,500	29	0	0	414,000	41	633,885	63
07/22/05	177,100	18	111,100	12	381,500	38	572,400	57	337,700	34	35,000	3	570,700	57	864,216	86
07/29/05	177,400	18	120,700	12	300,100	30	567,800	56	292,600	29	0	0	580,200	58	864,216	86
08/05/05	80,200	8	119,900	12	299,500	30	565,100	56	290,400	29	0	0	575,000	57	864,217	86
08/12/05	0	0	120,700	12	305,200	30	573,300	57	294,900	29	0	0	582,600	58	831,289	82
08/19/05	0	0	122,100	12	309,000	31	581,300	58	300,100	30	0	0	592,100	59	820,606	81
08/26/05	0	0	123,900	12	311,400	31	590,100	59	305,500	30	0	0	601,400	60	884,808	88
09/02/05	2,100	0	117,500	12	295,200	29	563,200	56	292,500	29	0	0	574,600	57	579,600	58
09/09/05	0	0	120,960	12	312,480	31	594,720	59	342,720	34	0	0	604,800	60	604,800	60
09/16/05	0	0	111,040	12	289,320	29	526,280	52	240,080	24	0	0	540,600	54	622,800	62
09/23/05	0	0	120,600	12	313,200	31	582,800	58	304,400	30	7,100	1	595,800	59	404,700	40
09/30/05	22,200	2	119,400	12	313,100	31	580,800	58	305,500	30	0	0	597,100	59	398,610	40
10/07/05	191,600	19	121,500	12	313,100	31	584,000	58	307,400	30	0	0	604,400	60	329,978	33
10/14/05	189,400	19	119,900	12	310,100	31	577,600	57	303,700	30	0	0	597,700	59	307,886	31
10/21/05	191,900	19	121,500	12	313,800	31	584,900	58	307,700	31	0	0	604,500	60	298,062	30
10/28/05	189,800	19	121,200	12	318,200	32	589,400	58	313,000	31	0	0	611,700	61	0	0
11/04/05	186,600	19	119,400	12	317,200	31	585,600	58	310,900	31	0	0	609,000	60	0	0
11/11/05	186,700	19	120,300	12	320,100	32	590,300	59	314,800	31	0	0	613,900	61	0	0
11/18/05	185,400	18	121,500	12	323,500	32	595,800	59	318,700	32	0	0	0	0	0	0
11/25/05	177,200	18	121,700	12	324,700	32	596,800	59	318,000	32	0	0	1,241,100	123	0	0
12/02/05	169,600	17	120,800	12	320,900	32	591,000	59	315,100	31	30,400	3	615,600	61	0	0
12/09/05	147,100	15	120,600	12	302,700	30	568,200	56	299,900	30	580,600	58	595,100	59	0	0
12/16/05	150,480	15	118,800	12	302,000	30	554,400	55	293,000	29	564,300	56	567,300	56	0	0
12/23/05	146,520	15	122,800	12	300,800	30	583,000	58	307,900	31	617,800	61	622,900	62	0	0
12/30/05	151,200	15	121,900	12	302,400	30	584,700	58	312,500	31	614,900	61	594,700	59	0	0
Annual Period	6,569,000	13	5,915,000	11	14,596,000	28	27,246,000	53	14,354,000	27	12,683,000	25	27,350,000	53	31,890,000	66

Notes:

- | | | | |
|-----|---|-----|---|
| 1 | Meter readings are ordinarily recorded each Friday. If Friday data are not available, then the next closest complete set of meter readings is used. | 1 | Meter readings are ordinarily recorded each Friday. If Friday data are not available, then the next closest complete set of meter readings is used. |
| 2 | Quarterly period total volume is rounded to the nearest 1,000 gallons. | 2 | Quarterly period total volume is rounded to the nearest 1,000 gallons. |
| gpm | gallons per minute | gpm | gallons per minute |
| MR | The meter reading collected for this date was inaccurate due to SCADA communication error with the meter. | MR | The meter reading collected for this date was inaccurate due to SCADA communication error with the meter. |

Table 4. Weekly Injection Summary
Annual Evaluation Report, January through December 2005
Sites 2/12 Groundwater Remedy, Former Fort Ord, California

Week Ending ¹	IW-02-01		IW-02-02		INF-02-01		INF-02-02		INF-02-03	
	Volume (gallons)	Average Flow Rate (gpm)	Volume (gallons)	Average Flow Rate (gpm)	Volume (gallons)	Average Flow Rate (gpm)	Volume (gallons)	Average Flow Rate (gpm)	Volume (gallons)	Average Flow Rate (gpm)
1/7/2005	562,262	57	1,013,700	103	2,900,200	295	1,477,463	150	NR	NR
1/14/2005	257,479	25	1,114,200	109	1,363,100	133	NR	NR	957,989	93
1/21/2005	232,268	23	994,000	98	2,683,100	265	1,734,700	171	944,500	93
1/28/2005	231,027	23	914,000	92	854,000	86	1,686,100	170	959,900	97
2/4/2005	229,430	23	1,007,100	100	1,026,900	102	1,839,500	182	943,800	94
2/11/2005	221,362	21	1,928,020	187	1,342,340	130	1,744,340	169	922,340	89
2/18/2005	211,968	22	1,034,080	106	1,933,560	198	1,431,160	146	1,028,160	105
2/25/2005	192,256	19	969,580	96	1,962,800	194	1,900,940	187	982,040	97
3/4/2005	338,915	33	920,920	91	1,688,500	167	1,568,860	155	1,136,660	112
3/11/2005	740,114	73	901,100	89	1,744,800	173	1,824,100	180	1,288,500	127
3/18/2005	740,035	74	888,100	89	1,729,900	173	1,932,600	193	1,321,800	132
3/25/2005	NR	NR	886,400	88	1,753,600	173	1,965,600	194	1,249,300	124
4/1/2005	NR	NR	911,600	92	1,733,000	174	788,100	79	1,207,300	121
4/8/2005	208,734	21	904,200	89	1,730,200	171	1,796,000	177	1,196,500	118
4/15/2005	776,216	76	944,700	93	1,748,900	172	1,812,500	178	1,271,300	125
4/22/2005	763,765	76	938,400	94	1,737,400	174	1,784,160	179	1,306,300	131
4/29/2005	782,734	77	957,100	95	745,000	74	1,961,640	194	1,182,700	117
5/6/2005	786,301	78	972,100	96	1,752,100	174	1,787,900	177	1,186,900	118
5/13/2005	766,654	77	945,600	96	NR	NR	NR	NR	1,056,400	107
5/20/2005	875,838	84	1,110,200	107	NR	NR	NR	NR	1,307,100	126
5/27/2005	861,624	88	1,107,800	113	1,707,400	174	1,456,400	148	1,167,700	119
6/3/2005	812,854	81	1,040,700	104	NR	NR	837,600	84	967,600	97
6/10/2005	757,264	74	938,700	92	NR	NR	892,600	88	1,046,100	103
6/17/2005	728,658	73	899,500	90	NR	NR	1,842,900	185	975,500	98
6/24/2005	722,320	71	887,300	87	0	0	NR	NR	865,300	85
07/01/05	764,668	76	906,550	90	557,983	55	1,257,900	125	1,004,900	100
07/08/05	807,015	80	925,800	92	1,115,965	111	1,257,900	125	1,144,500	114
07/15/05	960,086	95	802,500	80	1,087,128	108	MR	MR	45,500	5
07/22/05	943,799	94	794,800	79	1,050,270	104	MR	MR	100	0
07/29/05	945,073	94	787,400	78	1,043,259	103	MR	MR	0	0

Table 4. Weekly Injection Summary
Annual Evaluation Report, January through December 2005
Sites 2/12 Groundwater Remedy, Former Fort Ord, California

Week Ending ¹	IW-02-01		IW-02-02		INF-02-01		INF-02-02		INF-02-03	
	Volume (gallons)	Average Flow Rate (gpm)	Volume (gallons)	Average Flow Rate (gpm)	Volume (gallons)	Average Flow Rate (gpm)	Volume (gallons)	Average Flow Rate (gpm)	Volume (gallons)	Average Flow Rate (gpm)
08/05/05	971,343	96	812,600	81	1,080,121	107	1,827,600	181	556,200	55
08/12/05	976,149	97	831,600	83	1,067,493	106	2,040,600	202	1,086,800	108
08/19/05	992,070	98	836,300	83	1,076,596	107	109,100	11	950,800	94
08/26/05	1,007,755	100	838,790	83	1,084,090	108	114,000	11	902,100	89
09/02/05	907,118	90	821,879	82	929,299	92	5,768,400	572	MR	MR
09/09/05	657,600	65	806,400	80	1,038,240	103	1,764,000	175	1,985,760	197
09/16/05	1,222,812	121	1,193,700	118	1,001,160	99	1,423,100	141	1,914,840	190
09/23/05	975,035	97	1,101,238	109	1,119,908	111	2,251,900	223	MR	MR
09/30/05	921,312	91	647,400	64	1,032,707	102	557,100	55	837,500	83
10/07/05	894,376	89	647,441	64	1,453,329	144	769,400	76	1,037,500	103
10/14/05	865,236	86	621,789	62	1,666,857	165	23,400	2	960,200	95
10/21/05	895,761	89	0	0	1,606,186	159	MR	MR	704,300	70
10/28/05	870,604	86	0	0	1,511,871	150	2,686,500	267	668,500	66
11/04/05	864,426	86	0	0	1,494,629	148	482,500	48	670,200	66
11/11/05	871,819	86	0	0	1,513,935	150	470,200	47	1,510,400	150
11/18/05	868,413	86	0	0	1,474,657	146	2,542,700	252	2,797,300	278
11/25/05	865,994	86	0	0	1,402,629	139	MR	MR	2,804,000	278
12/02/05	873,791	87	0	0	1,479,929	147	MR	MR	2,784,000	276
12/09/05	788,292	78	0	0	2,352,728	233	578,800	57	2,790,300	277
12/16/05	801,900	80	0	0	2,306,700	229	702,900	70	2,875,600	285
12/23/05	823,642	82	0	0	2,854,214	283	393,800	39	2,673,000	265
12/30/05	846,720	84	0	0	2,499,840	248	1,653,100	164	2,530,100	251
Annual Period	36,982,887	73	38,505,287	73	70,038,523	148	62,740,063	148	61,706,089	125

Notes:

1 Meter readings are ordinarily recorded each Friday. If Friday data are not available, then the next closest complete set of meter readings is used.

gpm gallons per minute

MR The meter reading collected for this date was inaccurate due to SCADA communication error with the meter.

**Table 5. System Weekly and Cumulative Percent Operability
Annual Evaluation Report, January through December 2005
Sites 2/12 Groundwater Remedy, Former Fort Ord, California**

Week Ending	Weekly Operability	Cummulative Operability
1/7/2005	99.0	95.2
1/14/2005	100.0	95.2
1/21/2005	94.0	95.2
1/28/2005	100.0	95.2
2/4/2005	100.0	95.2
2/11/2005	94.0	95.3
2/18/2005	100.0	95.3
2/25/2005	100.0	95.3
3/4/2005	100.0	95.3
3/11/2005	100.0	95.3
3/18/2005	100.0	95.3
3/25/2005	100.0	95.3
4/1/2005	100.0	95.3
4/8/2005	100.0	95.3
4/15/2005	100.0	95.3
4/22/2005	100.0	95.3
4/29/2005	100.0	95.4
5/6/2005	100.0	95.4
5/13/2005	98.8	95.4
5/20/2005	100.0	95.4
5/27/2005	100.0	95.4
6/3/2005	100.0	95.4
6/10/2005	100.0	95.4
6/17/2005	100.0	95.4
6/24/2005	100.0	95.4
7/1/2005	84.0	95.4
7/8/2005	98.0	95.4
7/15/2005	100.0	95.4
7/22/2005	100.0	95.5
7/29/2005	100.0	95.6
8/5/2005	99.9	95.6
8/12/2005	100.0	95.6
8/19/2005	100.0	95.6
8/26/2005	100.0	95.6
9/2/2005	100.0	95.6
9/9/2005	100.0	95.6
9/16/2005	100.0	95.6
9/23/2005	100.0	95.6
9/30/2005	100.0	95.6
10/7/2005	100.0	95.6
10/14/2005	100.0	95.6
10/21/2005	99.7	95.6
10/28/2005	100.0	95.7
11/4/2005	98.0	95.6
11/11/2005	100.0	95.6
11/18/2005	100.0	95.6
11/25/2005	100.0	95.6
12/2/2005	100.0	95.6
12/11/2005	100.0	95.6
12/16/2005	100.0	95.6
12/23/2005	100.0	95.6
12/30/2005	100.0	95.6
Average	99.3	95.5

**Table 6. Sites 2/12 Injection Well Organic Data
Annual Groundwater Treatment Systems Operation Data Summary Report
January - December 2005
OU2 and Sites 2/12
Former Fort Ord, California**

		Station Number:	TS-212-INJ	TS-212-INJ	TS-212-INJ	TS-212-INJ	TS-212-INJ	TS-212-INJ	TS-212-INJ	TS-212-INJ	TS-212-INJ	TS-212-INJ	TS-212-INJ	TS-212-INJ
		Sample Date:	01/04/05	01/11/05	01/18/05	01/24/05	02/01/05	02/07/05						
		Sample Number:	0501F212004F	0502F212012F	0503F212016F	0504F212024F	0505F212029F	0506F212040F						
		Lab Batch:	P501035	P501181	P501258	P501357	P502048	P502132						
Test Method/Analyte Name	Units	ACL	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual
EPA8260B														
1,1-Dichloroethene	µg/l	6.0	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A
1,2-Dichloroethane	µg/l	0.5	0.23	J/A	0.21	J/J	0.23	J/A	0.26	J/A	0.25	J/A	0.30	J/A
1,3-Dichloropropene*	µg/l	0.5	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A
Chloroform	µg/l	2.0	ND(0.50)	J/U	0.42	J/A	0.53	/A	ND(0.58)	/U	0.64	/A	0.60	/A
cis-1,2-Dichloroethene	µg/l	6.0	2.0	/A	2.5	/A	3.1	/A	4.1	/A	4.0	/A	4.1	/A
Tetrachloroethene	µg/l	3.0	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A
Trichloroethene	µg/l	5.0	ND(0.50)	U/A	ND(0.50)	U/UJ	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A
Vinyl chloride	µg/l	0.1	0.056	J/A	ND(0.10)	U/A	0.11	/A	0.11	/A	ND(0.10)	U/A	0.053	J/A

* = total (i.e., includes both the cis and the trans isomers)
 ND = Not Detected at the specific reporting level in parentheses

**Table 6. Sites 2/12 Injection Well Organic Data
Annual Groundwater Treatment Systems Operation Data Summary Report
January - December 2005
OU2 and Sites 2/12
Former Fort Ord, California**

Station Number:	TS-212-INJ	TS-212-INJ	TS-212-INJ	TS-212-INJ	TS-212-INJ	TS-212-INJ
Sample Date:	02/24/05	03/09/05	03/15/05	03/22/05	03/30/05	04/05/05
Sample Number:	0508F212045F	0510F212050F	0511F212056F	0512F212059F	0513F212106F	0514F212113F
Lab Batch:	P502373	P503132	P503193	P503280	P503400	P504052

Test Method/Analyte Name	Units	ACL	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual
EPA8260B														
1,1-Dichloroethene	µg/l	6.0	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A
1,2-Dichloroethane	µg/l	0.5	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A
1,3-Dichloropropene*	µg/l	0.5	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A
Chloroform	µg/l	2.0	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	0.081	J/A
cis-1,2-Dichloroethene	µg/l	6.0	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	0.096	J/A	0.26	J/A
Tetrachloroethene	µg/l	3.0	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A
Trichloroethene	µg/l	5.0	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A
Vinyl chloride	µg/l	0.1	ND(0.10)	U/A	ND(0.10)	U/A	ND(0.10)	U/A	ND(0.10)	U/A	ND(0.10)	U/A	ND(0.10)	U/UJ

* = total (i.e., includes both the cis and the trans isomers)

ND = Not Detected at the specific reporting level in parentheses

**Table 6. Sites 2/12 Injection Well Organic Data
Annual Groundwater Treatment Systems Operation Data Summary Report
January - December 2005
OU2 and Sites 2/12
Former Fort Ord, California**

Station Number:	TS-212-INJ	TS-212-INJ	TS-212-INJ	TS-212-INJ	TS-212-INJ	TS-212-INJ
Sample Date:	04/11/05	04/18/05	04/25/05	05/02/05	05/10/05	05/18/05
Sample Number:	0515F212118F	0516F212123F	0517F212127F	0518F212132F	0519F212138F	0520F212143F
Lab Batch:	P504099	P504171	P504226	P505012	P505086	P505138

Test Method/Analyte Name	Units	ACL	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual
EPA8260B														
1,1-Dichloroethene	µg/l	6.0	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A
1,2-Dichloroethane	µg/l	0.5	ND(0.50)	U/A	0.096	J/A	0.12	J/A	0.15	J/A	ND(0.50)	U/A	ND(0.50)	U/A
1,3-Dichloropropene*	µg/l	0.5	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A
Chloroform	µg/l	2.0	0.10	J/A	0.15	J/A	0.20	J/A	0.23	J/A	0.33	J/A	0.31	J/A
cis-1,2-Dichloroethene	µg/l	6.0	0.39	J/A	0.78	/A	1.3	/A	1.7	/A	2.5	/A	3.4	/A
Tetrachloroethene	µg/l	3.0	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A
Trichloroethene	µg/l	5.0	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A
Vinyl chloride	µg/l	0.1	ND(0.10)	U/UJ	ND(0.10)	U/A	ND(0.10)	U/A	ND(0.10)	U/A	ND(0.10)	U/A	ND(0.10)	U/A

* = total (i.e., includes both the cis and the trans isomers)

ND = Not Detected at the specific reporting level in parentheses

**Table 6. Sites 2/12 Injection Well Organic Data
Annual Groundwater Treatment Systems Operation Data Summary Report
January - December 2005
OU2 and Sites 2/12
Former Fort Ord, California**

		Station Number:	TS-212-INJ	TS-212-INJ	TS-212-INJ	TS-212-INJ	TS-212-INJ	TS-212-INJ	TS-212-INJ	TS-212-INJ	TS-212-INJ	TS-212-INJ	TS-212-INJ	
		Sample Date:	05/23/05	05/31/05	06/06/05	06/13/05	06/21/05	06/28/05						
		Sample Number:	0521F212148F	0522F212153F	0523F212165F	0524F212169F	0525F212214F	0526F212218F						
		Lab Batch:	P505159	P506001	MOF0206	MOF0443	MOF0793	MOF1020						
Test Method/Analyte Name	Units	ACL	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual
EPA8260B														
1,1-Dichloroethene	µg/l	6.0	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/UJ	ND(0.50)	U/A	ND(0.50)	U/A
1,2-Dichloroethane	µg/l	0.5	0.15	J/A	0.22	J/A	0.21	J/A	0.19	J/A	0.17	J/A	0.19	J/A
1,3-Dichloropropene*	µg/l	0.5	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A
Chloroform	µg/l	2.0	0.30	J/A	0.42	J/A	0.45	J/A	0.52	/A	0.48	J/A	0.50	/A
cis-1,2-Dichloroethene	µg/l	6.0	3.5	/A	4.7	/A	4.3	/A	4.4	/A	4.5	/A	5.1	/A
Tetrachloroethene	µg/l	3.0	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A
Trichloroethene	µg/l	5.0	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A
Vinyl chloride	µg/l	0.1	ND(0.10)	U/A	0.087	J/J+	0.11	/A	ND(0.10)	U/A	ND(0.10)	U/A	ND(0.10)	U/A

* = total (i.e., includes both the cis and the trans isomers)
 ND = Not Detected at the specific reporting level in parentheses

**Table 6. Sites 2/12 Injection Well Organic Data
Annual Groundwater Treatment Systems Operation Data Summary Report
January - December 2005
OU2 and Sites 2/12
Former Fort Ord, California**

		Station Number:	TS-212-INJ	TS-212-INJ	TS-212-INJ	TS-212-INJ	TS-212-INJ	TS-212-INJ	TS-212-INJ	TS-212-INJ	TS-212-INJ	TS-212-INJ	TS-212-INJ	
		Sample Date:	07/18/05	08/01/05	08/08/05	08/14/05	08/22/05	08/30/05						
		Sample Number:	0529F212231F	0531F212241F	0532F212244F	0533F212253F	0534F212256F	0535F212308F						
		Lab Batch:	MOG0467	MOH0071	MOH0402	MOH0805	MOH1145	MOI0030						
Test Method/Analyte Name	Units	ACL	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual
EPA8260B														
1,1-Dichloroethene	µg/l	6.0	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A
1,2-Dichloroethane	µg/l	0.5	0.11	J/A	0.18	J/A	0.21	J/A	0.21	J/A	0.20	J/A	0.22	J/A
1,3-Dichloropropene*	µg/l	0.5	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A
Chloroform	µg/l	2.0	0.41	J/A	0.49	J/A	0.55	/A	0.55	/A	0.58	/A	0.56	/A
cis-1,2-Dichloroethene	µg/l	6.0	0.42	J/A	0.58	/A	0.87	/A	1.3	/A	1.9	/A	2.5	/A
Tetrachloroethene	µg/l	3.0	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A
Trichloroethene	µg/l	5.0	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A
Vinyl chloride	µg/l	0.1	ND(0.10)	U/UJ	ND(0.10)	U/A	ND(0.10)	U/A	0.060	J/J	0.11	/J	0.060	J/A

* = total (i.e., includes both the cis and the trans isomers)
 ND = Not Detected at the specific reporting level in parentheses

**Table 6. Sites 2/12 Injection Well Organic Data
Annual Groundwater Treatment Systems Operation Data Summary Report
January - December 2005
OU2 and Sites 2/12
Former Fort Ord, California**

Station Number:	TS-212-INJ	TS-212-INJ	TS-212-INJ	TS-212-INJ	TS-212-INJ	TS-212-INJ
Sample Date:	09/06/05	09/14/05	09/19/05	09/26/05	10/03/05	10/10/05
Sample Number:	0536F212310F	0537F212316F	0538F212320F	0539F212326F	0540F212329F	0541F212336F
Lab Batch:	MOI0180	MOI0501	MOI0639	MOI0876	MOJ0069	MOJ0545

Test Method/Analyte Name	Units	ACL	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual
EPA8260B														
1,1-Dichloroethene	µg/l	6.0	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	0.25	J/A	ND(0.50)	U/A
1,2-Dichloroethane	µg/l	0.5	0.22	J/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	0.21	J/A	ND(0.50)	U/A
1,3-Dichloropropene*	µg/l	0.5	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A
Chloroform	µg/l	2.0	0.61	/A	0.10	J/A	0.10	J/A	0.12	J/A	0.11	J/A	0.10	J/A
cis-1,2-Dichloroethene	µg/l	6.0	3.6	/A	2.8	/A	3.4	/A	3.8	/A	4.1	/A	4.1	/A
Tetrachloroethene	µg/l	3.0	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	J/U	ND(0.50)	U/A
Trichloroethene	µg/l	5.0	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A
Vinyl chloride	µg/l	0.1	0.050	J/A	ND(0.10)	U/A	ND(0.10)	U/A	ND(0.10)	U/A	0.060	J/J	ND(0.10)	U/UJ

* = total (i.e., includes both the cis and the trans isomers)

ND = Not Detected at the specific reporting level in parentheses

**Table 6. Sites 2/12 Injection Well Organic Data
Annual Groundwater Treatment Systems Operation Data Summary Report
January - December 2005
OU2 and Sites 2/12
Former Fort Ord, California**

Station Number:	TS-212-INJ	TS-212-INJ	TS-212-INJ	TS-212-INJ	TS-212-INJ	TS-212-INJ
Sample Date:	10/17/05	10/25/05	10/31/05	11/14/05	11/29/05	12/05/05
Sample Number:	0542F212341F	0543F212346F	0544F212351F	0546F212357F	0548F212362F	0549F212368F
Lab Batch:	MOJ0972	MOJ1302	MOK0024	MOK0673	MOK1092	MOL0217

Test Method/Analyte Name	Units	ACL	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual
EPA8260B														
1,1-Dichloroethene	µg/l	6.0	ND (0.50)	U/A	ND (0.50)	U/A	ND (0.50)	U/A	ND (0.50)	U/A	ND (0.50)	U/A	ND (0.50)	U/A
1,2-Dichloroethane	µg/l	0.5	ND (0.50)	U/A	ND (0.50)	U/A	ND (0.50)	U/A	ND (0.50)	U/A	ND (0.50)	U/A	ND (0.50)	U/A
1,3-Dichloropropene*	µg/l	0.5	ND (0.50)	U/A	ND (0.50)	U/A	ND (0.50)	U/A	ND (0.50)	U/A	ND (0.50)	U/A	ND (0.50)	U/A
Chloroform	µg/l	2.0	0.11	J/A	0.11	J/A	0.13	J/A	0.11	J/A	0.22	J/A	0.090	J/A
cis-1,2-Dichloroethene	µg/l	6.0	4.3	/A	3.8	/A	3.8	/A	ND (0.50)	U/A	ND (0.50)	U/A	ND (0.50)	U/A
Tetrachloroethene	µg/l	3.0	ND (0.50)	U/A	ND (0.50)	U/A	ND (0.50)	U/A	ND (0.50)	U/A	ND (0.50)	U/A	ND (0.50)	U/A
Trichloroethene	µg/l	5.0	ND (0.50)	U/A	ND (0.50)	U/A	ND (0.50)	U/A	ND (0.50)	U/A	ND (0.50)	U/A	ND (0.50)	U/A
Vinyl chloride	µg/l	0.1	0.060	J/J	0.050	J/J	0.050	J/A	ND (0.10)	U/A	0.060	J/J	0.060	J/A

* = total (i.e., includes both the cis and the trans isomers)

ND = Not Detected at the specific reporting level in parentheses

**Table 6. Sites 2/12 Injection Well Organic Data
Annual Groundwater Treatment Systems Operation Data Summary Report
January - December 2005
OU2 and Sites 2/12
Former Fort Ord, California**

Station Number:	TS-212-INJ	TS-212-INJ	TS-212-INJ
Sample Date:	12/12/05	12/20/05	12/27/05
Sample Number:	0550F212372F	0551F212414F	0552F212420F
Lab Batch:	MOL0488	MOL0803	MOL1002

Test Method/Analyte Name	Units	ACL	Value	Qual	Value	Qual	Value	Qual
EPA8260B								
1,1-Dichloroethene	µg/l	6.0	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/R
1,2-Dichloroethane	µg/l	0.5	ND(0.50)	U/A	ND(0.50)	U/A	0.14	J/J-
1,3-Dichloropropene*	µg/l	0.5	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/R
Chloroform	µg/l	2.0	0.30	J/A	0.30	J/A	0.40	J/J-
cis-1,2-Dichloroethene	µg/l	6.0	ND(0.50)	U/A	ND(0.50)	U/A	0.28	J/J-
Tetrachloroethene	µg/l	3.0	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/R
Trichloroethene	µg/l	5.0	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/R
Vinyl chloride	µg/l	0.1	0.050	J/A	ND(0.10)	U/A	ND(0.10)	U/R

* = total (i.e., includes both the cis and the trans isomers)

ND = Not Detected at the specific reporting level in parentheses

**Table 7. Sites 2/12 Influent Treatment System Organic Data
Annual Groundwater Treatment Systems Operation Data Summary Report
January - December 2005
OU2 and Sites 2/12
Former Fort Ord, California**

Station Number:	TS-212-INF	TS-212-INF	TS-212-INF	TS-212-INF	TS-212-INF	TS-212-INF
Sample Date:	01/18/05	02/07/05	03/09/05	03/30/05	04/05/05	05/02/05
Sample Number:	0503F212013F	0506F212037F	0510F212047F	0513F212102F	0514F212110F	0518F212129F
Lab Batch:	P501258	P502132	P503132	P503400	P504052	P505012

Test Method/Analyte Name	Units	ACL	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual
EPA8260B														
1,1-Dichloroethene	µg/l	6.0	0.12	J/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A
1,2-Dichloroethane	µg/l	0.5	0.22	J/A	0.10	J/A	0.14	J/A	0.14	J/A	0.13	J/A	ND(0.50)	U/A
1,3-Dichloropropene*	µg/l	0.5	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A
Chloroform	µg/l	2.0	0.23	J/A	0.18	J/A	0.17	J/A	0.17	J/A	0.16	J/A	0.19	J/A
cis-1,2-Dichloroethene	µg/l	6.0	9.7	/A	3.1	/A	7.1	/A	7.2	/A	6.8	/A	7.5	/A
Tetrachloroethene	µg/l	3.0	2.1	/A	0.99	/A	1.7	/A	1.7	/A	1.7	/A	2.0	/A
Trichloroethene	µg/l	5.0	18	/A	5.4	/A	13	/A	13	/A	12	/A	15	/A
Vinyl chloride	µg/l	0.1	0.15	/A	ND(0.10)	U/A	0.080	J/A	0.082	J/A	0.069	J/J	ND(0.10)	U/A

* = total (i.e., includes both the cis and the trans isomers)

ND = Not Detected at the specific reporting level in parentheses

**Table 7. Sites 2/12 Influent Treatment System Organic Data
Annual Groundwater Treatment Systems Operation Data Summary Report
January - December 2005
OU2 and Sites 2/12
Former Fort Ord, California**

Station Number:	TS-212-INF	TS-212-INF	TS-212-INF	TS-212-INF	TS-212-INF	TS-212-INF
Sample Date:	05/23/05	06/13/05	06/21/05	06/28/05	08/01/05	08/30/05
Sample Number:	0521F212145F	0524F212166F	0525F212210F	0526F212215F	0531F212238F	0535F212288F
Lab Batch:	P505159	MOF0443	MOF0793	MOF1020	MOH0071	MOI0123

Test Method/Analyte Name	Units	ACL	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual
EPA8260B														
1,1-Dichloroethene	µg/l	6.0	0.078	J/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A
1,2-Dichloroethane	µg/l	0.5	0.16	J/A	0.13	J/A	0.12	J/A	0.12	J/A	0.11	J/A	0.14	J/A
1,3-Dichloropropene*	µg/l	0.5	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A
Chloroform	µg/l	2.0	0.19	J/A	0.18	J/A	0.16	J/A	0.15	J/A	0.17	J/A	0.17	J/A
cis-1,2-Dichloroethene	µg/l	6.0	8.4	/A	6.9	/A	7.3	/A	7.2	/A	7.9	/A	6.6	/A
Tetrachloroethene	µg/l	3.0	2.1	/A	1.6	/A	2.1	/J+	1.8	/A	2.2	/A	2.4	/A
Trichloroethene	µg/l	5.0	14	/A	13	/A	15	/J+	13	/A	14	/A	14	/A
Vinyl chloride	µg/l	0.1	0.12	/J+	0.12	/A	ND(0.10)	U/A	0.070	J/A	ND(0.10)	U/A	0.13	/A

* = total (i.e., includes both the cis and the trans isomers)

ND = Not Detected at the specific reporting level in parentheses

**Table 7. Sites 2/12 Influent Treatment System Organic Data
Annual Groundwater Treatment Systems Operation Data Summary Report
January - December 2005
OU2 and Sites 2/12
Former Fort Ord, California**

		Station Number:	TS-212-INF	TS-212-INF	TS-212-INF	TS-212-INF	TS-212-INF	TS-212-INF	TS-212-INF	TS-212-INF	TS-212-INF	TS-212-INF
		Sample Date:	09/26/05	10/17/05	11/29/05	12/13/05	12/27/05					
		Sample Number:	0539F212323F	0542F212338F	0548F212359F	0550F212410F	0552F212417F					
		Lab Batch:	MOI0876	MOJ0972	MOK1092	MOL0665	MOL1002					
Test Method/Analyte Name	Units	ACL	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual
EPA8260B												
1,1-Dichloroethene	µg/l	6.0	ND (0.50)	U/A	ND (0.50)	U/A	ND (0.50)	U/A	ND (0.50)	U/A	ND (0.50)	U/R
1,2-Dichloroethane	µg/l	0.5	0.14	J/A	ND (0.50)	U/A	0.14	J/A	ND (0.50)	U/A	0.16	J/J-
1,3-Dichloropropene*	µg/l	0.5	ND (0.50)	U/A	ND (0.50)	U/A	ND (0.50)	U/A	ND (0.50)	U/A	ND (0.50)	U/R
Chloroform	µg/l	2.0	0.20	J/A	0.17	J/A	0.19	J/A	0.17	J/A	0.21	J/J-
cis-1,2-Dichloroethene	µg/l	6.0	9.1	/A	8.1	/A	9.2	/A	7.2	/A	8.0	/J-
Tetrachloroethene	µg/l	3.0	3.2	/A	2.7	/A	3.1	/A	2.5	/A	2.9	/J-
Trichloroethene	µg/l	5.0	17	/A	15	/A	16	/A	14	/A	15	/J-
Vinyl chloride	µg/l	0.1	0.090	J/A	0.060	J/J	0.13	/J	0.090	J/A	ND (0.10)	U/R

* = total (i.e., includes both the cis and the trans isomers)

ND = Not Detected at the specific reporting level in parentheses

**Table 8. Sites 2/12 Effluent Treatment System Organic Data
Annual Groundwater Treatment Systems Operation Data Summary Report
January - December 2005
OU2 and Sites 2/12
Former Fort Ord, California**

		Station Number:	TS-212-EFF	TS-212-EFF	TS-212-EFF	TS-212-EFF	TS-212-EFF	TS-212-EFF	TS-212-EFF	TS-212-EFF	TS-212-EFF	TS-212-EFF	TS-212-EFF	
		Sample Date:	01/04/05	01/11/05	01/18/05	01/24/05	02/01/05	02/07/05						
		Sample Number:	0501F212002F	0502F212011F	0503F212015F	0504F212023F	0505F212028F	0506F212039F						
		Lab Batch:	P501035	P501181	P501258	P501357	P502048	P502132						
Test Method/Analyte Name	Units	ACL	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual
EPA8260B														
1,1-Dichloroethene	µg/l	6.0	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	0.10	J/A	ND(0.50)	U/A
1,2-Dichloroethane	µg/l	0.5	0.23	J/A	ND(0.50)	U/UJ	0.29	J/A	0.24	J/A	0.25	J/A	0.28	J/A
1,3-Dichloropropene*	µg/l	0.5	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A
Chloroform	µg/l	2.0	ND(0.50)	J/U	0.20	J/A	0.27	J/A	ND(0.50)	J/U	0.32	J/A	0.27	J/A
cis-1,2-Dichloroethene	µg/l	6.0	3.3	/A	4.1	/A	6.3	/A	7.2	/A	8.2	/A	8.7	/A
Tetrachloroethene	µg/l	3.0	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A
Trichloroethene	µg/l	5.0	ND(0.50)	U/A	ND(0.50)	U/UJ	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A
Vinyl chloride	µg/l	0.1	0.073	J/A	0.070	J/A	0.12	/A	0.14	/A	0.11	/A	0.16	/A

* = total (i.e., includes both the cis and the trans isomers)

ND = Not Detected at the specific reporting level in parentheses

**Table 8. Sites 2/12 Effluent Treatment System Organic Data
Annual Groundwater Treatment Systems Operation Data Summary Report
January - December 2005
OU2 and Sites 2/12
Former Fort Ord, California**

Station Number:	TS-212-EFF	TS-212-EFF	TS-212-EFF	TS-212-EFF	TS-212-EFF	TS-212-EFF
Sample Date:	02/14/05	02/24/05	03/09/05	03/15/05	03/22/05	03/30/05
Sample Number:	0507F212043F	0508F212044F	0510F212049F	0511F212055F	0512F212058F	0513F212104F
Lab Batch:	P502234	P502373	P503132	P503193	P503280	P503400

Test Method/Analyte Name	Units	ACL	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual
EPA8260B														
1,1-Dichloroethene	µg/l	6.0	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A
1,2-Dichloroethane	µg/l	0.5	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A
1,3-Dichloropropene*	µg/l	0.5	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A
Chloroform	µg/l	2.0	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A
cis-1,2-Dichloroethene	µg/l	6.0	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	0.24	J/A
Tetrachloroethene	µg/l	3.0	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A
Trichloroethene	µg/l	5.0	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A
Vinyl chloride	µg/l	0.1	ND(0.10)	U/A	ND(0.10)	U/A	0.067	J/A	0.065	J/A	0.073	J/A	0.070	J/A

* = total (i.e., includes both the cis and the trans isomers)
 ND = Not Detected at the specific reporting level in parentheses

**Table 8. Sites 2/12 Effluent Treatment System Organic Data
Annual Groundwater Treatment Systems Operation Data Summary Report
January - December 2005
OU2 and Sites 2/12
Former Fort Ord, California**

Station Number:	TS-212-EFF	TS-212-EFF	TS-212-EFF	TS-212-EFF	TS-212-EFF	TS-212-EFF
Sample Date:	04/05/05	04/11/05	04/18/05	04/25/05	05/02/05	05/10/05
Sample Number:	0514F212112F	0515F212117F	0516F212121F	0517F212126F	0518F212131F	0519F212137F
Lab Batch:	P504052	P504099	P504171	P504226	P505012	P505086

Test Method/Analyte Name	Units	ACL	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual
EPA8260B														
1,1-Dichloroethene	µg/l	6.0	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A
1,2-Dichloroethane	µg/l	0.5	ND(0.50)	U/A	0.14	J/A	0.17	J/A	0.17	J/A	0.23	J/A	0.24	J/A
1,3-Dichloropropene*	µg/l	0.5	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A
Chloroform	µg/l	2.0	0.10	J/A	0.14	J/A	0.16	J/A	0.18	J/A	0.23	J/A	0.32	J/A
cis-1,2-Dichloroethene	µg/l	6.0	0.52	/A	0.86	/A	1.6	/A	2.6	/A	3.6	/A	5.8	/A
Tetrachloroethene	µg/l	3.0	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A
Trichloroethene	µg/l	5.0	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A
Vinyl chloride	µg/l	0.1	ND(0.10)	U/UJ	0.063	J/J	0.052	J/A	0.059	J/A	0.069	J/A	ND(0.10)	U/A

* = total (i.e., includes both the cis and the trans isomers)
 ND = Not Detected at the specific reporting level in parentheses

**Table 8. Sites 2/12 Effluent Treatment System Organic Data
Annual Groundwater Treatment Systems Operation Data Summary Report
January - December 2005
OU2 and Sites 2/12
Former Fort Ord, California**

		Station Number:	TS-212-EFF	TS-212-EFF	TS-212-EFF	TS-212-EFF	TS-212-EFF	TS-212-EFF	TS-212-EFF	TS-212-EFF	TS-212-EFF	TS-212-EFF	TS-212-EFF	
		Sample Date:	05/18/05	05/23/05	05/31/05	06/06/05	06/13/05	06/21/05						
		Sample Number:	0520F212142F	0521F212147F	0522F212152F	0523F212164F	0524F212168F	0525F212213F						
		Lab Batch:	P505138	P505159	P506001	MOF0206	MOF0443	MOF0793						
Test Method/Analyte Name	Units	ACL	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual
EPA8260B														
1,1-Dichloroethene	µg/l	6.0	ND(0.50)	U/A	ND(0.50)	U/A	0.060	J/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A
1,2-Dichloroethane	µg/l	0.5	0.26	J/A	0.25	J/A	0.23	J/A	0.19	J/A	0.18	J/A	0.20	J/A
1,3-Dichloropropene*	µg/l	0.5	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A
Chloroform	µg/l	2.0	0.25	J/A	0.29	J/A	0.32	J/A	0.27	J/A	0.26	J/A	0.26	J/A
cis-1,2-Dichloroethene	µg/l	6.0	6.4	/A	8.1	/A	9.5	/A	9.6	/A	8.9	/A	10	/A
Tetrachloroethene	µg/l	3.0	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A
Trichloroethene	µg/l	5.0	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A
Vinyl chloride	µg/l	0.1	0.068	J/A	0.094	J/J+	0.11	/J+	0.14	/A	0.12	/A	ND(0.10)	U/A

* = total (i.e., includes both the cis and the trans isomers)
ND = Not Detected at the specific reporting level in parentheses

**Table 8. Sites 2/12 Effluent Treatment System Organic Data
Annual Groundwater Treatment Systems Operation Data Summary Report
January - December 2005
OU2 and Sites 2/12
Former Fort Ord, California**

Station Number:	TS-212-EFF	TS-212-EFF	TS-212-EFF	TS-212-EFF	TS-212-EFF	TS-212-EFF
Sample Date:	06/28/05	07/07/05	07/18/05	08/01/05	08/08/05	08/14/05
Sample Number:	0526F212217F	0527F212220F	0529F212230F	0531F212240F	0532F212243F	0533F212252F
Lab Batch:	MOF1020	MOG0184	MOG0467	MOH0071	MOH0402	MOH0805

Test Method/Analyte Name	Units	ACL	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual
EPA8260B														
1,1-Dichloroethene	µg/l	6.0	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A
1,2-Dichloroethane	µg/l	0.5	0.17	J/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	0.10	J/A	0.15	J/A
1,3-Dichloropropene*	µg/l	0.5	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A
Chloroform	µg/l	2.0	0.24	J/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	0.12	J/A	0.15	J/A
cis-1,2-Dichloroethene	µg/l	6.0	11	/A	ND(0.50)	U/A	ND(0.50)	U/A	0.080	J/A	0.44	J/A	1.2	/A
Tetrachloroethene	µg/l	3.0	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A
Trichloroethene	µg/l	5.0	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A
Vinyl chloride	µg/l	0.1	0.060	J/A	ND(0.10)	U/A	ND(0.10)	U/UJ	0.060	J/A	0.090	J/A	0.080	J/J

* = total (i.e., includes both the cis and the trans isomers)

ND = Not Detected at the specific reporting level in parentheses

**Table 8. Sites 2/12 Effluent Treatment System Organic Data
Annual Groundwater Treatment Systems Operation Data Summary Report
January - December 2005
OU2 and Sites 2/12
Former Fort Ord, California**

		Station Number:	TS-212-EFF	TS-212-EFF	TS-212-EFF	TS-212-EFF	TS-212-EFF	TS-212-EFF	TS-212-EFF	TS-212-EFF	TS-212-EFF	TS-212-EFF	TS-212-EFF	
		Sample Date:	08/22/05	08/30/05	09/06/05	09/14/05	09/19/05	09/26/05						
		Sample Number:	0534F212254F	0535F212307F	0536F212309F	0537F212314F	0538F212319F	0539F212325F						
		Lab Batch:	MOH1145	MOI0030	MOI0180	MOI0501	MOI0639	MOI0876						
Test Method/Analyte Name	Units	ACL	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual
EPA8260B														
1,1-Dichloroethene	µg/l	6.0	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A
1,2-Dichloroethane	µg/l	0.5	0.16	J/A	0.18	J/A	0.17	J/A	0.19	J/A	0.16	J/A	0.17	J/A
1,3-Dichloropropene*	µg/l	0.5	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A
Chloroform	µg/l	2.0	0.18	J/A	0.21	J/A	0.23	J/A	0.23	J/A	0.26	J/A	0.27	J/A
cis-1,2-Dichloroethene	µg/l	6.0	2.3	/A	3.8	/A	5.5	/A	6.3	/A	7.9	/A	9.0	/A
Tetrachloroethene	µg/l	3.0	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A
Trichloroethene	µg/l	5.0	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A
Vinyl chloride	µg/l	0.1	0.090	J/J	0.060	J/A	0.060	J/A	0.060	J/A	ND(0.10)	U/A	0.080	J/A

* = total (i.e., includes both the cis and the trans isomers)

ND = Not Detected at the specific reporting level in parentheses

**Table 8. Sites 2/12 Effluent Treatment System Organic Data
Annual Groundwater Treatment Systems Operation Data Summary Report
January - December 2005
OU2 and Sites 2/12
Former Fort Ord, California**

Station Number:	TS-212-EFF	TS-212-EFF	TS-212-EFF	TS-212-EFF	TS-212-EFF	TS-212-EFF
Sample Date:	10/03/05	10/10/05	10/17/05	10/25/05	10/31/05	11/14/05
Sample Number:	0540F212328F	0541F212335F	0542F212340F	0543F212345F	0544F212350F	0546F212356F
Lab Batch:	MOJ0069	MOJ0545	MOJ0972	MOJ1302	MOK0024	MOK0673

Test Method/Analyte Name	Units	ACL	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual
EPA8260B														
1,1-Dichloroethene	µg/l	6.0	0.25	J/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A
1,2-Dichloroethane	µg/l	0.5	0.34	J/A	0.17	J/A	0.17	J/A	0.14	J/A	0.17	J/A	ND(0.50)	U/A
1,3-Dichloropropene*	µg/l	0.5	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A
Chloroform	µg/l	2.0	0.24	J/A	0.23	J/A	0.25	J/A	0.22	J/A	0.24	J/A	ND(0.50)	U/A
cis-1,2-Dichloroethene	µg/l	6.0	8.7	/A	9.9	/A	11	/A	10	/A	12	/A	ND(0.50)	U/A
Tetrachloroethene	µg/l	3.0	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A
Trichloroethene	µg/l	5.0	ND(0.50)	J/U	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A
Vinyl chloride	µg/l	0.1	0.10	/J	0.13	/J	0.10	/J	0.11	/J	ND(0.10)	U/A	ND(0.10)	U/A

* = total (i.e., includes both the cis and the trans isomers)

ND = Not Detected at the specific reporting level in parentheses

**Table 8. Sites 2/12 Effluent Treatment System Organic Data
Annual Groundwater Treatment Systems Operation Data Summary Report
January - December 2005
OU2 and Sites 2/12
Former Fort Ord, California**

Station Number:	TS-212-EFF	TS-212-EFF	TS-212-EFF	TS-212-EFF	TS-212-EFF	TS-212-GAC-A
Sample Date:	11/29/05	12/05/05	12/12/05	12/20/05	12/27/05	01/04/05
Sample Number:	0548F212361F	0549F212367F	0550F212371F	0551F212412F	0552F212419F	0501F212001F
Lab Batch:	MOK1092	MOL0217	MOL0488	MOL0803	MOL1002	P501035

Test Method/Analyte Name	Units	ACL	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual
EPA8260B														
1,1-Dichloroethene	µg/l	6.0	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/UJ	ND(0.50)	U/A	ND(0.50)	U/R	0.070	J/A
1,2-Dichloroethane	µg/l	0.5	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/UJ	ND(0.50)	U/A	ND(0.50)	U/R	0.20	J/A
1,3-Dichloropropene*	µg/l	0.5	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/UJ	ND(0.50)	U/A	ND(0.50)	U/R	ND(0.50)	U/A
Chloroform	µg/l	2.0	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/UJ	ND(0.50)	U/A	ND(0.50)	U/R	ND(0.50)	J/U
cis-1,2-Dichloroethene	µg/l	6.0	0.24	J/A	ND(0.50)	U/A	ND(0.50)	U/UJ	ND(0.50)	U/A	0.27	J/J-	9.2	/A
Tetrachloroethene	µg/l	3.0	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/UJ	ND(0.50)	U/A	ND(0.50)	U/R	ND(0.50)	U/A
Trichloroethene	µg/l	5.0	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/UJ	ND(0.50)	U/A	ND(0.50)	U/R	0.19	J/A
Vinyl chloride	µg/l	0.1	0.050	J/J	0.11	/A	0.080	J/J-	0.080	J/A	ND(0.10)	U/R	0.074	J/A

* = total (i.e., includes both the cis and the trans isomers)

ND = Not Detected at the specific reporting level in parentheses

**Table 8. Sites 2/12 Treatment System Organic Data
Annual Groundwater Treatment Systems Operation Data Summary Report
January - December 2005
OU2 and Sites 2/12
Former Fort Ord, California**

Station Number:	TS-212-GAC-A	TS-212-GAC-A	TS-212-GAC-A	TS-212-GAC-A	TS-212-GAC-A	TS-212-GAC-A
Sample Date:	01/18/05	02/01/05	02/07/05	08/14/05	08/30/05	09/14/05
Sample Number:	0503F212014F	0505F212027F	0506F212038F	0533F212251F	0535F212306F	0537F212313F
Lab Batch:	P501258	P502048	P502132	MOH0805	MOI0030	MOI0501

Test Method/Analyte Name	Units	ACL	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual
EPA8260B														
1,1-Dichloroethene	µg/l	6.0	0.14	J/A	0.15	J/A	0.079	J/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A
1,2-Dichloroethane	µg/l	0.5	0.18	J/A	0.18	J/A	0.16	J/A	0.15	J/A	0.15	J/A	0.15	J/A
1,3-Dichloropropene*	µg/l	0.5	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A
Chloroform	µg/l	2.0	0.25	J/A	0.25	J/A	0.22	J/A	0.21	J/A	0.22	J/A	0.19	J/A
cis-1,2-Dichloroethene	µg/l	6.0	11	/A	11	/A	9.2	/A	11	/A	10	/A	10	/A
Tetrachloroethene	µg/l	3.0	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A
Trichloroethene	µg/l	5.0	0.47	J/A	1.7	/A	1.4	/A	ND(0.50)	U/A	ND(0.50)	U/A	0.14	J/A
Vinyl chloride	µg/l	0.1	0.12	/A	0.10	/A	ND(0.10)	U/A	0.10	/J	0.10	/A	0.12	/A

* = total (i.e., includes both the cis and the trans isomers)

ND = Not Detected at the specific reporting level in parentheses

**Table 8. Sites 2/12 Treatment System Organic Data
Annual Groundwater Treatment Systems Operation Data Summary Report
January - December 2005
OU2 and Sites 2/12
Former Fort Ord, California**

Station Number:	TS-212-GAC-A	TS-212-GAC-A	TS-212-GAC-A	TS-212-GAC-A	TS-212-GAC-A	TS-212-GAC-B
Sample Date:	09/26/05	10/10/05	10/17/05	10/25/05	10/31/05	03/22/05
Sample Number:	0539F212324F	0541F212334F	0542F212339F	0543F212343F	0544F212349F	0512F212057F
Lab Batch:	MOI0876	MOJ0545	MOJ0972	MOJ1302	MOK0024	P503280

Test Method/Analyte Name	Units	ACL	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual
EPA8260B														
1,1-Dichloroethene	µg/l	6.0	0.25	J/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A
1,2-Dichloroethane	µg/l	0.5	0.15	J/A	0.16	J/A	0.15	J/A	ND(0.50)	U/A	0.16	J/A	0.19	J/A
1,3-Dichloropropene*	µg/l	0.5	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A
Chloroform	µg/l	2.0	0.23	J/A	0.21	J/A	0.20	J/A	0.21	J/A	0.24	J/A	0.22	J/A
cis-1,2-Dichloroethene	µg/l	6.0	12	/A	11	/A	11	/A	12	/A	12	/A	10	/A
Tetrachloroethene	µg/l	3.0	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A
Trichloroethene	µg/l	5.0	0.30	J/A	0.41	J/A	0.53	/A	0.64	/A	0.79	/A	ND(0.50)	U/A
Vinyl chloride	µg/l	0.1	0.090	J/A	0.090	J/J	0.11	/J	0.13	/J	0.18	/A	0.085	J/A

* = total (i.e., includes both the cis and the trans isomers)

ND = Not Detected at the specific reporting level in parentheses

**Table 8. Sites 2/12 Treatment System Organic Data
Annual Groundwater Treatment Systems Operation Data Summary Report
January - December 2005
OU2 and Sites 2/12
Former Fort Ord, California**

Station Number:	TS-212-GAC-B	TS-212-GAC-B	TS-212-GAC-B	TS-212-GAC-B	TS-212-GAC-B	TS-212-GAC-B
Sample Date:	04/05/05	04/18/05	05/02/05	05/18/05	05/23/05	05/31/05
Sample Number:	0514F212111F	0516F212120F	0518F212130F	0520F212141F	0521F212146F	0522F212150F
Lab Batch:	P504052	P504171	P505012	P505138	P505159	P506001

Test Method/Analyte Name	Units	ACL	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual
EPA8260B														
1,1-Dichloroethene	µg/l	6.0	ND(0.50)	U/A	0.062	J/A	ND(0.50)	U/A	ND(0.50)	U/A	0.13	J/A	0.11	J/A
1,2-Dichloroethane	µg/l	0.5	0.15	J/A	0.16	J/A	0.14	J/A	0.17	J/A	0.20	J/A	0.19	J/A
1,3-Dichloropropene*	µg/l	0.5	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A
Chloroform	µg/l	2.0	0.23	J/A	0.22	J/A	0.23	J/A	0.22	J/A	0.23	J/A	0.23	J/A
cis-1,2-Dichloroethene	µg/l	6.0	10	/A	10	/A	11	/A	9.7	/A	11	/A	11	/A
Tetrachloroethene	µg/l	3.0	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A
Trichloroethene	µg/l	5.0	ND(0.50)	U/A	0.66	/A	1.2	/A	1.5	/A	1.7	/A	2.2	/A
Vinyl chloride	µg/l	0.1	ND(0.10)	U/UJ	ND(0.10)	U/A	ND(0.10)	U/A	ND(0.10)	U/A	0.12	/J+	0.12	/J+

* = total (i.e., includes both the cis and the trans isomers)

ND = Not Detected at the specific reporting level in parentheses

**Table 8. Sites 2/12 Treatment System Organic Data
Annual Groundwater Treatment Systems Operation Data Summary Report
January - December 2005
OU2 and Sites 2/12
Former Fort Ord, California**

Station Number:	TS-212-GAC-B	TS-212-GAC-B	TS-212-GAC-B	TS-212-GAC-B	TS-212-GAC-B	TS-212-GAC-B
Sample Date:	06/06/05	06/13/05	06/21/05	06/28/05	12/12/05	12/27/05
Sample Number:	0523F212163F	0524F212167F	0525F212212F	0526F212216F	0550F212370F	0552F212418F
Lab Batch:	MOF0206	MOF0443	MOF0793	MOF1020	MOL0488	MOL1002

Test Method/Analyte Name	Units	ACL	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual
EPA8260B														
1,1-Dichloroethene	µg/l	6.0	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/R
1,2-Dichloroethane	µg/l	0.5	0.16	J/A	0.13	J/A	0.16	J/A	0.12	J/A	0.17	J/A	0.17	J/J-
1,3-Dichloropropene*	µg/l	0.5	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/R
Chloroform	µg/l	2.0	0.22	J/A	0.19	J/A	0.18	J/A	0.18	J/A	0.23	J/A	0.23	J/J-
cis-1,2-Dichloroethene	µg/l	6.0	11	/A	9.1	/A	9.4	/A	9.6	/A	12	/A	12	/J-
Tetrachloroethene	µg/l	3.0	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/A	ND(0.50)	U/R
Trichloroethene	µg/l	5.0	2.1	/A	2.2	/A	3.1	/J+	2.9	/A	ND(0.50)	U/A	0.17	J/J-
Vinyl chloride	µg/l	0.1	0.13	/A	0.14	/A	0.14	/A	0.080	J/A	0.090	J/A	0.050	J/J-

* = total (i.e., includes both the cis and the trans isomers)

ND = Not Detected at the specific reporting level in parentheses

**Table 9. Sites 2/12 Extraction Well Inorganic Data
Annual Groundwater Treatment Systems Operation Data Summary Report
January - December 2005
OU2 and Sites 2/12
Former Fort Ord, California**

Station Number:		EW-12-01-180M	EW-12-01-180U	EW-12-02-180M	EW-12-02-180U	EW-12-03-180M					
Sample Date:		08/30/05	08/30/05	08/30/05	08/30/05	09/22/05					
Sample Number:		0535F212299F	0535F212300F	0535F212296F	0535F212297F	0535F212292F					
Lab Batch:		MOI0123	MOI0123	MOI0123	MOI0123	MOI0803					
Test Method/Analyte Name		Value	Qual	Value	Qual	Value	Qual	Value	Qual	Value	Qual
EPA160.1											
Total Dissolved Solids	mg/l	460	/A	340	/A	1,200	/A	340	/A	1,300	/A
EPA160.2											
Total Suspended Solids	mg/l	ND(10)	U/UJ	ND(10)	U/UJ	ND(10)	U/UJ	ND(10)	U/UJ	ND(10)	U/UJ
EPA300.0											
Chloride	mg/l	160	/A	110	/A	ND(51)	/U	110	/A	640	/A
Sulfate as SO4	mg/l	57	/A	50	/A	110	/A	46	/A	140	/J+
EPA310.1											
Total Alkalinity	mg/l	150	/A	86	/A	110	/A	63	/A	130	/A
EPA353.2											
Nitrate/Nitrite as N	mg/l as N	3.76	/A	9.1	/A	5.65	/A	8.2	/A	4.76	/A
EPA6010											
Calcium	mg/l	57	/A	29	/A	120	/A	22	/A	98	/A
Magnesium	mg/l	27	/A	17	/A	60	/A	19	/A	61	/A
Potassium	mg/l	3.1	/A	ND(2)	U/A	4.4	/A	2.1	/A	4.6	/A
Sodium	mg/l	59	/A	73	/A	190	/A	65	/A	270	/A

ND = Not Detected at the specific reporting level in parentheses

**Table 9. Sites 2/12 Extraction Well Inorganic Data
Annual Groundwater Treatment Systems Operation Data Summary Report
January - December 2005
OU2 and Sites 2/12
Former Fort Ord, California**

		Station Number:	EW-12-03-180U	EW-12-04-180M	EW-12-04-180U			
		Sample Date:	08/30/05	08/30/05	08/30/05			
		Sample Number:	0535F212293F	0535F212289F	0535F212290F			
		Lab Batch:	MOI0123	MOI0123	MOI0123			
Test Method/Analyte Name			Value	Qual	Value	Qual	Value	Qual
EPA160.1								
Total Dissolved Solids	mg/l		480	/A	280	/A	390	/A
EPA160.2								
Total Suspended Solids	mg/l		ND (10)	U/UJ	ND (10)	U/UJ	ND (10)	U/UJ
EPA300.0								
Chloride	mg/l		180	/A	510	/A	80	/A
Sulfate as SO4	mg/l		65	/A	130	/A	34	/A
EPA310.1								
Total Alkalinity	mg/l		210	/A	120	/A	79	/A
EPA353.2								
Nitrate/Nitrite as N	mg/l as N		6.4	/A	8.1	/A	7.7	/A
EPA6010								
Calcium	mg/l		45	/A	94	/A	30	/A
Magnesium	mg/l		30	/A	55	/A	24	/A
Potassium	mg/l		2.4	/A	3.9	/A	ND (2)	U/A
Sodium	mg/l		82	/A	190	/A	72	/A

ND = Not Detected at the specific reporting level in parentheses

**Table 9. Sites 2/12 Extraction Well Inorganic Data
Annual Groundwater Treatment Systems Operation Data Summary Report
January - December 2005
OU2 and Sites 2/12
Former Fort Ord, California**

Summary of Analyte Qualifiers

Type	Qualifier	Qualifier Description
Laboratory Assigned Qualifiers (posted left of slash)		
Inorganic	U	Compound was analyzed for but not detected.
Inorganic	H	Compound was analyzed outside recommended holding time.
LDC Validation Assigned Qualifier (posted right of slash)		
Inorganic	A	Indicates the finding is based upon technical validation criteria.
Inorganic	J+	Data are qualified as estimated, with a high bias likely to occur. False positives or false negatives are unlikely to have been reported.
Inorganic	J-	Data are qualified as estimated, with a low bias likely to occur. False positives or false negatives are unlikely to have been reported.
Inorganic	J	Data are qualified as estimated. It is not possible to assess the direction of the potential bias. False positives or false negatives are unlikely to have been reported.
Inorganic	U	Data are qualified as non-detected, because the analyte was observed in an associated laboratory or field blank.
Inorganic	R	Data are qualified as rejected. There is a significant potential for the reporting of false negatives or false positives.

ND = Not Detected at the specific reporting level in parentheses