

# Former Fort Ord Operable Unit Carbon Tetrachloride Plume Data and Status

HTW BCT, April 10, 2019

**March 2019 Key Events for OUCTP**

- March 4-8: First Quarter 2019 GWM sampling.

**April 2019 Key Events for OUCTP**

- Monitor for follow-up biological monitoring at FONR.

**Table 1.** OUCTP EISB 3A VOC Results

Analyte:	Carbon Tetrachloride														Schedule
ACL:	0.5 µg/L														
Well Identification	Baseline	Month 1	Month 2	Month 3	Month 5	Month 6	Month 7	3Q 2017	4Q 2017	1Q 2018	2Q 2018	3Q 2018	4Q 2018	1Q 2019*	
EW-BW-160-A	1.1 J+	0.86	0.66	0.60	1.3	1.0	1.0	0.64	0.83	0.91	1.2	1.2	1.0	2.8	Quarterly~
EW-BW-161-A	0.84 J+	0.67	0.51	0.48 J	0.69	0.47 J	0.47 J	0.38 J	0.19 J	0.15 J	0.15 J	0.13 J	0.11 J	NS	NS
EW-BW-162-A	1.0 J+	0.72	0.59	0.56	0.41 J	0.28 J	0.18 J	ND (0.25)	ND (0.25)	ND (0.25)	ND (0.25)	NS^	NS^	NS	NS
EW-BW-163-A	1.2 J+	1.2	0.94	0.89	0.31 J	0.25 J	0.25 J	0.16 J	0.13 J	ND (0.25)	ND (0.25)	ND (0.25)	ND (0.25)	NS	NS
EW-BW-164-A	0.92 J+	0.73	0.61 J-	0.59	0.78	0.71	0.89	0.64	0.47 J	0.32 J	0.47 J	0.36 J	0.30 J	NS	NS
EW-BW-165-A	1.2 J+	1.1	0.83	0.82	0.13 J	ND (0.25)	NS	Annual							
EW-BW-166-A	1.7 J+	1.4	1.2	1.2	1.4	1.1	1.3	1.5	0.35 J	1.4	1.3	1.0	0.67	ND (0.25)	Quarterly~
EW-BW-167-A	1.7 J+	1.4	1.1	1.4	1.1	0.71	0.66	0.43 J	0.22 J	0.16 J	0.16 J	NS^	NS^	NS	Annual
EW-BW-168-A	1.3 J+	1.1	0.82	0.77	0.84	0.72	0.80	0.55	0.53	0.48 J	0.46 J	0.35 J	0.27 J	NS	Annual
EW-BW-169-A	1.0 J+	0.68	0.63	0.67	0.73	0.42 J	0.80	0.51	0.38 J	0.23 J	0.25 J	0.15 J	0.12 J	NS	Annual
MW-BW-16-A	0.60 J+	0.75	ND (0.25)	NS	NS										
MW-BW-57-A	0.45 J+	ND (0.25)	0.26 J	0.32 J	0.26 J	0.24 J	0.31 J	0.17 J	ND (0.25)	NS	NS				
MW-BW-87-A	0.17 J+	ND (0.25)	0.29 J	0.65	0.61	0.34 J	1.6	0.16 J	0.42 J	0.13 J	0.10 J	0.41 J	0.76	1.4	Quarterly~
MW-BW-91-A	ND (0.25)	1.3	0.84	2.3	0.50	0.28 J	0.55	0.59	4.3	3.4	3.3	2.9	2.2	2.7	Quarterly~

**Notes:**

There were no detections for either methylene chloride or trichloroethene  
 ACL: Aquifer Cleanup Level  
 ND: The analyte was not detected at or above the detection limit

NS: not sampled  
 µg/L: micrograms per liter  
 J: Estimated result with a possible low (-) or high bias (+)  
 Results in **bold** and shaded are concentrations above the ACL

Results in gray are ND  
 ^ Pump failure, sample not collected  
 ~ Including quarterly DO/ORP monitoring  
 \* Preliminary data, pump removed sampled with PDBs



**Table 2A.** OUCTP A-Aquifer Select Monitoring Well Data

OUCTP Hydraulic Zone <sup>1</sup>	EISB Deployment Area	Well Identification	COC Concentrations (µg/L)	
			4Q 2018	1Q 2019*
			CT	
ACL:			0.5	
1	1C	EW-BW-109-A	1.9 J+	1.7
1	N/A	MW-BW-24-A	3.7	ND (0.25)
2	3A	MW-BW-58-A	0.21 J	0.37 J
2	3A	MW-BW-87-A	0.79	1.4
2	3A	MW-BW-91-A	2.5	2.7
2	N/A	MW-BW-94-AR	NS	0.55
N/A	3A	MW-BW-90-A	1.4	1.5
2	3A	EW-BW-160-A	1.0	2.8
3	3A	EW-BW-166-A	0.67	ND (0.25)
3	N/A	MW-BW-88-A	1.5	1.2
3	N/A	MW-BW-93-A	0.11 J	0.16 J
3	N/A	MW-BW-95-A	1.5	1.3
4	2A	EW-BW-124-A	0.92 J+	0.94
4	N/A	MW-B-12-A	0.65	ND (0.25)
4	2B	MW-B-14-A	0.56	1.2
4	2B	EW-BW-155-A	0.58	0.50
4	2A	MW-BW-26-A^	6.2	6.0
4	N/A	MW-BW-31-A	ND (0.25)	ND (0.25)
4	N/A	MW-BW-32-A	2.0	2.4
4	N/A	MW-BW-36-A	0.90	1.3
4	N/A	MW-BW-42-A	0.13 J	ND (0.25)
4	N/A	MW-BW-89-A	0.96	1.1
4	N/A	MW-BW-92-A	1.4	1.4
5	Pilot	EISB-EW-01	0.72	0.72
5	Pilot	EISB-EW-09	2.2	2.0
5	N/A	MW-BW-65-A	0.72 J+	0.48 J
5	Pilot	MW-BW-66-A	1.5	1.9
5	N/A	MW-BW-74-A	ND (0.25) [ND (0.25)]	0.11 J [0.12 J]
5	N/A	MW-BW-49-A	1.4 J+	0.68
5	N/A	MW-BW-78-A	0.63 [0.59]	ND (0.25) [0.51]
5	N/A	MW-BW-80-A	0.83 J-	0.77

**Notes:**


CT: carbon tetrachloride  
µg/L: micrograms per liter  
ND: The analyte was not detected above the detection limit  
NS: not sampled  
J: Estimated result with a low (-) or high (+) bias  
<sup>1</sup> Hydraulic zones are identified in the Groundwater QAPP.

Results in **bold** and shaded are concentrations above the ACL  
Results in **gray** are ND  
COC: chemical of concern  
[Results in brackets are from a second deeper passive diffusion bag]  
^ Downgradient monitoring well MW-BW-30-A sampled annually: ND.  
\* Preliminary data

**Table 2B.** OUCTP A-Aquifer profile Data

OUCTP Hydraulic Zone <sup>1</sup>	Well Identification	Sample Depth (ft btoc)	CT Concentration (µg/L)
			1Q 2019*
2	MW-BW-94-AR	63	ND (0.25)
		68	ND (0.25)
		73	0.50
		78	0.54
		83	0.54
		88	0.55
2	EW-BW-160-A	66	ND (0.25)
		71	ND (0.25)
		76	ND (0.25)
		81	2.8
2	EW-BW-166-A	71	ND (0.25)
		76	ND (0.25)
		81	ND (0.25)
		86	ND (0.25)

Tuesday, March 05, 2019 11:04:31 AM  
 P:\8418191360\_FortOrd\GIS\4018\OUCTP\_GMTSR\Figure03\_CT-COC\_OUCTP-A\_1804.mxd





**EXPLANATION**

- Monitoring Well with CT Detection
- Extraction Well with CT Detection
- Well ID - Bold When CT Exceeds the ACL  
 (\* Indicates: Sample result not used for contouring)
- MW-BW-91-A**  
**2.8 A**  
 CT Concentration (µg/L) and validation/lab qualifier.  
 Bold when CT exceeds the ACL.
- Monitoring Well CT Not Detected, and No Other  
 COC ACL Exceedances
- Extraction Well CT Not Detected
- Monitoring Well Not Sampled This Quarter
- Extraction Well Not Sampled This Quarter

- Chemical of Concern (COC) Aquifer Cleanup Level (ACL)  
 Exceedance Contour in µg/L
- 0.5 — Carbon tetrachloride (CT)
- ← General Groundwater Flow Direction
- Approximate Extent of Landfill Areas
  - OU2 Landfill Areas B through F
  - Area A (clean closed)
- Approximate Location of a Groundwater Divide
- Roads
- Facilities
- Former Fort Ord Boundary

- NOTES:
- (1) Samples were collected between December 13 and 27, 2018.
  - (2) Contours are based on one interpretation of the data that were available at the time this report was prepared; other interpretations may be possible.
  - (3) Contours based on highest value obtained from multiple bags and/or multiple ports where applicable.
  - (4) Contours near wells not sampled this quarter are inferred from previous analytical data.




\*Well not used for contouring.



**CT CONCENTRATIONS**  
**A-AQUIFER**  
 Operable Unit Carbon Tetrachloride Plume  
 Fourth Quarter 2018  
 Groundwater Monitoring and Treatment System Report  
 Former Fort Ord, California

<b>wood.</b>	By: TJH	Project No. 8418191360
	Date: 03/05/2019	

Friday, February 22, 2019 11:26:14 AM thomas.hunt  
 P:\8418191360\_FortOrd\GIS\4Q18\OUCTP\_GMTSR\Figure04\_CT\_OUCTP\_A\_EISB3A\_18Q4.mxd



**EXPLANATION**

- Monitoring Well with CT Detection
- Extraction Well with CT Detection
- Well ID - Bold When ACL Exceeded (\* Indicates: Sample result not used for contouring)
- Baseline and/or quarterly monitoring concentration (µg/L) with validation/lab qualifier. Bold when exceeds the ACL.
- Monitoring Well CT Not Detected
- Extraction Well CT Not Detected
- Monitoring Well Not Sampled This Quarter
- Extraction Well Not Sampled This Quarter

Chemical of Concern (COC) Aquifer Cleanup Level (ACL) Exceedance Contour in µg/L

- 0.5 Carbon tetrachloride (CT)
- General Groundwater Flow Direction
- Enhanced In Situ Bioremediation (EISB) Deployment Area
- Approximate Location of a Groundwater Divide
- Roads
- Facilities
- Former Fort Ord Boundary

Approximate extent of Fort Ord Landfill Areas


- OU2 Landfill Areas B through F
- Area A (clean closed)

**NOTES:**

- (1) Quarterly samples at EISB Deployment Area 3A extraction wells were collected on December 11 and 12, 2018. Samples at OUCTP monitoring wells were collected between December 10 and 13, 2018.
- (2) Contours are based on one interpretation of the data that were available at the time this report was prepared; other interpretations may be possible.
- (3) Contours based on highest value obtained from multiple bags where applicable.
- (4) Contours near wells not sampled this quarter are inferred from previous analytical data.

**CT CONCENTRATIONS**  
**EISB DEPLOYMENT AREA 3A, A-AQUIFER**  
**Operable Unit Carbon Tetrachloride Plume**  
**Fourth Quarter 2018**  
**Groundwater Monitoring and Treatment System Report**  
**Former Fort Ord, California**

	By: TJH	Project No. 8418191360
	Date: 02/22/2019	Figure <b>4</b>



**Table 3.** OUCTP Upper 180-Foot Aquifer Select Monitoring Well Data

OUCTP Hydraulic Zone <sup>1</sup>	Well Identification	CT Concentration (µg/L) <sup>2</sup>	
		4Q 2018	1Q 2019*
<b>ACL:</b>		<b>0.5</b>	
6	EW-OU2-09-180 <sup>3</sup>	ND (0.25)	ND (0.25)
6	MP-BW-46-170	<b>3.5</b>	<b>8.9</b>
6	MW-BW-52-180	<b>1.1</b>	<b>0.61</b>
6	MW-BW-57-180	0.14 J	0.30 J
6	MW-BW-58-180	ND (0.25)	ND (0.25)
6	MW-OU2-64-180	<b>7.7</b>	<b>6.9</b>
6	MW-OU2-67-180 <sup>5</sup>	0.44 J	0.28 J

**Notes:**

ACL: aquifer cleanup level

COC: chemical of concern

CT: carbon tetrachloride

MCL: maximum contaminant level

ND: The analyte was not detected at or above the detection limit

NS: not sampled

TCE: trichloroethene

µg/L: micrograms per liter

J: Estimated result with a low (-) or high (+) bias

<sup>1</sup> Hydraulic zones are identified in the Groundwater QAPP.

<sup>2</sup> Concentration in **bold** and shaded cell exceeds the Aquifer Cleanup Level (ACL) for CT and the Maximum Contaminant Level (MCL) for TCE. Results in *gray* are ND.

<sup>3</sup> EW-OU2-09-180 is operated as part of the remedy for the OUCTP Upper 180-Foot Aquifer and is connected to the OU2 GWTP. cis-1,2-DCE was detected in this well at 8.4 µg/L in 2Q17 and 5.3 µg/L in 2Q18.


<sup>4</sup> TCE is not a COC in the OUCTP Lower 180-Foot Aquifer (reported for Lower 180-Foot Aquifer with respect to protection of supply wells)

<sup>5</sup> Downgradient well MW-OU2-70-180 sampled annually: ND.



\* Preliminary data

**Table 4.** OUCTP Lower 180-Foot Aquifer Select Monitoring Well Data

OUCTP Hydraulic Zone <sup>1</sup>	Well Identification	Select COC Concentrations (µg/L) <sup>2</sup>			
		4Q 2018	1Q 2019*	4Q 2018	1Q 2019*
		CT		TCE <sup>4</sup>	
<b>Limit:</b>		<b>ACL 0.5</b>		<b>MCL 5.0</b>	
7	MP-BW-49-316	<b>1.0</b>	<b>1.5</b>	ND (0.25)	ND (0.25)
7	MP-BW-49-400	ND (0.25)	ND (0.25)	4.2	4.0
7	MP-BW-50-339	0.26 J	0.29 J	0.14 J	0.17 J
7	MP-BW-50-384	ND (0.25)	0.10 J	1.7	2.3
7	MP-BW-51-405	0.13 J	0.16 J	1.2	1.7
7	MW-OU2-69-180	<b>0.83</b>	<b>0.70</b>	ND (0.25)	0.10 J
8	AIRFIELD	0.47 J	0.16 J	ND (0.25)	ND (0.25)
N/A	EW-OU2-07-180	ND (0.25)	ND (0.25)	2.2	2.7
N/A	FO-29	0.17 J	0.20 J	1.7	1.5
N/A	FO-30	0.13 J	0.12 J	0.51	0.55
N/A	FO-31	0.10 J	ND (0.25)	0.95	0.11 J
N/A	MP-BW-41-353	ND (0.25)	ND (0.25)	1.8	1.3
N/A	MW-BW-59-180	ND (0.25)	ND (0.25)	<b>8.6</b>	<b>8.9</b>
N/A	MW-OU2-72-180	ND (0.25)	ND (0.25)	1.3	1.4
N/A	MW-OU2-78-180	ND (0.25)	ND (0.25)	2.0	1.5
N/A	MW-OU2-82-180	ND (0.25)	ND (0.25)	4.9	4.6



Tuesday, March 05, 2019 11:18:14 AM reuben.pillsbury  
 P:\8418191360\_FortOrd\GIS\4Q18\OUCTP\_GMTSR\Figure07\_CT-COC\_OUCTP\_U180\_1804.mxd



**EXPLANATION**

- Monitoring Well with CT Detection
- Extraction Well with CT Detection
- Well ID - Bold When Concentration Exceeds the ACL (\* Indicates: Sample result not used for contouring)
- CT Concentration (µg/L) and validation/lab qualifier (red indicates TCE; blue indicates CT) Bold when exceeds the ACL.
- Monitoring Well CT Not Detected
- Extraction Well CT Not Detected
- Monitoring Well Not Sampled This Quarter

Chemical of Concern (COC) Aquifer Cleanup Level (ACL) Exceedance Contour in µg/L

- 0.5 Carbon tetrachloride (CT)
- General Groundwater Flow Direction



- Approximate extent of Landfill Areas
- OU2 Landfill Areas B through F
  - Area A (clean closed)
  - Roads
  - Facilities
  - Former Fort Ord Boundary

**NOTES:**

- (1) Samples were collected between December 11 and 13, 2018.
- (2) Contours are based on one interpretation of the data that were available at the time this report was prepared; other interpretations may be possible.
- (3) Contours based on highest value obtained from multiple bags and/or multiple ports where applicable.
- (4) Contours near wells not sampled this quarter are inferred from previous analytical data.

CT CONCENTRATIONS  
 UPPER 180-FOOT AQUIFER  
 Operable Unit Carbon Tetrachloride Plume  
 Fourth Quarter 2018  
 Groundwater Monitoring and Treatment System Report  
 Former Fort Ord, California

	By: TJH	Project No. 8418191360
	Date: 03/05/2019	Figure 7



**EXPLANATION**

- Monitoring Well with CT Detection
- Monitoring Well with TCE Detection
- Remediation Extraction Well with TCE Detection
- Active Supply Well TCE and CT Detections
- Monitoring Well with TCE and CT Detections
- Well ID - Bold When Concentration Exceeds ACL  
# Indicates: Multi-port well sampled at more than one depth with no detections.
- Concentration in µg/L and validation/lab qualifier (red indicates TCE; blue indicates CT)  
Bold when exceeds the ACL.
- Monitoring Well CT Not Detected
- Active Supply Well CT Not Detected
- Monitoring Well Not Sampled This Quarter
- Supply Well Not Sampled This Quarter

- Chemical of Concern (COC) Aquifer Cleanup Level (ACL) Exceedance Contour in µg/L
- 0.5 Carbon tetrachloride (CT)
  - General Groundwater Flow Direction
- Approximate Extent of Landfill Areas
- OU2 Landfill Areas B through F
  - Area A (clean closed)
  - Approximate Location of a Groundwater Divide
  - Roads
  - Facilities
  - Former Fort Ord Boundary

- NOTES:
- (1) Samples were collected between December 11 to 18, 2018.
  - (2) Contours are based on one interpretation of the data that were available at the time this report was prepared; other interpretations may be possible.
  - (3) Contours based on highest value obtained from multiple bags and/or multiple ports where applicable.
  - (4) Supply wells FO-29, FO-30 and FO-31 have been renamed as 29(A), 30(B) and 31(C) respectively. The wells are referred to by the original names in this report for consistency.
  - (5) TCE is not a chemical of concern in the OUCTP Lower 180-Foot Aquifer.

CT AND TCE CONCENTRATIONS  
LOWER 180-FOOT/400-FOOT AQUIFERS  
Operable Unit Carbon Tetrachloride Plume  
Fourth Quarter 2018  
Groundwater Monitoring and Treatment System Report  
Former Fort Ord, California

	By: TJH	Project No. 8418191360
	Date: 02/21/2019	Figure <b>9</b>