







Static Calibration Test

Project: Fort Ord
Equipment: EM-61 Mark II
Grid/Location: QC Area

AM test
Operator: BG & TA
Date: 2008/06/26

● Outside range
--- Acceptable limits









Static Calibration Test

Project: Fort Ord
Equipment: EM-61 Mark II
Grid/Location: QC Area

● Outside range
--- Acceptable limits

AM test
Operator: BG & TA
Date: 2008/06/26









Static Calibration Test

Project: Fort Ord
Equipment: EM-61 Mark II
Grid/Location: QC Area

● Outside range
- - - Acceptable limits

PM test
Operator: BG & TA
Date: 2008/06/26









Static Calibration Test

Project: Fort Ord
Equipment: EM-61 Mark II
Grid/Location: QC Area

● Outside range
--- Acceptable limits

PM test
Operator: BG & TA
Date: 2008/06/26









Static Calibration Test

Project: Fort Ord
Equipment: EM-61 Mark II
Grid/Location: QC Area

AM test
Operator: BG & TA
Date: 2008/06/26

● Outside range
--- Acceptable limits









Static Calibration Test

Project: Fort Ord
Equipment: EM-61 Mark II
Grid/Location: QC Area

● Outside range
--- Acceptable limits

AM test
Operator: BG & TA
Date: 2008/06/26









Static Calibration Test

Project: Fort Ord
Equipment: EM-61 Mark II
Grid/Location: QC Area

PM test
Operator: BG & TA
Date: 2008/06/26

● Outside range
- - - Acceptable limits









Static Calibration Test

Project: Fort Ord
Equipment: EM-61 Mark II
Grid/Location: QC Area

● Outside range
--- Acceptable limits

PM test
Operator: BG & TA
Date: 2008/06/26









Static Calibration Test

Project: Fort Ord
Equipment: EM-61 Mark II
Grid/Location: QC Area

● Outside range
--- Acceptable limits

AM test
Operator: BG & TA
Date: 2008/06/27









Static Calibration Test

Project: Fort Ord
Equipment: EM-61 Mark II
Grid/Location: QC Area

● Outside range
--- Acceptable limits

AM test
Operator: BG & TA
Date: 2008/06/27









Static Calibration Test

Project: Fort Ord
Equipment: EM-61 Mark II
Grid/Location: QC Area

PM test
Operator: BG & TA
Date: 2008/06/27

● Outside range
--- Acceptable limits









Static Calibration Test

Project: Fort Ord
Equipment: EM-61 Mark II
Grid/Location: QC Area

● Outside range
--- Acceptable limits

PM test
Operator: BG & TA
Date: 2008/06/27









Static Calibration Test

Project: Fort Ord
Equipment: EM-61 Mark II
Grid/Location: QC Area

AM test
Operator: BG & TA
Date: 2008/07/01

● Outside range
— Acceptable limits









Static Calibration Test

Project: Fort Ord
Equipment: EM-61 Mark II
Grid/Location: QC Area

AM test
Operator: BG & TA
Date: 2008/07/01

● Outside range
— Acceptable limits









Static Calibration Test

Project: Fort Ord
Equipment: EM-61 Mark II
Grid/Location: QC Area

PM test
Operator: BG & TA
Date: 2008/07/01

● Outside range
— Acceptable limits









Static Calibration Test

Project: Fort Ord
Equipment: EM-61 Mark II
Grid/Location: QC Area

PM test
Operator: BG & TA
Date: 2008/07/01

● Outside range
— Acceptable limits









Static Calibration Test

Project: Fort Ord
Equipment: EM-61 Mark II
Grid/Location: QC Area

PM test
Operator: BG & TA
Date: 2008/07/01

● Outside range
— Acceptable limits









Static Calibration Test

Project: Fort Ord
Equipment: EM-61 Mark II
Grid/Location: QC Area

PM test
Operator: BG & TA
Date: 2008/07/01

● Outside range
— Acceptable limits









Static Calibration Test

Project: Fort Ord
Equipment: EM-61 Mark II
Grid/Location: QC Area

AM test
Operator: BG & TA
Date: 2008/07/02

● Outside range
— Acceptable limits









Static Calibration Test

Project: Fort Ord
Equipment: EM-61 Mark II
Grid/Location: QC Area

AM test
Operator: BG & TA
Date: 2008/07/02

● Outside range
— Acceptable limits









Static Calibration Test

Project: Fort Ord
Equipment: EM-61 Mark II
Grid/Location: QC Area

PM test
Operator: BG & TA
Date: 2008/07/02

● Outside range
— Acceptable limits









Static Calibration Test

Project: Fort Ord
Equipment: EM-61 Mark II
Grid/Location: QC Area

PM test
Operator: BG & TA
Date: 2008/07/02

● Outside range
— Acceptable limits









Static Calibration Test

Project: Fort Ord
Equipment: EM-61 Mark II
Grid/Location: QC Area

AM test
Operator: BG & TA
Date: 2008/07/07

● Outside range
— Acceptable limits









Static Calibration Test

Project: Fort Ord
Equipment: EM-61 Mark II
Grid/Location: QC Area

AM test
Operator: BG & TA
Date: 2008/07/07

● Outside range
— Acceptable limits









Static Calibration Test

Project: Fort Ord
Equipment: EM-61 Mark II
Grid/Location: QC Area

PM test
Operator: BG & TA
Date: 2008/07/07

● Outside range
— Acceptable limits









Static Calibration Test

Project: Fort Ord
Equipment: EM-61 Mark II
Grid/Location: QC Area

PM test
Operator: BG & TA
Date: 2008/07/07

● Outside range
— Acceptable limits









Static Calibration Test

Project: Fort Ord
Equipment: EM-61 Mark II
Grid/Location: QC Area

AM test
Operator: BG & TA
Date: 2008/07/08

● Outside range
— Acceptable limits









Static Calibration Test

Project: Fort Ord
Equipment: EM-61 Mark II
Grid/Location: QC Area

● Outside range
— Acceptable limits

AM test
Operator: BG & TA
Date: 2008/07/08









Static Calibration Test

Project: Fort Ord
Equipment: EM-61 Mark II
Grid/Location: QC Area

PM test
Operator: BG & TA
Date: 2008/07/08

● Outside range
— Acceptable limits









Static Calibration Test

Project: Fort Ord
Equipment: EM-61 Mark II
Grid/Location: QC Area

● Outside range
— Acceptable limits

PM test
Operator: BG & TA
Date: 2008/07/08









Static Calibration Test

Project: Fort Ord
Equipment: EM-61 Mark II
Grid/Location: QC Area

AM test
Operator: BG & TA
Date: 2008/07/11

● Outside range
— Acceptable limits









Static Calibration Test

Project: Fort Ord
Equipment: EM-61 Mark II
Grid/Location: QC Area

AM test
Operator: BG & TA
Date: 2008/07/11

● Outside range
— Acceptable limits









Static Calibration Test

Project: Fort Ord
Equipment: EM-61 Mark II
Grid/Location: QC Area

AM test
Operator: BG & TA
Date: 2008/07/11

● Outside range
— Acceptable limits









Static Calibration Test

Project: Fort Ord
Equipment: EM-61 Mark II
Grid/Location: QC Area

AM test
Operator: BG & TA
Date: 2008/07/11

● Outside range
— Acceptable limits









Static Calibration Test

Project: Fort Ord
Equipment: EM-61 Mark II
Grid/Location: QC Area

PM test
Operator: BG & TA
Date: 2008/07/11

● Outside range
— Acceptable limits









Static Calibration Test

Project: Fort Ord
Equipment: EM-61 Mark II
Grid/Location: QC Area

PM test
Operator: BG & TA
Date: 2008/07/11

● Outside range
— Acceptable limits









Static Calibration Test

Project: Fort Ord
Equipment: EM-61 Mark II
Grid/Location: QC Area

AM test
Operator: BG & TA
Date: 2008/07/12

● Outside range
— Acceptable limits









Static Calibration Test

Project: Fort Ord
Equipment: EM-61 Mark II
Grid/Location: QC Area

AM test
Operator: BG & TA
Date: 2008/07/12

● Outside range
— Acceptable limits









Static Calibration Test

Project: Fort Ord
Equipment: EM-61 Mark II
Grid/Location: QC Area

AM test
Operator: BG & TA
Date: 2008/07/12

● Outside range
— Acceptable limits









Static Calibration Test

Project: Fort Ord
Equipment: EM-61 Mark II
Grid/Location: QC Area

● Outside range
— Acceptable limits

AM test
Operator: BG & TA
Date: 2008/07/12









Static Calibration Test

Project: Fort Ord
Equipment: EM-61 Mark II
Grid/Location: QC Area

PM test
Operator: BG & TA
Date: 2008/07/12

● Outside range
— Acceptable limits









Static Calibration Test

Project: Fort Ord
Equipment: EM-61 Mark II
Grid/Location: QC Area

● Outside range
— Acceptable limits

PM test
Operator: BG & TA
Date: 2008/07/12









Static Calibration Test

Project: Fort Ord
Equipment: EM-61 Mark II
Grid/Location: QC Area

AM test
Operator: BG & TA
Date: 2008/07/13

● Outside range
— Acceptable limits









Static Calibration Test

Project: Fort Ord
Equipment: EM-61 Mark II
Grid/Location: QC Area

● Outside range
— Acceptable limits

AM test
Operator: BG & TA
Date: 2008/07/13








Static Calibration Test

Project: Fort Ord
Equipment: EM-61 Mark II
Grid/Location: QC Area

PM test
Operator: BG & TA
Date: 2008/07/13

● Outside range
— Acceptable limits









Static Calibration Test

Project: Fort Ord
Equipment: EM-61 Mark II
Grid/Location: QC Area

PM test
Operator: BG & TA
Date: 2008/07/13

● Outside range
— Acceptable limits









Static Calibration Test

Project: Fort Ord
Equipment: EM-61 Mark II
Grid/Location: QC Area

AM test
Operator: BG & TA
Date: 2008/07/14

● Outside range
— Acceptable limits









Static Calibration Test

Project: Fort Ord
Equipment: EM-61 Mark II
Grid/Location: QC Area

AM test
Operator: BG & TA
Date: 2008/07/14

● Outside range
— Acceptable limits









Static Calibration Test

Project: Fort Ord
Equipment: EM-61 Mark II
Grid/Location: QC Area

PM test
Operator: BG & TA
Date: 2008/07/14

● Outside range
— Acceptable limits









Static Calibration Test

Project: Fort Ord
Equipment: EM-61 Mark II
Grid/Location: QC Area

PM test
Operator: BG & TA
Date: 2008/07/14

● Outside range
— Acceptable limits









Static Calibration Test

Project: Fort Ord
Equipment: EM-61 Mark II
Grid/Location: QC Area

● Outside range
— Acceptable limits

AM test
Operator: BG & TA
Date: 2008/07/16









Static Calibration Test

Project: Fort Ord
Equipment: EM-61 Mark II
Grid/Location: QC Area

AM test
Operator: BG & TA
Date: 2008/07/16

● Outside range
— Acceptable limits









Static Calibration Test

Project: Fort Ord
Equipment: EM-61 Mark II
Grid/Location: QC Area

PM test
Operator: BG & TA
Date: 2008/07/16

● Outside range
— Acceptable limits









Static Calibration Test

Project: Fort Ord
Equipment: EM-61 Mark II
Grid/Location: QC Area

● Outside range
— Acceptable limits

PM test
Operator: BG & TA
Date: 2008/07/16









Static Calibration Test

Project: Fort Ord
Equipment: EM-61 Mark II
Grid/Location: QC Area

PM test
Operator: BG & TA
Date: 2008/07/16

● Outside range
— Acceptable limits









Static Calibration Test

Project: Fort Ord
Equipment: EM-61 Mark II
Grid/Location: QC Area

● Outside range
— Acceptable limits

PM test
Operator: BG & TA
Date: 2008/07/16









Static Calibration Test

Project: Fort Ord
Equipment: EM-61 Mark II
Grid/Location: QC Area

AM test
Operator: BG & TA
Date: 2008/07/17

● Outside range
— Acceptable limits









Static Calibration Test

Project: Fort Ord
Equipment: EM-61 Mark II
Grid/Location: QC Area

AM test
Operator: BG & TA
Date: 2008/07/17

● Outside range
— Acceptable limits









Static Calibration Test

Project: Fort Ord
Equipment:
Grid/Location: QC Area

● Outside range
--- Acceptable limits

AM test
Operator: BG & TA
Date: 2008/07/18





Static Calibration Test

Project: Fort Ord
Equipment:
Grid/Location: QC Area



AM test
Operator: BG & TA
Date: 2008/07/18

● Outside range
--- Acceptable limits





09:20:52.89 09:21:40.41 09:22:27.94 09:23:15.46

09:20:52.89 09:21:40.41 09:22:27.94 09:23:15.46



09:24:58.24 09:25:44.70 09:26:31.16 09:27:17.62

09:24:58.24 09:25:44.70 09:26:31.16 09:27:17.62



09:28:40.97 09:28:56.29 09:29:11.62 09:29:26.94






09:28:40.97 09:28:56.29 09:29:11.62 09:29:26.94

Static Calibration Test

Project: Fort Ord
Equipment:
Grid/Location: QC Area

AM test
Operator: BG & TA
Date: 2008/07/18

● Outside range
--- Acceptable limits









Static Calibration Test

Project: Fort Ord
Equipment:
Grid/Location: QC Area

● Outside range
--- Acceptable limits


AM test
Operator: BG & TA
Date: 2008/07/18









Static Calibration Test

Project: Fort Ord
Equipment:
Grid/Location: QC Area

PM test
Operator: BG & TA
Date: 2008/07/18

 Outside range
- - - - - Acceptable limits









Static Calibration Test

Project: Fort Ord
Equipment:
Grid/Location: QC Area

● Outside range
--- Acceptable limits

PM test
Operator: BG & TA
Date: 2008/07/18









Static Calibration Test

Project: Fort Ord
Equipment:
Grid/Location: QC Area

● Outside range
--- Acceptable limits

PM test
Operator: BG & TA
Date: 2008/07/18





Static Calibration Test

Project: Fort Ord
Equipment:
Grid/Location: QC Area



● Outside range
- - - Acceptable limits

PM test
Operator: BG & TA
Date: 2008/07/18





16:45:57.92 16:46:43.89 16:47:29.87 16:48:15.85

16:45:57.92 16:46:43.89 16:47:29.87 16:48:15.85



16:49:36.15 16:50:23.04 16:51:09.93 16:51:56.83

16:49:36.15 16:50:23.04 16:51:09.93 16:51:56.83



16:53:28.35 16:53:44.08 16:53:59.81 16:54:15.55







16:53:28.35 16:53:44.08 16:53:59.81 16:54:15.55

Static Calibration Test

Project: Fort Ord
Equipment: EM-61 Mark II
Grid/Location: QC Area

AM test
Operator: BG & TA
Date: 2008/07/01

● Outside range
--- Acceptable limits









Static Calibration Test

Project: Fort Ord
Equipment: EM-61 Mark II
Grid/Location: QC Area

● Outside range
- - - Acceptable limits

AM test
Operator: BG & TA
Date: 2008/07/01









Static Calibration Test

Project: Fort Ord
Equipment: EM-61 Mark II
Grid/Location: QC Area

PM test
Operator: BG & TA
Date: 2008/07/01

● Outside range
- - - Acceptable limits









Static Calibration Test

Project: Fort Ord
Equipment: EM-61 Mark II
Grid/Location: QC Area

● Outside range
--- Acceptable limits

PM test
Operator: BG & TA
Date: 2008/07/01









Static Calibration Test

Project: Fort Ord
Equipment: EM-61 Mark II
Grid/Location: QC Area

AM test
Operator: BG & TA
Date: 2008/07/01

● Outside range
--- Acceptable limits









Static Calibration Test

Project: Fort Ord
Equipment: EM-61 Mark II
Grid/Location: QC Area

● Outside range
- - - Acceptable limits

AM test
Operator: BG & TA
Date: 2008/07/01









Static Calibration Test

Project: Fort Ord
Equipment: EM-61 Mark II
Grid/Location: QC Area

PM test
Operator: BG & TA
Date: 2008/07/01

● Outside range
--- Acceptable limits









Static Calibration Test

Project: Fort Ord
Equipment: EM-61 Mark II
Grid/Location: QC Area

● Outside range
--- Acceptable limits

PM test
Operator: BG & TA
Date: 2008/07/01



Static Calibration Test

Project: Fort Ord
Equipment: EM-61 Mark II
Grid/Location: QC Area

AM test
Operator: BG & TA
Date: 2008/07/01

● Outside range
--- Acceptable limits

