







Static Calibration Test

Project: Fort Ord
Equipment: EM-61 Mark II
Grid/Location: QC Area

● Outside range
- - - Acceptable limits

AM test
Operator: BG & TA
Date: 2008/07/01









Static Calibration Test

Project: Fort Ord
Equipment: EM-61 Mark II
Grid/Location: QC Area

PM test
Operator: BG & TA
Date: 2008/07/01

● Outside range
--- Acceptable limits




Static Calibration Test

Project: Fort Ord
Equipment: EM-61 Mark II
Grid/Location: QC Area

● Outside range
- - - Acceptable limits


PM test
Operator: BG & TA
Date: 2008/07/01




17:36:14.90 17:37:17.07 17:38:19.24 17:39:21.41




17:36:14.90 17:37:17.07 17:38:19.24 17:39:21.41




17:41:36.60 17:42:18.55 17:43:00.49 17:43:42.44



17:41:36.60 17:42:18.55 17:43:00.49 17:43:42.44



17:45:11.49 17:45:31.44 17:45:51.39 17:46:11.34









17:45:11.49 17:45:31.44 17:45:51.39 17:46:11.34

Static Calibration Test

Project: Fort Ord
Equipment: EM-61 Mark II
Grid/Location: QC Area

AM test
Operator: BG & TA
Date: 2008/07/02

● Outside range
- - - Acceptable limits








Static Calibration Test

Project: Fort Ord
Equipment: EM-61 Mark II
Grid/Location: QC Area

AM test
Operator: BG & TA
Date: 2008/07/02

● Outside range
- - - Acceptable limits









Static Calibration Test

Project: Fort Ord
Equipment: EM-61 Mark II
Grid/Location: QC Area

● Outside range
- - - Acceptable limits

PM test
Operator: BG & TA
Date: 2008/07/02







Static Calibration Test

Project: Fort Ord
Equipment: EM-61 Mark II
Grid/Location: QC Area

● Outside range
- - - Acceptable limits

PM test
Operator: BG & TA
Date: 2008/07/02








Static Calibration Test

Project: Fort Ord
Equipment: EM-61 Mark II
Grid/Location: QC Area

AM test
Operator: BG & TA
Date: 2008/07/02

● Outside range
--- Acceptable limits








Static Calibration Test

Project: Fort Ord
Equipment: EM-61 Mark II
Grid/Location: QC Area

AM test
Operator: BG & TA
Date: 2008/07/02

● Outside range
--- Acceptable limits









Static Calibration Test

Project: Fort Ord
Equipment: EM-61 Mark II
Grid/Location: QC Area

PM test
Operator: BG & TA
Date: 2008/07/02

● Outside range
--- Acceptable limits








Static Calibration Test

Project: Fort Ord
Equipment: EM-61 Mark II
Grid/Location: QC Area

PM test
Operator: BG & TA
Date: 2008/07/02

● Outside range
--- Acceptable limits









Static Calibration Test

Project: Fort Ord
Equipment: EM-61 Mark II
Grid/Location: QC Area

AM test
Operator: BG & TA
Date: 2008/07/02

● Outside range
- - - Acceptable limits




Static Calibration Test

Project: Fort Ord
Equipment: EM-61 Mark II
Grid/Location: QC Area



AM test
Operator: BG & TA
Date: 2008/07/02

● Outside range
--- Acceptable limits





10:13:11.47 10:13:59.69 10:14:47.92 10:15:36.15

10:13:11.47 10:13:59.69 10:14:47.92 10:15:36.15



10:20:56.48 10:22:11.95 10:23:27.42 10:24:42.89 10:25

10:20:56.48 10:22:11.95 10:23:27.42 10:24:42.89 10:25




10:26:52.47 10:27:08.44 10:27:24.42 10:27:40.39







10:26:52.47 10:27:08.44 10:27:24.42 10:27:40.39

Static Calibration Test

Project: Fort Ord
Equipment: EM-61 Mark II
Grid/Location: QC Area

PM test
Operator: BG & TA
Date: 2008/07/02

 Outside range
- - - - - Acceptable limits








Static Calibration Test

Project: Fort Ord
Equipment: EM-61 Mark II
Grid/Location: QC Area

PM test
Operator: BG & TA
Date: 2008/07/02

● Outside range
--- Acceptable limits









Static Calibration Test

Project: Fort Ord
Equipment: EM-61 Mark II
Grid/Location: QC Area

● Outside range
- - - Acceptable limits

AM test
Operator: BG & TA
Date: 2008/07/03









Static Calibration Test

Project: Fort Ord
Equipment: EM-61 Mark II
Grid/Location: QC Area

AM test
Operator: BG & TA
Date: 2008/07/03

● Outside range
--- Acceptable limits









Static Calibration Test

Project: Fort Ord
Equipment: EM-61 Mark II
Grid/Location: QC Area

● Outside range
--- Acceptable limits

PM test
Operator: BG & TA
Date: 2008/07/03









Static Calibration Test

Project: Fort Ord
Equipment: EM-61 Mark II
Grid/Location: QC Area

● Outside range
--- Acceptable limits

PM test
Operator: BG & TA
Date: 2008/07/03









Static Calibration Test

Project: Fort Ord
Equipment: EM-61 Mark II
Grid/Location: QC Area

● Outside range
--- Acceptable limits

AM test
Operator: BG & TA
Date: 2008/07/03









Static Calibration Test

Project: Fort Ord
Equipment: EM-61 Mark II
Grid/Location: QC Area

AM test
Operator: BG & TA
Date: 2008/07/03

● Outside range
--- Acceptable limits









Static Calibration Test

Project: Fort Ord
Equipment: EM-61 Mark II
Grid/Location: QC Area

● Outside range
- - - Acceptable limits

PM test
Operator: BG & TA
Date: 2008/07/03



Static Calibration Test

Project: Fort Ord
Equipment: EM-61 Mark II
Grid/Location: QC Area



● Outside range
--- Acceptable limits

PM test
Operator: BG & TA
Date: 2008/07/03





15:15:55.06 15:16:29.28 15:17:03.51 15:17:37.73

15:15:55.06 15:16:29.28 15:17:03.51 15:17:37.73



15:23:38.05 15:24:24.28 15:25:10.50 15:25:56.73

15:23:38.05 15:24:24.28 15:25:10.50 15:25:56.73



15:28:08.05 15:28:25.78 15:28:43.50 15:29:01.23 15:29:19.00







15:28:08.05 15:28:25.78 15:28:43.50 15:29:01.23 15:29:19.00

Static Calibration Test

Project: Fort Ord
Equipment: EM-61 Mark II
Grid/Location: QC Area

AM test
Operator: BG & TA
Date: 2008/07/03

● Outside range
--- Acceptable limits









Static Calibration Test

Project: Fort Ord
Equipment: EM-61 Mark II
Grid/Location: QC Area

AM test
Operator: BG & TA
Date: 2008/07/03

● Outside range
--- Acceptable limits









Static Calibration Test

Project: Fort Ord
Equipment: EM-61 Mark II
Grid/Location: QC Area

● Outside range
- - - Acceptable limits

PM test
Operator: BG & TA
Date: 2008/07/03









Static Calibration Test

Project: Fort Ord
Equipment: EM-61 Mark II
Grid/Location: QC Area

● Outside range
- - - Acceptable limits

PM test
Operator: BG & TA
Date: 2008/07/03









Static Calibration Test

Project: Fort Ord
Equipment: EM-61 Mark II
Grid/Location: QC Area

AM test
Operator: BG & TA
Date: 2008/07/07

● Outside range
- - - Acceptable limits




Static Calibration Test

Project: Fort Ord
Equipment: EM-61 Mark II
Grid/Location: QC Area



AM test
Operator: BG & TA
Date: 2008/07/07

● Outside range
--- Acceptable limits





08:40:34.89 08:41:22.87 08:42:10.84 08:42:58.82

08:40:34.89 08:41:22.87 08:42:10.84 08:42:58.82



08:46:48.89 08:47:38.61 08:48:28.34 08:49:18.06

08:46:48.89 08:47:38.61 08:48:28.34 08:49:18.06



08:50:54.89 08:51:10.36 08:51:25.84 08:51:41.31







08:50:54.89 08:51:10.36 08:51:25.84 08:51:41.31

Static Calibration Test

Project: Fort Ord
Equipment: EM-61 Mark II
Grid/Location: QC Area

PM test
Operator: BG & TA
Date: 2008/07/07

● Outside range
--- Acceptable limits








Static Calibration Test

Project: Fort Ord
Equipment: EM-61 Mark II
Grid/Location: QC Area

● Outside range
- - - Acceptable limits

PM test
Operator: BG & TA
Date: 2008/07/07









Static Calibration Test

Project: Fort Ord
Equipment: EM-61 Mark II
Grid/Location: QC Area

● Outside range
--- Acceptable limits

AM test
Operator: BG & TA
Date: 2008/07/07









Static Calibration Test

Project: Fort Ord
Equipment: EM-61 Mark II
Grid/Location: QC Area

● Outside range
--- Acceptable limits

AM test
Operator: BG & TA
Date: 2008/07/07









Static Calibration Test

Project: Fort Ord
Equipment: EM-61 Mark II
Grid/Location: QC Area

● Outside range
- - - Acceptable limits

PM test
Operator: BG & TA
Date: 2008/07/07









Static Calibration Test

Project: Fort Ord
Equipment: EM-61 Mark II
Grid/Location: QC Area

● Outside range
- - - Acceptable limits

PM test
Operator: BG & TA
Date: 2008/07/07









Static Calibration Test

Project: Fort Ord
Equipment: EM-61 Mark II
Grid/Location: QC Area

AM test
Operator: BG & TA
Date: 2008/07/07

● Outside range
--- Acceptable limits







Static Calibration Test

Project: Fort Ord
Equipment: EM-61 Mark II
Grid/Location: QC Area

AM test
Operator: BG & TA
Date: 2008/07/07

● Outside range
--- Acceptable limits









Static Calibration Test

Project: Fort Ord
Equipment: EM-61 Mark II
Grid/Location: QC Area

PM test
Operator: BG & TA
Date: 2008/07/07

● Outside range
--- Acceptable limits









Static Calibration Test

Project: Fort Ord
Equipment: EM-61 Mark II
Grid/Location: QC Area

● Outside range
- - - Acceptable limits

PM test
Operator: BG & TA
Date: 2008/07/07









Static Calibration Test

Project: Fort Ord
Equipment: EM-61 Mark II
Grid/Location: QC Area

AM test
Operator: BG & TA
Date: 2008/07/08

● Outside range
- - - Acceptable limits




Static Calibration Test

Project: Fort Ord
Equipment: EM-61 Mark II
Grid/Location: QC Area



● Outside range
--- Acceptable limits

AM test
Operator: BG & TA
Date: 2008/07/08





09:08:11.81 09:08:55.78 09:09:39.76 09:10:23.74

09:08:11.81 09:08:55.78 09:09:39.76 09:10:23.74



09:13:20.80 09:14:14.03 09:15:07.25 09:16:00.48

09:13:20.80 09:14:14.03 09:15:07.25 09:16:00.48



09:17:26.81 09:17:55.78 09:18:24.75 09:18:53.73







09:17:26.81 09:17:55.78 09:18:24.75 09:18:53.73

Static Calibration Test

Project: Fort Ord
Equipment: EM-61 Mark II
Grid/Location: QC Area

PM test
Operator: BG & TA
Date: 2008/07/08

● Outside range
- - - Acceptable limits





Static Calibration Test

Project: Fort Ord
Equipment: EM-61 Mark II
Grid/Location: QC Area



● Outside range
- - - Acceptable limits

PM test
Operator: BG & TA
Date: 2008/07/08





15:53:29.90 15:54:08.37 15:54:46.84 15:55:25.31

15:53:29.90 15:54:08.37 15:54:46.84 15:55:25.31



15:57:56.89 15:58:38.62 15:59:20.35 16:00:02.07

15:57:56.89 15:58:38.62 15:59:20.35 16:00:02.07



16:01:32.90 16:01:56.62 16:02:20.35 16:02:44.07 16:03







16:01:32.90 16:01:56.62 16:02:20.35 16:02:44.07 16:03

Static Calibration Test

Project: Fort Ord
Equipment: EM-61 Mark II
Grid/Location: QC Area

● Outside range
- - - Acceptable limits

AM test
Operator: BG & TA
Date: 2008/07/08









Static Calibration Test

Project: Fort Ord
Equipment: EM-61 Mark II
Grid/Location: QC Area

● Outside range
--- Acceptable limits

AM test
Operator: BG & TA
Date: 2008/07/08









Static Calibration Test

Project: Fort Ord
Equipment: EM-61 Mark II
Grid/Location: QC Area

● Outside range
- - - Acceptable limits

PM test
Operator: BG & TA
Date: 2008/07/08









Static Calibration Test

Project: Fort Ord
Equipment: EM-61 Mark II
Grid/Location: QC Area

● Outside range
- - - Acceptable limits

PM test
Operator: BG & TA
Date: 2008/07/08









Static Calibration Test

Project: Fort Ord
Equipment: EM-61 Mark II
Grid/Location: QC Area

AM test
Operator: BG & TA
Date: 2008/07/08

● Outside range
--- Acceptable limits









Static Calibration Test

Project: Fort Ord
Equipment: EM-61 Mark II
Grid/Location: QC Area

AM test
Operator: BG & TA
Date: 2008/07/08

● Outside range
--- Acceptable limits









Static Calibration Test

Project: Fort Ord
Equipment: EM-61 Mark II
Grid/Location: QC Area

PM test
Operator: BG & TA
Date: 2008/07/08

● Outside range
- - - Acceptable limits









Static Calibration Test

Project: Fort Ord
Equipment: EM-61 Mark II
Grid/Location: QC Area

● Outside range
--- Acceptable limits

PM test
Operator: BG & TA
Date: 2008/07/08









Static Calibration Test

Project: Fort Ord
Equipment: EM-61 Mark II
Grid/Location: QC Area

AM test
Operator: BG & TA
Date: 2008/07/09

● Outside range
--- Acceptable limits





Static Calibration Test

Project: Fort Ord
Equipment: EM-61 Mark II
Grid/Location: QC Area



AM test
Operator: BG & TA
Date: 2008/07/09

● Outside range
--- Acceptable limits





09:25:26.44 09:26:20.91 09:27:15.39 09:28:09.87

09:25:26.44 09:26:20.91 09:27:15.39 09:28:09.87



09:32:02.45 09:32:50.17 09:33:37.89 09:34:25.61 09:35

09:32:02.45 09:32:50.17 09:33:37.89 09:34:25.61 09:35



09:35:53.44 09:36:08.42 09:36:23.39 09:36:38.37 09:36







09:35:53.44 09:36:08.42 09:36:23.39 09:36:38.37 09:36

Static Calibration Test

Project: Fort Ord
Equipment: EM-61 Mark II
Grid/Location: QC Area

PM test
Operator: BG & TA
Date: 2008/07/09

● Outside range
- - - Acceptable limits









Static Calibration Test

Project: Fort Ord
Equipment: EM-61 Mark II
Grid/Location: QC Area

● Outside range
--- Acceptable limits

PM test
Operator: BG & TA
Date: 2008/07/09









Static Calibration Test

Project: Fort Ord
Equipment: EM-61 Mark II
Grid/Location: QC Area

AM test
Operator: BG & TA
Date: 2008/07/09

● Outside range
- - - Acceptable limits









Static Calibration Test

Project: Fort Ord
Equipment: EM-61 Mark II
Grid/Location: QC Area

AM test
Operator: BG & TA
Date: 2008/07/09

● Outside range
- - - Acceptable limits









Static Calibration Test

Project: Fort Ord
Equipment: EM-61 Mark II
Grid/Location: QC Area

PM test
Operator: BG & TA
Date: 2008/07/09

● Outside range
- - - Acceptable limits









Static Calibration Test

Project: Fort Ord
Equipment: EM-61 Mark II
Grid/Location: QC Area

● Outside range
--- Acceptable limits

PM test
Operator: BG & TA
Date: 2008/07/09









Static Calibration Test

Project: Fort Ord
Equipment: EM-61 Mark II
Grid/Location: QC Area

AM test
Operator: BG & TA
Date: 2008/07/09

● Outside range
- - - Acceptable limits









Static Calibration Test

Project: Fort Ord
Equipment: EM-61 Mark II
Grid/Location: QC Area

● Outside range
- - - Acceptable limits

AM test
Operator: BG & TA
Date: 2008/07/09









Static Calibration Test

Project: Fort Ord
Equipment: EM-61 Mark II
Grid/Location: QC Area

● Outside range
- - - Acceptable limits

PM test
Operator: BG & TA
Date: 2008/07/09









Static Calibration Test

Project: Fort Ord
Equipment: EM-61 Mark II
Grid/Location: QC Area

● Outside range
- - - Acceptable limits

PM test
Operator: BG & TA
Date: 2008/07/09









Static Calibration Test

Project: Fort Ord
Equipment: EM-61 Mark II
Grid/Location: QC Area

AM test
Operator: BG & TA
Date: 2008/07/10

● Outside range
--- Acceptable limits









Static Calibration Test

Project: Fort Ord
Equipment: EM-61 Mark II
Grid/Location: QC Area

● Outside range
--- Acceptable limits

AM test
Operator: BG & TA
Date: 2008/07/10









Static Calibration Test

Project: Fort Ord
Equipment: EM-61 Mark II
Grid/Location: QC Area

● Outside range
- - - Acceptable limits

PM test
Operator: BG & TA
Date: 2008/07/10








Static Calibration Test

Project: Fort Ord
Equipment: EM-61 Mark II
Grid/Location: QC Area

● Outside range
--- Acceptable limits

PM test
Operator: BG & TA
Date: 2008/07/10









Static Calibration Test

Project: Fort Ord
Equipment: EM-61 Mark II
Grid/Location: QC Area

AM test
Operator: BG & TA
Date: 2008/07/10

● Outside range
--- Acceptable limits




Static Calibration Test

Project: Fort Ord
Equipment: EM-61 Mark II
Grid/Location: QC Area



AM test
Operator: BG & TA
Date: 2008/07/10

● Outside range
- - - Acceptable limits





09:23:37.80 09:24:30.77 09:25:23.74 09:26:16.72

09:23:37.80 09:24:30.77 09:25:23.74 09:26:16.72



09:28:20.79 09:29:17.02 09:30:13.24 09:31:09.47 09:32:09.47

09:28:20.79 09:29:17.02 09:30:13.24 09:31:09.47 09:32:09.47



09:32:36.79 09:33:00.52 09:33:24.24 09:33:47.96 09:34:00.52







09:32:36.79 09:33:00.52 09:33:24.24 09:33:47.96 09:34:00.52

Static Calibration Test

Project: Fort Ord
Equipment: EM-61 Mark II
Grid/Location: QC Area

● Outside range
--- Acceptable limits

PM test
Operator: BG & TA
Date: 2008/07/10









Static Calibration Test

Project: Fort Ord
Equipment: EM-61 Mark II
Grid/Location: QC Area

● Outside range
--- Acceptable limits

PM test
Operator: BG & TA
Date: 2008/07/10









Static Calibration Test

Project: Fort Ord
Equipment: EM-61 Mark II
Grid/Location: QC Area

AM test
Operator: BG & TA
Date: 2008/07/10

● Outside range
--- Acceptable limits









Static Calibration Test

Project: Fort Ord
Equipment: EM-61 Mark II
Grid/Location: QC Area

● Outside range
- - - Acceptable limits

AM test
Operator: BG & TA
Date: 2008/07/10









Static Calibration Test

Project: Fort Ord
Equipment: EM-61 Mark II
Grid/Location: QC Area

PM test
Operator: BG & TA
Date: 2008/07/10

● Outside range
- - - Acceptable limits



Static Calibration Test

Project: Fort Ord
Equipment: EM-61 Mark II
Grid/Location: QC Area

● Outside range
- - - Acceptable limits

PM test
Operator: BG & TA
Date: 2008/07/10

