Static Calibration Test

Project: Fort Ord Parker Flats - Develpoment Areas
Equipment: EM-61 Mark II
Grid/Location: QC Area

Outside range
Acceptable limits

AM test
Operator: BJ & BS
Date: 10/6/2009













Database: C:_QCReports_Ord_Data\100609\QC\100609_TA_QC.gdb
Line Name: L0 L1 L2

Static Calibration Test

Project: Fort Ord Parker Flats - Develpoment Areas
Equipment: EM-61 Mark II
Grid/Location: QC Area

Outside range
Acceptable limits

AM test
Operator: BJ & BS
Date: 10/6/2009













Database: C:_QCReports_Ord_Data\100609\QC\100609_TA_QC.gdb
Line Name: L0 L1 L2

Static Calibration Test

Project: Fort Ord Parker Flats - Develpoment Areas
Equipment: EM-61 Mark II
Grid/Location: QC Area

Outside range
Acceptable limits

AM test
Operator: BJ & BS
Date: 10/6/2009













Database: C:_QCReports_Ord_Data\100609\QC\100609_TA_QC.gdb
Line Name: L0.1 L1.1 L2.1

Static Calibration Test

Project: Fort Ord Parker Flats - Develpoment Areas
Equipment: EM-61 Mark II
Grid/Location: QC Area

Outside range
Acceptable limits

AM test
Operator: BJ & BS
Date: 10/6/2009













Database: C:_QCReports_Ord_Data\100609\QC\100609_TA_QC.gdb
Line Name: L0.1 L1.1 L2.1

Static Calibration Test

Project: Fort Ord Parker Flats - Develpoment Areas
Equipment: EM-61 Mark II
Grid/Location: QC Area

Outside range
Acceptable limits

AM test
Operator: BJ & BS
Date: 10/6/2009













Database: C:_QCReports_Ord_Data\100609\QC\100609_TA_QC.gdb
Line Name: L0.2 L1.2 L2.2

Static Calibration Test

Project: Fort Ord Parker Flats - Develpoment Areas
Equipment: EM-61 Mark II
Grid/Location: QC Area

Outside range
Acceptable limits

AM test
Operator: BJ & BS
Date: 10/6/2009













Database: C:_QCReports_Ord_Data\100609\QC\100609_TA_QC.gdb
Line Name: L0.2 L1.2 L2.2

Static Calibration Test

Project: Fort Ord Parker Flats - Develpoment Areas
Equipment: EM-61 Mark II
Grid/Location: QC Area

Outside range
Acceptable limits

PM test
Operator: BJ & BS
Date: 10/6/2009













Database: C:_QCReports_Ord_Data\100609\QC\100609_TA_QC.gdb
Line Name: L6 L7 L8

Static Calibration Test

Project: Fort Ord Parker Flats - Develpoment Areas
Equipment: EM-61 Mark II
Grid/Location: QC Area

Outside range
Acceptable limits

PM test
Operator: BJ & BS
Date: 10/6/2009













Static Calibration Test

Project: Fort Ord Parker Flats - Develpoment Areas
Equipment: EM-61 Mark II
Grid/Location: QC Area

Outside range
Acceptable limits

PM test
Operator: BJ & BS
Date: 10/6/2009













Database: C:_QCReports_Ord_Data\100609\QC\100609_TA_QC.gdb
Line Name: L6.1 L7.1 L8.1

Static Calibration Test

Project: Fort Ord Parker Flats - Develpoment Areas
Equipment: EM-61 Mark II
Grid/Location: QC Area

Outside range
Acceptable limits

PM test
Operator: BJ & BS
Date: 10/6/2009













Static Calibration Test

Project: Fort Ord Parker Flats - Develpoment Areas
Equipment: EM-61 Mark II
Grid/Location: QC Area

Outside range
Acceptable limits

PM test
Operator: BJ & BS
Date: 10/6/2009













Database: C:_QCReports_Ord_Data\100609\QC\100609_TA_QC.gdb
Line Name: L6.2 L7.2 L8.2

Static Calibration Test

Project: Fort Ord Parker Flats - Develpoment Areas
Equipment: EM-61 Mark II
Grid/Location: QC Area

Outside range
Acceptable limits

PM test
Operator: BJ & BS
Date: 10/6/2009













Database: C:_QCReports_Ord_Data\100609\QC\100609_TA_QC.gdb
Line Name: L6.2 L7.2 L8.2

Static Calibration Test

Project: Fort Ord Parker Flats - Develpoment Areas
Equipment: EM-61 Mark II
Grid/Location: QC Area

Outside range
Acceptable limits

AM test
Operator: BJ & BS
Date: 10/7/2009













Database: C:_QCReports_Ord_Data\100709\QC\100709_TA_QC.gdb
Line Name: L0 L1 L2

Static Calibration Test

Project: Fort Ord Parker Flats - Develpoment Areas
Equipment: EM-61 Mark II
Grid/Location: QC Area

Outside range
Acceptable limits

AM test
Operator: BJ & BS
Date: 10/7/2009













Static Calibration Test

Project: Fort Ord Parker Flats - Develpoment Areas
Equipment: EM-61 Mark II
Grid/Location: QC Area

Outside range
Acceptable limits

AM test
Operator: BJ & BS
Date: 10/7/2009













Database: C:_QCReports_Ord_Data\100709\QC\100709_TA_QC.gdb
Line Name: L0.1 L1.1 L2.1

Static Calibration Test

Project: Fort Ord Parker Flats - Develpoment Areas
Equipment: EM-61 Mark II
Grid/Location: QC Area

Outside range
Acceptable limits

AM test
Operator: BJ & BS
Date: 10/7/2009













Static Calibration Test

Project: Fort Ord Parker Flats - Develpoment Areas
Equipment: EM-61 Mark II
Grid/Location: QC Area

Outside range
Acceptable limits

AM test
Operator: BJ & BS
Date: 10/7/2009













Database: C:_QCReports_Ord_Data\100709\QC\100709_TA_QC.gdb
Line Name: L0.2 L1.2 L2.2

Static Calibration Test

Project: Fort Ord Parker Flats - Develpoment Areas
Equipment: EM-61 Mark II
Grid/Location: QC Area

Outside range
Acceptable limits

AM test
Operator: BJ & BS
Date: 10/7/2009













Database: C:_QCReports_Ord_Data\100709\QC\100709_TA_QC.gdb
Line Name: L0.2 L1.2 L2.2

Static Calibration Test

Project: Fort Ord Parker Flats - Develpoment Areas
Equipment: EM-61 Mark II
Grid/Location: QC Area

Outside range
Acceptable limits

PM test
Operator: BJ & BS
Date: 10/7/2009













Database: C:_QCReports_Ord_Data\100709\QC\100709_TA_QC.gdb
Line Name: L23 L24 L25

Static Calibration Test

Project: Fort Ord Parker Flats - Develpoment Areas
Equipment: EM-61 Mark II
Grid/Location: QC Area

Outside range
Acceptable limits

PM test
Operator: BJ & BS
Date: 10/7/2009













Database: C:_QCReports_Ord_Data\100709\QC\100709_TA_QC.gdb
Line Name: L23 L24 L25

Static Calibration Test

Project: Fort Ord Parker Flats - Develpoment Areas
Equipment: EM-61 Mark II
Grid/Location: QC Area

Outside range
Acceptable limits

PM test
Operator: BJ & BS
Date: 10/7/2009













Database: C:_QCReports_Ord_Data\100709\QC\100709_TA_QC.gdb
Line Name: L23.1 L24.1 L25.1

Static Calibration Test

Project: Fort Ord Parker Flats - Develpoment Areas
Equipment: EM-61 Mark II
Grid/Location: QC Area

Outside range
Acceptable limits

PM test
Operator: BJ & BS
Date: 10/7/2009













Database: C:_QCReports_Ord_Data\100709\QC\100709_TA_QC.gdb
Line Name: L23.1 L24.1 L25.1

Static Calibration Test

Project: Fort Ord Parker Flats - Develpoment Areas
Equipment: EM-61 Mark II
Grid/Location: QC Area

Outside range
Acceptable limits

PM test
Operator: BJ & BS
Date: 10/7/2009













Database: C:_QCReports_Ord_Data\100709\QC\100709_TA_QC.gdb
Line Name: L23.2 L24.2 L25.2

Static Calibration Test

Project: Fort Ord Parker Flats - Develpoment Areas
Equipment: EM-61 Mark II
Grid/Location: QC Area

Outside range
Acceptable limits

PM test
Operator: BJ & BS
Date: 10/7/2009













Static Calibration Test

Project: Fort Ord Parker Flats - Develpoment Areas
Equipment: EM-61 Mark II
Grid/Location: QC Area

Outside range
Acceptable limits

AM test
Operator: BJ & BS
Date: 10/8/2009













Database: C:_QCReports_Ord_Data\100809\QC\100809_TA_QC.gdb
Line Name: L0 L1 L2

Static Calibration Test

Project: Fort Ord Parker Flats - Develpoment Areas
Equipment: EM-61 Mark II
Grid/Location: QC Area

Outside range
Acceptable limits

AM test
Operator: BJ & BS
Date: 10/8/2009













Database: C:_QCReports_Ord_Data\100809\QC\100809_TA_QC.gdb
Line Name: L0 L1 L2

Static Calibration Test

Project: Fort Ord Parker Flats - Develpoment Areas
Equipment: EM-61 Mark II
Grid/Location: QC Area

Outside range
Acceptable limits

AM test
Operator: BJ & BS
Date: 10/8/2009













Database: C:_QCReports_Ord_Data\100809\QC\100809_TA_QC.gdb
Line Name: L0.1 L1.1 L2.1

Static Calibration Test

Project: Fort Ord Parker Flats - Develpoment Areas
Equipment: EM-61 Mark II
Grid/Location: QC Area

Outside range
Acceptable limits

AM test
Operator: BJ & BS
Date: 10/8/2009













Static Calibration Test

Project: Fort Ord Parker Flats - Develpoment Areas
Equipment: EM-61 Mark II
Grid/Location: QC Area

Outside range
Acceptable limits

AM test
Operator: BJ & BS
Date: 10/8/2009













Database: C:_QCReports_Ord_Data\100809\QC\100809_TA_QC.gdb
Line Name: L0.2 L1.2 L2.2

Static Calibration Test

Project: Fort Ord Parker Flats - Develpoment Areas
Equipment: EM-61 Mark II
Grid/Location: QC Area

Outside range
Acceptable limits

AM test
Operator: BJ & BS
Date: 10/8/2009













Static Calibration Test

Project: Fort Ord Parker Flats - Develpoment Areas
Equipment: EM-61 Mark II
Grid/Location: QC Area

Outside range
Acceptable limits

PM test
Operator: BJ & BS
Date: 10/8/2009













Database: C:_QCReports_Ord_Data\100809\QC\100809_TA_QC.gdb
Line Name: L5 L6 L7

Static Calibration Test

Project: Fort Ord Parker Flats - Develpoment Areas
Equipment: EM-61 Mark II
Grid/Location: QC Area

Outside range
Acceptable limits

PM test
Operator: BJ & BS
Date: 10/8/2009













Database: C:_QCReports_Ord_Data\100809\QC\100809_TA_QC.gdb
Line Name: L5 L6 L7

Static Calibration Test

Project: Fort Ord Parker Flats - Develpoment Areas
Equipment: EM-61 Mark II
Grid/Location: QC Area

Outside range
Acceptable limits

PM test
Operator: BJ & BS
Date: 10/8/2009













Database: C:_QCReports_Ord_Data\100809\QC\100809_TA_QC.gdb
Line Name: L5.1 L6.1 L7.1

Static Calibration Test

Project: Fort Ord Parker Flats - Develpoment Areas
Equipment: EM-61 Mark II
Grid/Location: QC Area

Outside range
Acceptable limits

PM test
Operator: BJ & BS
Date: 10/8/2009













Static Calibration Test

Project: Fort Ord Parker Flats - Develpoment Areas
Equipment: EM-61 Mark II
Grid/Location: QC Area

Outside range
Acceptable limits

PM test
Operator: BJ & BS
Date: 10/8/2009













Database: C:_QCReports_Ord_Data\100809\QC\100809_TA_QC.gdb
Line Name: L5.2 L6.2 L7.2

Static Calibration Test

Project: Fort Ord Parker Flats - Develpoment Areas
Equipment: EM-61 Mark II
Grid/Location: QC Area

Outside range
Acceptable limits

PM test
Operator: BJ & BS
Date: 10/8/2009













Static Calibration Test

Project: Fort Ord Parker Flats - Develpoment Areas
Equipment: EM-61 Mark II
Grid/Location: QC Area

Outside range
Acceptable limits

AM test
Operator: BJ
Date: 10/14/2009













Database: C:_QCReports_Ord_Data\101409\QC\101409_TA_QC.gdb
Line Name: L0 L1 L2

Static Calibration Test

Project: Fort Ord Parker Flats - Develpoment Areas
Equipment: EM-61 Mark II
Grid/Location: QC Area

Outside range
Acceptable limits

AM test
Operator: BJ
Date: 10/14/2009













Static Calibration Test

Project: Fort Ord Parker Flats - Develpoment Areas
Equipment: EM-61 Mark II
Grid/Location: QC Area

Outside range
Acceptable limits

AM test
Operator: BJ
Date: 10/14/2009













Database: C:_QCReports_Ord_Data\101409\QC\101409_TA_QC.gdb
Line Name: L0.1 L1.1 L2.1

Static Calibration Test

Project: Fort Ord Parker Flats - Develpoment Areas
Equipment: EM-61 Mark II
Grid/Location: QC Area

Outside range
Acceptable limits

AM test
Operator: BJ
Date: 10/14/2009













Static Calibration Test

Project: Fort Ord Parker Flats - Develpoment Areas
Equipment: EM-61 Mark II
Grid/Location: QC Area

Outside range
Acceptable limits

AM test
Operator: BJ
Date: 10/14/2009













Database: C:_QCReports_Ord_Data\101409\QC\101409_TA_QC.gdb
Line Name: L0.2 L1.2 L2.2

Static Calibration Test

Project: Fort Ord Parker Flats - Develpoment Areas
Equipment: EM-61 Mark II
Grid/Location: QC Area

Outside range
Acceptable limits

AM test
Operator: BJ
Date: 10/14/2009













Database: C:_QCReports_Ord_Data\101409\QC\101409_TA_QC.gdb
Line Name: L0.2 L1.2 L2.2

Static Calibration Test

Project: Fort Ord Parker Flats - Develpoment Areas
Equipment: EM-61 Mark II
Grid/Location: QC Area

Outside range
Acceptable limits

PM test
Operator: BJ
Date: 10/14/2009













Database: C:_QCReports_Ord_Data\101409\QC\101409_TA_QC.gdb
Line Name: L5 L6 L7

Static Calibration Test

Project: Fort Ord Parker Flats - Develpoment Areas
Equipment: EM-61 Mark II
Grid/Location: QC Area

Outside range
Acceptable limits

PM test
Operator: BJ
Date: 10/14/2009













Database: C:_QCReports_Ord_Data\101409\QC\101409_TA_QC.gdb
Line Name: L5 L6 L7

Static Calibration Test

Project: Fort Ord Parker Flats - Develpoment Areas
Equipment: EM-61 Mark II
Grid/Location: QC Area

Outside range
Acceptable limits

PM test
Operator: BJ
Date: 10/14/2009













Database: C:_QCReports_Ord_Data\101409\QC\101409_TA_QC.gdb
Line Name: L5.1 L6.1 L7.1

Static Calibration Test

Project: Fort Ord Parker Flats - Develpoment Areas
Equipment: EM-61 Mark II
Grid/Location: QC Area

Outside range
Acceptable limits

PM test
Operator: BJ
Date: 10/14/2009













Static Calibration Test

Project: Fort Ord Parker Flats - Develpoment Areas
Equipment: EM-61 Mark II
Grid/Location: QC Area

Outside range
Acceptable limits

PM test
Operator: BJ
Date: 10/14/2009













Database: C:_QCReports_Ord_Data\101409\QC\101409_TA_QC.gdb
Line Name: L5.2 L6.2 L7.2

Static Calibration Test

Project: Fort Ord Parker Flats - Develpoment Areas
Equipment: EM-61 Mark II
Grid/Location: QC Area

Outside range
Acceptable limits

PM test
Operator: BJ
Date: 10/14/2009













Static Calibration Test

Project: Fort Ord Parker Flats - Develpoment Areas
Equipment: EM-61 Mark II
Grid/Location: QC Area

Outside range
Acceptable limits

AM test
Operator: BJ
Date: 10/15/2009









Database: C:_QCReports_Ord_Data\101509\QC\101509_TA_QC.gdb
Line Name: L0 L1 L1

Static Calibration Test

Project: Fort Ord Parker Flats - Develpoment Areas
Equipment: EM-61 Mark II
Grid/Location: QC Area

Outside range
Acceptable limits

AM test
Operator: BJ
Date: 10/15/2009









Database: C:_QCReports_Ord_Data\101509\QC\101509_TA_QC.gdb
Line Name: L0 L1 L1

Static Calibration Test

Project: Fort Ord Parker Flats - Develpoment Areas
Equipment: EM-61 Mark II
Grid/Location: QC Area

Outside range
Acceptable limits

AM test
Operator: BJ
Date: 10/15/2009









Database: C:_QCReports_Ord_Data\101509\QC\101509_TA_QC.gdb
Line Name: L0.1 L1.1 L1.1

Static Calibration Test

Project: Fort Ord Parker Flats - Develpoment Areas
Equipment: EM-61 Mark II
Grid/Location: QC Area

Outside range
Acceptable limits

AM test
Operator: BJ
Date: 10/15/2009









Static Calibration Test

Project: Fort Ord Parker Flats - Develpoment Areas
Equipment: EM-61 Mark II
Grid/Location: QC Area

Outside range
Acceptable limits

AM test
Operator: BJ
Date: 10/15/2009









Database: C:_QCReports_Ord_Data\101509\QC\101509_TA_QC.gdb
Line Name: L0.2 L1.2 L1.2

Static Calibration Test

Project: Fort Ord Parker Flats - Develpoment Areas
Equipment: EM-61 Mark II
Grid/Location: QC Area

Outside range
Acceptable limits

AM test
Operator: BJ
Date: 10/15/2009









Static Calibration Test

Project: Fort Ord Parker Flats - Develpoment Areas
Equipment: EM-61 Mark II
Grid/Location: QC Area

Outside range
Acceptable limits

PM test
Operator: BJ
Date: 10/15/2009













Database: C:_QCReports_Ord_Data\101509\QC\101509_TA_QC.gdb
Line Name: L5 L6 L7

Static Calibration Test

Project: Fort Ord Parker Flats - Develpoment Areas
Equipment: EM-61 Mark II
Grid/Location: QC Area

Outside range
Acceptable limits

PM test
Operator: BJ
Date: 10/15/2009













Database: C:_QCReports_Ord_Data\101509\QC\101509_TA_QC.gdb
Line Name: L5 L6 L7

Static Calibration Test

Project: Fort Ord Parker Flats - Develpoment Areas
Equipment: EM-61 Mark II
Grid/Location: QC Area

Outside range
Acceptable limits

PM test
Operator: BJ
Date: 10/15/2009













Database: C:_QCReports_Ord_Data\101509\QC\101509_TA_QC.gdb
Line Name: L5.1 L6.1 L7.1

Static Calibration Test

Project: Fort Ord Parker Flats - Develpoment Areas
Equipment: EM-61 Mark II
Grid/Location: QC Area

Outside range
Acceptable limits

PM test
Operator: BJ
Date: 10/15/2009













Database: C:_QCReports_Ord_Data\101509\QC\101509_TA_QC.gdb
Line Name: L5.1 L6.1 L7.1

Static Calibration Test

Project: Fort Ord Parker Flats - Develpoment Areas
Equipment: EM-61 Mark II
Grid/Location: QC Area

Outside range
Acceptable limits

PM test
Operator: BJ
Date: 10/15/2009













Database: C:_QCReports_Ord_Data\101509\QC\101509_TA_QC.gdb
Line Name: L5.2 L6.2 L7.2

Static Calibration Test

Project: Fort Ord Parker Flats - Develpoment Areas
Equipment: EM-61 Mark II
Grid/Location: QC Area

Outside range
Acceptable limits

PM test
Operator: BJ
Date: 10/15/2009













Database: C:_QCReports_Ord_Data\101509\QC\101509_TA_QC.gdb
Line Name: L5.2 L6.2 L7.2

Static Calibration Test

Project: Fort Ord Parker Flats
Equipment: EM-61 Mark II
Grid/Location: QC Area

Allowable failure (%): 5%
Outside range
Acceptable limits

AM test
Operator: SR & BJ
Date: 10/16/2009













Database: D:\Projects_QCReports_Ord_Data\101609\QC\101609-TA-QC.gdb
Line Name: L0 L1 L2

Static Calibration Test

Project: Fort Ord Parker Flats
Equipment: EM-61 Mark II
Grid/Location: QC Area

Allowable failure (%): 5%
Outside range
Acceptable limits

AM test
Operator: SR & BJ
Date: 10/16/2009













Database: D:\Projects_QCReports_Ord_Data\101609\QC\101609-TA-QC.gdb
Line Name: L0 L1 L2

Static Calibration Test

Project: Fort Ord Parker Flats
Equipment: EM-61 Mark II
Grid/Location: QC Area

Allowable failure (%): 5%
Outside range
Acceptable limits

AM test
Operator: SR & BJ
Date: 10/16/2009













Database: D:\Projects_QCReports_Ord_Data\101609\QC\101609-TA-QC.gdb
Line Name: L0.1 L1.1 L2.1

Static Calibration Test

Project: Fort Ord Parker Flats
Equipment: EM-61 Mark II
Grid/Location: QC Area

Allowable failure (%): 5%
Outside range
Acceptable limits

AM test
Operator: SR & BJ
Date: 10/16/2009













Database: D:\Projects_QCReports_Ord_Data\101609\QC\101609-TA-QC.gdb
Line Name: L0.1 L1.1 L2.1

Static Calibration Test

Project: Fort Ord Parker Flats
Equipment: EM-61 Mark II
Grid/Location: QC Area

Allowable failure (%): 5%
Outside range
Acceptable limits

AM test
Operator: SR & BJ
Date: 10/16/2009













Database: D:\Projects_QCReports_Ord_Data\101609\QC\101609-TA-QC.gdb
Line Name: L0.2 L1.2 L2.2

Static Calibration Test

Project: Fort Ord Parker Flats
Equipment: EM-61 Mark II
Grid/Location: QC Area

Allowable failure (%): 5%
Outside range
Acceptable limits

AM test
Operator: SR & BJ
Date: 10/16/2009













Database: D:\Projects_QCReports_Ord_Data\101609\QC\101609-TA-QC.gdb
Line Name: L0.2 L1.2 L2.2

Static Calibration Test

Project: Fort Ord Parker Flats
Equipment: EM-61 Mark II
Grid/Location: QC Area

Allowable failure (%): 5%
Outside range
Acceptable limits

PM test
Operator: SR & BJ
Date: 10/16/2009













Database: D:\Projects_QCReports_Ord_Data\101609\QC\101609-TA-QC.gdb
Line Name: L5 L7 L8

Static Calibration Test

Project: Fort Ord Parker Flats
Equipment: EM-61 Mark II
Grid/Location: QC Area

Allowable failure (%): 5%
Outside range
Acceptable limits

PM test
Operator: SR & BJ
Date: 10/16/2009













Database: D:\Projects_QCReports_Ord_Data\101609\QC\101609-TA-QC.gdb
Line Name: L5 L7 L8

Static Calibration Test

Project: Fort Ord Parker Flats
Equipment: EM-61 Mark II
Grid/Location: QC Area

Allowable failure (%): 5%
Outside range
Acceptable limits

PM test
Operator: SR & BJ
Date: 10/16/2009













Database: D:\Projects_QCReports_Ord_Data\101609\QC\101609-TA-QC.gdb
Line Name: L5.1 L7.1 L8.1

Static Calibration Test

Project: Fort Ord Parker Flats
Equipment: EM-61 Mark II
Grid/Location: QC Area

Allowable failure (%): 5%
Outside range
Acceptable limits

PM test
Operator: SR & BJ
Date: 10/16/2009













Database: D:\Projects_QCReports_Ord_Data\101609\QC\101609-TA-QC.gdb
Line Name: L5.1 L7.1 L8.1

Static Calibration Test

Project: Fort Ord Parker Flats
Equipment: EM-61 Mark II
Grid/Location: QC Area

Allowable failure (%): 5%
Outside range
Acceptable limits

PM test
Operator: SR & BJ
Date: 10/16/2009













Database: D:\Projects_QCReports_Ord_Data\101609\QC\101609-TA-QC.gdb
Line Name: L5.2 L7.2 L8.2

Static Calibration Test

Project: Fort Ord Parker Flats
Equipment: EM-61 Mark II
Grid/Location: QC Area

Allowable failure (%): 5%
Outside range
Acceptable limits

PM test
Operator: SR & BJ
Date: 10/16/2009













Database: D:\Projects_QCReports_Ord_Data\101609\QC\101609-TA-QC.gdb
Line Name: L5.2 L7.2 L8.2

Static Calibration Test

Project: Fort Ord Parker Flats - Develpoment Areas
Equipment: EM-61 Mark II
Grid/Location: QC Area

Outside range
Acceptable limits

AM test
Operator: BJ & JR
Date: 10/19/2009













Database: C:_QCReports_Ord_Data\101909\QC\101909_TA_QC.gdb
Line Name: L0 L1 L2

Static Calibration Test

Project: Fort Ord Parker Flats - Develpoment Areas
Equipment: EM-61 Mark II
Grid/Location: QC Area

Outside range
Acceptable limits

AM test
Operator: BJ & JR
Date: 10/19/2009













Static Calibration Test

Project: Fort Ord Parker Flats - Develpoment Areas
Equipment: EM-61 Mark II
Grid/Location: QC Area

Outside range
Acceptable limits

AM test
Operator: BJ & JR
Date: 10/19/2009













Database: C:_QCReports_Ord_Data\101909\QC\101909_TA_QC.gdb
Line Name: L0.1 L1.1 L2.1

Static Calibration Test

Project: Fort Ord Parker Flats - Develpoment Areas
Equipment: EM-61 Mark II
Grid/Location: QC Area

Outside range
Acceptable limits

AM test
Operator: BJ & JR
Date: 10/19/2009













Database: C:_QCReports_Ord_Data\101909\QC\101909_TA_QC.gdb
Line Name: L0.1 L1.1 L2.1

Static Calibration Test

Project: Fort Ord Parker Flats - Develpoment Areas
Equipment: EM-61 Mark II
Grid/Location: QC Area

Outside range
Acceptable limits

AM test
Operator: BJ & JR
Date: 10/19/2009













Database: C:_QCReports_Ord_Data\101909\QC\101909_TA_QC.gdb
Line Name: L0.2 L1.2 L2.2

Static Calibration Test

Project: Fort Ord Parker Flats - Develpoment Areas
Equipment: EM-61 Mark II
Grid/Location: QC Area

Outside range
Acceptable limits

AM test
Operator: BJ & JR
Date: 10/19/2009













Database: C:_QCReports_Ord_Data\101909\QC\101909_TA_QC.gdb
Line Name: L0.2 L1.2 L2.2

Static Calibration Test

Project: Fort Ord Parker Flats - Develpoment Areas
Equipment: EM-61 Mark II
Grid/Location: QC Area

Outside range
Acceptable limits

PM test
Operator: BJ & JR
Date: 10/19/2009













Database: C:_QCReports_Ord_Data\101909\QC\101909_TA_QC.gdb
Line Name: L5 L6 L7

Static Calibration Test

Project: Fort Ord Parker Flats - Develpoment Areas
Equipment: EM-61 Mark II
Grid/Location: QC Area

Outside range
Acceptable limits

PM test
Operator: BJ & JR
Date: 10/19/2009













Database: C:_QCReports_Ord_Data\101909\QC\101909_TA_QC.gdb
Line Name: L5 L6 L7

Static Calibration Test

Project: Fort Ord Parker Flats - Develpoment Areas
Equipment: EM-61 Mark II
Grid/Location: QC Area

Outside range
Acceptable limits

PM test
Operator: BJ & JR
Date: 10/19/2009













Database: C:_QCReports_Ord_Data\101909\QC\101909_TA_QC.gdb
Line Name: L5.1 L6.1 L7.1

Static Calibration Test

Project: Fort Ord Parker Flats - Develpoment Areas
Equipment: EM-61 Mark II
Grid/Location: QC Area

Outside range
Acceptable limits

PM test
Operator: BJ & JR
Date: 10/19/2009













Static Calibration Test

Project: Fort Ord Parker Flats - Develpoment Areas
Equipment: EM-61 Mark II
Grid/Location: QC Area

Outside range
Acceptable limits

PM test
Operator: BJ & JR
Date: 10/19/2009













Database: C:_QCReports_Ord_Data\101909\QC\101909_TA_QC.gdb
Line Name: L5.2 L6.2 L7.2

Static Calibration Test

Project: Fort Ord Parker Flats - Develpoment Areas
Equipment: EM-61 Mark II
Grid/Location: QC Area

Outside range
Acceptable limits

PM test
Operator: BJ & JR
Date: 10/19/2009













Database: C:_QCReports_Ord_Data\101909\QC\101909_TA_QC.gdb
Line Name: L5.2 L6.2 L7.2

Static Calibration Test

Project: Fort Ord Parker Flats - Develpoment Areas
Equipment: EM-61 Mark II
Grid/Location: QC Area

Outside range
Acceptable limits

AM test
Operator: BJ & PN
Date: 10/20/2009













Database: C:_QCReports_Ord_Data\102009\QC\102009_TA_QC.gdb
Line Name: L0 L1 L2

Static Calibration Test

Project: Fort Ord Parker Flats - Develpoment Areas
Equipment: EM-61 Mark II
Grid/Location: QC Area

Outside range
Acceptable limits

AM test
Operator: BJ & PN
Date: 10/20/2009













Static Calibration Test

Project: Fort Ord Parker Flats - Develpoment Areas
Equipment: EM-61 Mark II
Grid/Location: QC Area

Outside range
Acceptable limits

AM test
Operator: BJ & PN
Date: 10/20/2009













Database: C:_QCReports_Ord_Data\102009\QC\102009_TA_QC.gdb
Line Name: L0.1 L1.1 L2.1

Static Calibration Test

Project: Fort Ord Parker Flats - Develpoment Areas
Equipment: EM-61 Mark II
Grid/Location: QC Area

Outside range
Acceptable limits

AM test
Operator: BJ & PN
Date: 10/20/2009













Static Calibration Test

Project: Fort Ord Parker Flats - Develpoment Areas
Equipment: EM-61 Mark II
Grid/Location: QC Area

Outside range
Acceptable limits

AM test
Operator: BJ & PN
Date: 10/20/2009













Database: C:_QCReports_Ord_Data\102009\QC\102009_TA_QC.gdb
Line Name: L0.2 L1.2 L2.2

Static Calibration Test

Project: Fort Ord Parker Flats - Develpoment Areas
Equipment: EM-61 Mark II
Grid/Location: QC Area

Outside range
Acceptable limits

AM test
Operator: BJ & PN
Date: 10/20/2009













Static Calibration Test

Project: Fort Ord Parker Flats - Develpoment Areas
Equipment: EM-61 Mark II
Grid/Location: QC Area

Outside range
Acceptable limits

PM test
Operator: BJ & PN
Date: 10/20/2009













Database: C:_QCReports_Ord_Data\102009\QC\102009_TA_QC.gdb
Line Name: L5 L6 L7

Static Calibration Test

Project: Fort Ord Parker Flats - Develpoment Areas
Equipment: EM-61 Mark II
Grid/Location: QC Area

Outside range
Acceptable limits

PM test
Operator: BJ & PN
Date: 10/20/2009













Database: C:_QCReports_Ord_Data\102009\QC\102009_TA_QC.gdb
Line Name: L5 L6 L7

Static Calibration Test

Project: Fort Ord Parker Flats - Develpoment Areas
Equipment: EM-61 Mark II
Grid/Location: QC Area

Outside range
Acceptable limits

PM test
Operator: BJ & PN
Date: 10/20/2009













Database: C:_QCReports_Ord_Data\102009\QC\102009_TA_QC.gdb
Line Name: L5.1 L6.1 L7.1

Static Calibration Test

Project: Fort Ord Parker Flats - Develpoment Areas
Equipment: EM-61 Mark II
Grid/Location: QC Area

Outside range
Acceptable limits

PM test
Operator: BJ & PN
Date: 10/20/2009













Static Calibration Test

Project: Fort Ord Parker Flats - Develpoment Areas
Equipment: EM-61 Mark II
Grid/Location: QC Area

Outside range
Acceptable limits

PM test
Operator: BJ & PN
Date: 10/20/2009













Database: C:_QCReports_Ord_Data\102009\QC\102009_TA_QC.gdb
Line Name: L5.2 L6.2 L7.2

Static Calibration Test

Project: Fort Ord Parker Flats - Develpoment Areas
Equipment: EM-61 Mark II
Grid/Location: QC Area

Outside range
Acceptable limits

PM test
Operator: BJ & PN
Date: 10/20/2009













Database: C:_QCReports_Ord_Data\102009\QC\102009_TA_QC.gdb
Line Name: L5.2 L6.2 L7.2

Static Calibration Test

Project: Fort Ord Parker Flats - Develpoment Areas
Equipment: EM-61 Mark II
Grid/Location: QC Area

Outside range
Acceptable limits

AM test
Operator: BJ & PN
Date: 10/21/2009













Database: D:\Projects_QCReports_Ord_Data\102109\QC\102109_TA_QC.gdb
Line Name: L0 L1 L2

Static Calibration Test

Project: Fort Ord Parker Flats - Develpoment Areas
Equipment: EM-61 Mark II
Grid/Location: QC Area

Outside range
Acceptable limits

AM test
Operator: BJ & PN
Date: 10/21/2009













Database: D:\Projects_QCReports_Ord_Data\102109\QC\102109_TA_QC.gdb
Line Name: L0 L1 L2

Static Calibration Test

Project: Fort Ord Parker Flats - Develpoment Areas
Equipment: EM-61 Mark II
Grid/Location: QC Area

Outside range
Acceptable limits

AM test
Operator: BJ & PN
Date: 10/21/2009













Database: D:\Projects_QCReports_Ord_Data\102109\QC\102109_TA_QC.gdb
Line Name: L0.1 L1.1 L2.1

Static Calibration Test

Project: Fort Ord Parker Flats - Develpoment Areas
Equipment: EM-61 Mark II
Grid/Location: QC Area

Outside range
Acceptable limits

AM test
Operator: BJ & PN
Date: 10/21/2009













Database: D:\Projects_QCReports_Ord_Data\102109\QC\102109_TA_QC.gdb
Line Name: L0.1 L1.1 L2.1

Static Calibration Test

Project: Fort Ord Parker Flats - Develpoment Areas
Equipment: EM-61 Mark II
Grid/Location: QC Area

Outside range
Acceptable limits

AM test
Operator: BJ & PN
Date: 10/21/2009













Database: D:\Projects_QCReports_Ord_Data\102109\QC\102109_TA_QC.gdb
Line Name: L0.2 L1.2 L2.2

Static Calibration Test

Project: Fort Ord Parker Flats - Develpoment Areas
Equipment: EM-61 Mark II
Grid/Location: QC Area

Outside range
Acceptable limits

AM test
Operator: BJ & PN
Date: 10/21/2009













Static Calibration Test

Project: Fort Ord Parker Flats - Develpoment Areas
Equipment: EM-61 Mark II
Grid/Location: QC Area

Outside range
Acceptable limits

PM test
Operator: BJ & PN
Date: 10/21/2009













Database: D:\Projects_QCReports_Ord_Data\102109\QC\102109_TA_QC.gdb
Line Name: L5 L6 L7

Static Calibration Test

Project: Fort Ord Parker Flats - Develpoment Areas
Equipment: EM-61 Mark II
Grid/Location: QC Area

Outside range
Acceptable limits

PM test
Operator: BJ & PN
Date: 10/21/2009













Static Calibration Test

Project: Fort Ord Parker Flats - Develpoment Areas
Equipment: EM-61 Mark II
Grid/Location: QC Area

Outside range
Acceptable limits

PM test
Operator: BJ & PN
Date: 10/21/2009













Database: D:\Projects_QCReports_Ord_Data\102109\QC\102109_TA_QC.gdb
Line Name: L5.1 L6.1 L7.1

Static Calibration Test

Project: Fort Ord Parker Flats - Develpoment Areas
Equipment: EM-61 Mark II
Grid/Location: QC Area

Outside range
Acceptable limits

PM test
Operator: BJ & PN
Date: 10/21/2009













Static Calibration Test

Project: Fort Ord Parker Flats - Develpoment Areas
Equipment: EM-61 Mark II
Grid/Location: QC Area

Outside range
Acceptable limits

PM test
Operator: BJ & PN
Date: 10/21/2009













Database: D:\Projects_QCReports_Ord_Data\102109\QC\102109_TA_QC.gdb
Line Name: L5.2 L6.2 L7.2

Static Calibration Test

Project: Fort Ord Parker Flats - Develpoment Areas
Equipment: EM-61 Mark II
Grid/Location: QC Area

Outside range
Acceptable limits

PM test
Operator: BJ & PN
Date: 10/21/2009













Database: D:\Projects_QCReports_Ord_Data\102109\QC\102109_TA_QC.gdb
Line Name: L5.2 L6.2 L7.2

Static Calibration Test

Project: Fort Ord Parker Flats - Develpoment Areas
Equipment: EM-61 Mark II
Grid/Location: QC Area

Outside range
Acceptable limits

AM test
Operator: BJ & PN
Date: 10/22/2009













Database: D:\Projects_QCReports_Ord_Data\102209\QC\102209_TA_QC.gdb
Line Name: L0 L1 L2

Static Calibration Test

Project: Fort Ord Parker Flats - Develpoment Areas
Equipment: EM-61 Mark II
Grid/Location: QC Area

Outside range
Acceptable limits

AM test
Operator: BJ & PN
Date: 10/22/2009













Database: D:\Projects_QCReports_Ord_Data\102209\QC\102209_TA_QC.gdb
Line Name: L0 L1 L2

Static Calibration Test

Project: Fort Ord Parker Flats - Develpoment Areas
Equipment: EM-61 Mark II
Grid/Location: QC Area

Outside range
Acceptable limits

AM test
Operator: BJ & PN
Date: 10/22/2009













Database: D:\Projects_QCReports_Ord_Data\102209\QC\102209_TA_QC.gdb
Line Name: L0.1 L1.1 L2.1

Static Calibration Test

Project: Fort Ord Parker Flats - Develpoment Areas
Equipment: EM-61 Mark II
Grid/Location: QC Area

Outside range
Acceptable limits

AM test
Operator: BJ & PN
Date: 10/22/2009













Database: D:\Projects_QCReports_Ord_Data\102209\QC\102209_TA_QC.gdb
Line Name: L0.1 L1.1 L2.1

Static Calibration Test

Project: Fort Ord Parker Flats - Develpoment Areas
Equipment: EM-61 Mark II
Grid/Location: QC Area

Outside range
Acceptable limits

AM test
Operator: BJ & PN
Date: 10/22/2009













Database: D:\Projects_QCReports_Ord_Data\102209\QC\102209_TA_QC.gdb
Line Name: L0.2 L1.2 L2.2

Static Calibration Test

Project: Fort Ord Parker Flats - Develpoment Areas
Equipment: EM-61 Mark II
Grid/Location: QC Area

Outside range
Acceptable limits

AM test
Operator: BJ & PN
Date: 10/22/2009













Database: D:\Projects_QCReports_Ord_Data\102209\QC\102209_TA_QC.gdb
Line Name: L0.2 L1.2 L2.2

Static Calibration Test

Project: Fort Ord Parker Flats - Develpoment Areas
Equipment: EM-61 Mark II
Grid/Location: QC Area

Outside range
Acceptable limits

PM test
Operator: BJ & PN
Date: 10/22/2009













Database: D:\Projects_QCReports_Ord_Data\102209\QC\102209_TA_QC.gdb
Line Name: L5 L6 L7

Static Calibration Test

Project: Fort Ord Parker Flats - Develpoment Areas
Equipment: EM-61 Mark II
Grid/Location: QC Area

Outside range
Acceptable limits

PM test
Operator: BJ & PN
Date: 10/22/2009













Database: D:\Projects_QCReports_Ord_Data\102209\QC\102209_TA_QC.gdb
Line Name: L5 L6 L7

Static Calibration Test

Project: Fort Ord Parker Flats - Develpoment Areas
Equipment: EM-61 Mark II
Grid/Location: QC Area

Outside range
Acceptable limits

PM test
Operator: BJ & PN
Date: 10/22/2009













Database: D:\Projects_QCReports_Ord_Data\102209\QC\102209_TA_QC.gdb
Line Name: L5.1 L6.1 L7.1

Static Calibration Test

Project: Fort Ord Parker Flats - Develpoment Areas
Equipment: EM-61 Mark II
Grid/Location: QC Area

Outside range
Acceptable limits

PM test
Operator: BJ & PN
Date: 10/22/2009













Static Calibration Test

Project: Fort Ord Parker Flats - Develpoment Areas
Equipment: EM-61 Mark II
Grid/Location: QC Area

Outside range
Acceptable limits

PM test
Operator: BJ & PN
Date: 10/22/2009













Database: D:\Projects_QCReports_Ord_Data\102209\QC\102209_TA_QC.gdb
Line Name: L5.2 L6.2 L7.2

Static Calibration Test

Project: Fort Ord Parker Flats - Develpoment Areas
Equipment: EM-61 Mark II
Grid/Location: QC Area

Outside range
Acceptable limits

PM test
Operator: BJ & PN
Date: 10/22/2009













Static Calibration Test

Project: Fort Ord Parker Flats - Develpoment Areas
Equipment: EM-61 Mark II
Grid/Location: QC Area

Outside range
Acceptable limits

AM test
Operator: BJ & PN
Date: 10/23/2009













Database: D:\Projects_QCReports_Ord_Data\102309\QC\102309_TA_QC.gdb
Line Name: L0 L1 L2

Static Calibration Test

Project: Fort Ord Parker Flats - Develpoment Areas
Equipment: EM-61 Mark II
Grid/Location: QC Area

Outside range
Acceptable limits

AM test
Operator: BJ & PN
Date: 10/23/2009













Database: D:\Projects_QCReports_Ord_Data\102309\QC\102309_TA_QC.gdb
Line Name: L0 L1 L2

Static Calibration Test

Project: Fort Ord Parker Flats - Develpoment Areas
Equipment: EM-61 Mark II
Grid/Location: QC Area

Outside range
Acceptable limits

AM test
Operator: BJ & PN
Date: 10/23/2009













Database: D:\Projects_QCReports_Ord_Data\102309\QC\102309_TA_QC.gdb
Line Name: L0.1 L1.1 L2.1

Static Calibration Test

Project: Fort Ord Parker Flats - Develpoment Areas
Equipment: EM-61 Mark II
Grid/Location: QC Area

Outside range
Acceptable limits

AM test
Operator: BJ & PN
Date: 10/23/2009













Database: D:\Projects_QCReports_Ord_Data\102309\QC\102309_TA_QC.gdb
Line Name: L0.1 L1.1 L2.1

Static Calibration Test

Project: Fort Ord Parker Flats - Develpoment Areas
Equipment: EM-61 Mark II
Grid/Location: QC Area

Outside range
Acceptable limits

AM test
Operator: BJ & PN
Date: 10/23/2009













Database: D:\Projects_QCReports_Ord_Data\102309\QC\102309_TA_QC.gdb
Line Name: L0.2 L1.2 L2.2

Static Calibration Test

Project: Fort Ord Parker Flats - Develpoment Areas
Equipment: EM-61 Mark II
Grid/Location: QC Area

Outside range
Acceptable limits

AM test
Operator: BJ & PN
Date: 10/23/2009













Database: D:\Projects_QCReports_Ord_Data\102309\QC\102309_TA_QC.gdb
Line Name: L0.2 L1.2 L2.2

Static Calibration Test

Project: Fort Ord Parker Flats - Develpoment Areas
Equipment: EM-61 Mark II
Grid/Location: QC Area

Outside range
Acceptable limits

PM test
Operator: BJ & PN
Date: 10/23/2009













Database: D:\Projects_QCReports_Ord_Data\102309\QC\102309_TA_QC.gdb
Line Name: L5 L6 L7

Static Calibration Test

Project: Fort Ord Parker Flats - Develpoment Areas
Equipment: EM-61 Mark II
Grid/Location: QC Area

Outside range
Acceptable limits

PM test
Operator: BJ & PN
Date: 10/23/2009













Database: D:\Projects_QCReports_Ord_Data\102309\QC\102309_TA_QC.gdb
Line Name: L5 L6 L7

Static Calibration Test

Project: Fort Ord Parker Flats - Develpoment Areas
Equipment: EM-61 Mark II
Grid/Location: QC Area

Outside range
Acceptable limits

PM test
Operator: BJ & PN
Date: 10/23/2009













Database: D:\Projects_QCReports_Ord_Data\102309\QC\102309_TA_QC.gdb
Line Name: L5.1 L6.1 L7.1

Static Calibration Test

Project: Fort Ord Parker Flats - Develpoment Areas
Equipment: EM-61 Mark II
Grid/Location: QC Area

Outside range
Acceptable limits

PM test
Operator: BJ & PN
Date: 10/23/2009













Static Calibration Test

Project: Fort Ord Parker Flats - Develpoment Areas
Equipment: EM-61 Mark II
Grid/Location: QC Area

Outside range
Acceptable limits

PM test
Operator: BJ & PN
Date: 10/23/2009













Database: D:\Projects_QCReports_Ord_Data\102309\QC\102309_TA_QC.gdb
Line Name: L5.2 L6.2 L7.2

Static Calibration Test

Project: Fort Ord Parker Flats - Develpoment Areas
Equipment: EM-61 Mark II
Grid/Location: QC Area

Outside range
Acceptable limits

PM test
Operator: BJ & PN
Date: 10/23/2009













Static Calibration Test

Project: Fort Ord Parker Flats - Develpoment Areas
Equipment: EM-61 Mark II
Grid/Location: QC Area

Outside range
Acceptable limits

AM test
Operator: BJ & PN
Date: 10/26/2009













Database: D:\Projects_QCReports_Ord_Data\102609\QC\102609_TA_QC.gdb
Line Name: L0 L1 L2

Static Calibration Test

Project: Fort Ord Parker Flats - Develpoment Areas
Equipment: EM-61 Mark II
Grid/Location: QC Area

Outside range
Acceptable limits

AM test
Operator: BJ & PN
Date: 10/26/2009













Static Calibration Test

Project: Fort Ord Parker Flats - Develpoment Areas
Equipment: EM-61 Mark II
Grid/Location: QC Area

Outside range
Acceptable limits

AM test
Operator: BJ & PN
Date: 10/26/2009













Database: D:\Projects_QCReports_Ord_Data\102609\QC\102609_TA_QC.gdb
Line Name: L0.1 L1.1 L2.1

Static Calibration Test

Project: Fort Ord Parker Flats - Develpoment Areas
Equipment: EM-61 Mark II
Grid/Location: QC Area

Outside range
Acceptable limits

AM test
Operator: BJ & PN
Date: 10/26/2009













Database: D:\Projects_QCReports_Ord_Data\102609\QC\102609_TA_QC.gdb
Line Name: L0.1 L1.1 L2.1

Static Calibration Test

Project: Fort Ord Parker Flats - Develpoment Areas
Equipment: EM-61 Mark II
Grid/Location: QC Area

Outside range
Acceptable limits

AM test
Operator: BJ & PN
Date: 10/26/2009













Database: D:\Projects_QCReports_Ord_Data\102609\QC\102609_TA_QC.gdb
Line Name: L0.2 L1.2 L2.2

Static Calibration Test

Project: Fort Ord Parker Flats - Develpoment Areas
Equipment: EM-61 Mark II
Grid/Location: QC Area

Outside range
Acceptable limits

AM test
Operator: BJ & PN
Date: 10/26/2009













Database: D:\Projects_QCReports_Ord_Data\102609\QC\102609_TA_QC.gdb
Line Name: L0.2 L1.2 L2.2

Static Calibration Test

Project: Fort Ord Parker Flats - Develpoment Areas
Equipment: EM-61 Mark II
Grid/Location: QC Area

Outside range
Acceptable limits

PM test
Operator: BJ & PN
Date: 10/26/2009













Database: D:\Projects_QCReports_Ord_Data\102609\QC\102609_TA_QC.gdb
Line Name: L5 L6 L7

Static Calibration Test

Project: Fort Ord Parker Flats - Develpoment Areas
Equipment: EM-61 Mark II
Grid/Location: QC Area

Outside range
Acceptable limits

PM test
Operator: BJ & PN
Date: 10/26/2009













Database: D:\Projects_QCReports_Ord_Data\102609\QC\102609_TA_QC.gdb
Line Name: L5 L6 L7

Static Calibration Test

Project: Fort Ord Parker Flats - Develpoment Areas
Equipment: EM-61 Mark II
Grid/Location: QC Area

Outside range
Acceptable limits

PM test
Operator: BJ & PN
Date: 10/26/2009













Database: D:\Projects_QCReports_Ord_Data\102609\QC\102609_TA_QC.gdb
Line Name: L5.1 L6.1 L7.1

Static Calibration Test

Project: Fort Ord Parker Flats - Develpoment Areas
Equipment: EM-61 Mark II
Grid/Location: QC Area

Outside range
Acceptable limits

PM test
Operator: BJ & PN
Date: 10/26/2009













Database: D:\Projects_QCReports_Ord_Data\102609\QC\102609_TA_QC.gdb
Line Name: L5.1 L6.1 L7.1

Static Calibration Test

Project: Fort Ord Parker Flats - Develpoment Areas
Equipment: EM-61 Mark II
Grid/Location: QC Area

Outside range
Acceptable limits

PM test
Operator: BJ & PN
Date: 10/26/2009













Database: D:\Projects_QCReports_Ord_Data\102609\QC\102609_TA_QC.gdb
Line Name: L5.2 L6.2 L7.2

Static Calibration Test

Project: Fort Ord Parker Flats - Develpoment Areas
Equipment: EM-61 Mark II
Grid/Location: QC Area

Outside range
Acceptable limits

PM test
Operator: BJ & PN
Date: 10/26/2009













Database: D:\Projects_QCReports_Ord_Data\102609\QC\102609_TA_QC.gdb
Line Name: L5.2 L6.2 L7.2

Static Calibration Test

Project: Fort Ord Parker Flats - Develpoment Areas
Equipment: EM-61 Mark II
Grid/Location: QC Area

Outside range
Acceptable limits

AM test
Operator: BJ & PN
Date: 10/27/2009













Database: D:\Projects_QCReports_Ord_Data\102709\QC\102709_TA_QC.gdb
Line Name: L0 L1 L2

Static Calibration Test

Project: Fort Ord Parker Flats - Develpoment Areas
Equipment: EM-61 Mark II
Grid/Location: QC Area

Outside range
Acceptable limits

AM test
Operator: BJ & PN
Date: 10/27/2009













Database: D:\Projects_QCReports_Ord_Data\102709\QC\102709_TA_QC.gdb
Line Name: L0 L1 L2

Static Calibration Test

Project: Fort Ord Parker Flats - Develpoment Areas
Equipment: EM-61 Mark II
Grid/Location: QC Area

Outside range
Acceptable limits

AM test
Operator: BJ & PN
Date: 10/27/2009













Database: D:\Projects_QCReports_Ord_Data\102709\QC\102709_TA_QC.gdb
Line Name: L0.1 L1.1 L2.1

Static Calibration Test

Project: Fort Ord Parker Flats - Develpoment Areas
Equipment: EM-61 Mark II
Grid/Location: QC Area

Outside range
Acceptable limits

AM test
Operator: BJ & PN
Date: 10/27/2009













Database: D:\Projects_QCReports_Ord_Data\102709\QC\102709_TA_QC.gdb
Line Name: L0.1 L1.1 L2.1

Static Calibration Test

Project: Fort Ord Parker Flats - Develpoment Areas
Equipment: EM-61 Mark II
Grid/Location: QC Area

Outside range
Acceptable limits

AM test
Operator: BJ & PN
Date: 10/27/2009













Database: D:\Projects_QCReports_Ord_Data\102709\QC\102709_TA_QC.gdb
Line Name: L0.2 L1.2 L2.2

Static Calibration Test

Project: Fort Ord Parker Flats - Develpoment Areas
Equipment: EM-61 Mark II
Grid/Location: QC Area

Outside range
Acceptable limits

AM test
Operator: BJ & PN
Date: 10/27/2009













Database: D:\Projects_QCReports_Ord_Data\102709\QC\102709_TA_QC.gdb
Line Name: L0.2 L1.2 L2.2