Status of Fort Ord Military Munitions Response Program (MMRP) by Munitions Response Site (MRS) 2006

Approximately 109 known or suspected MRS have been identified at the former Fort Ord and are indicated on the attached map. These sites were identified in the 1997 Revised Archives Search Report (ASR) completed by the U.S. Army Corps of Engineers, St. Louis District. The ASR identified all known and suspected ordnance sites based on the review and research of records from Fort Ord, national repositories, local information sources (e.g., libraries) and interviews with active and former Fort Ord military personnel. The ordnance sites were designated as areas requiring further investigation to determine if these areas actually had MEC present on site. Munitions Response Site – Bureau of Land Management (Impact Area) and MRS-16 have been identified as restricted due to the type of munitions identified on those areas and have been fenced and posted.

Once the MRS were identified, a process to prioritize the sites was established in the Final Action Memorandum, Phase 2 Engineering Evaluation/Cost Analysis (EE/CA) dated June 28, 1999 based on the explosive threats to the community. In addition, reuse priorities are also factored in to the prioritization during staff reviews. To date, removals have been conducted at the following sites: MR sites-3, 4A, 4B, 4C, 7, 8, 10A, 10B, 11, 12, 13B, 13C, 14A, 14C, 14D, 15DRO.1, 15DRO.2, 18, 21, 22, 23, 25, 26, 27G, 27I, 27J, 29, 30, 31, 32C, 33, 34, 35, 37, 40, 42, 43, 44 EDC, 44 PBC, 46, 47, 50, 52, 50/53 Exp., 53, 54 EDC and 55. Phase 1 of a Non-Time Critical Response Actions (NTCRA) has been recently completed MOCO.2 and SEA.1-4. Interim action removal has been completed on a portion of the impact area referred to as MRS Ranges 43-48. Surface removal actions have been completed on the Eucalyptus and Watkins Gate Fire Areas. All MRS will undergo evaluation during the MR RI/FS process with the exception of specific areas identified in the Interim Action Ordnance and Explosives Remedial Investigation / Feasibility Study (IA OE RI/FS (Ranges 43-48 and MRS 16).