



# Appendix D Photographs





Photographs 1 and 2 – Typical transect lines, BG-4 (top) and BD7(bottom) showing predominance of shaggy-bark manzanita, rush rose, and bare ground.



Photograph 3 – Typical view of vegetation along a transect line from above, showing proportion of bare ground between plants.



Photograph 4 - Typical view of vegetation along transect line BF4 (Zone A) in an area with a high percent cover of bare ground between plants.





Photograph 5 – Quadrat showing high percent cover of shaggy bark manzanita, but no seedling growth due to canopy cover.



Photograph 6 – Quadrat with a high density of rush rose seedlings.



Photograph 7 – Quadrat with a high percent cover of bare ground.



Photograph 8 – Quadrat with a high percent cover of dead vegetation and bare ground.



Photograph 9 – Transect 291, showing Range 45 sift area in the background. One of the original transects in the sift area was omitted from the 2005 survey.





Shaggy bark manzanita



Monterey Ceanothus



Eastwood's golden fleece



Dwarf Ceanothus



Golden yarrow



Chamise

Photographs 10 - 15 – Various maritime chaparral shrub seedlings





Photograph 16 – View of Range 43-48 grasslands showing extensive annual plant blooms after winter rains of approximately 31 inches (19 inches is about average).



Photograph 17 – Sand gilia



Photograph 18 – Seaside bird's-beak