

TABLES

**Table 1. EBS Points of Contact
Environmental Baseline Survey
Main Garrison Parcels
Former Fort Ord, California**

Fort Ord (Presidio of Monterey-Annex) Points of Contact

Name	Program
Mr. Mark Reese	Asbestos Management Program
Mr. Mark Reese	Lead-Based Paint Assessments
Mr. Mark Reese	Radon Surveys
Ms. Claire Murdo	PCB Transformers
Mr. Richard Schmitt	Hazardous Waste Management Program
Ms. Linda Temple	CERFA
Mr. William Collins	UXO Surveys
Mr. Roy Durham	Range Control
Mr. Lee Stickler	Former Range Control
SFC Beardsley	Former 49th Fort Ord EOD Unit
Chief Fletcher	Fort Ord Fire Department
Ms. Gail Youngblood	RI/FS Program
Ms. Gail Youngblood	RCRA Program
Ms. Barbara Schmitt	UST Program
Mr. Joe Daniels/Ms. Linda Temple	Radiological Surveys
Ms. Christine Lawson	EBS/FOST/FOSL Program

COE Points of Contact

Name	Program
Ms. Linda Findley-Miller	Asbestos Management Program
Mr. Dan McMIndes	Underground/Aboveground Storage Tanks

**Table 2. Matrix of Environmental Conditions of Structures
Environmental Baseline Survey
Main Garrison Parcels
Former Fort Ord, California**

Structure Number	Parcel Number	ACM Condition (rating 1-5)	Date of Construction	Radiological Survey Classification	Release for Unrestricted Use for Radiological Concerns
22	L20 16	-	unknown	C	-
1002	E2b.3	X	1941	C	-
1003	E2b.3	-	1941	C	-
1004	E2b.3	X	1941	C	-
1005	E2b.3	X	1941	C	-
1006	E2b.3	-	1941	C	-
1007	E2b.3	X	1941	C	-
1022	E2b.3	X	1941	C	-
1023	E2b.3	-	1941	C	-
1024	E2b.3	-	1941	C	-
1025	E2b.3	X	1941	C	-
1026	E2b.3	X	1941	C	-
1027	E2b.3	X	1940	C	-
1040	E2b.3	-	1941	C	-
1041	E2b.3	-	1953	C	-
1042	E2b.3	-	1940	C	-
1043	E2b.3	-	1958	C	-
1044	E2b.3	-	1941	C	-
1045	E2b.3	-	1941	C	-
1046	E2b.3	-	1940	C	-
1047	E2b.3	-	1940	C	-
1048	E2b.3	-	1940	C	-
1060	E2b.3	-	1970	C	-
1061	E2b.3	-	1941	C	-
1063	E2b.3	-	1951	C	-
1064	E2b.3	-	1951	C	-
1065	E2b.3	-	1951	C	-
1068	E2b.3	-	1941	C	-
1421	S1.5.1	-	1940	B1	Yes
1422	S1.5.1	-	1940	B1	Yes
1423	S1.5.1	-	1940	B1	Yes
1424	S1.5.1	-	1940	B1	Yes
1425	S1.5.1	-	1940	C	-
1426	S1.5.1	-	1940	C	-
1427	S1.5.1	-	1940	B1	Yes
1428	S1.5.1	-	1940	C	-
1429	S1.5.1	-	1940	C	-
1430	S1.5.1	-	1940	C	-
1431	S1.5.1	-	1940	C	-
1432	S1.5.1	-	1940	C	-
1433	S1.5.1	-	1940	C	-
1434	S1.5.1	-	1940	C	-
1435	S1.5.1	-	1940	C	-
1436	S1.5.1	-	1940	C	-
1437	S1.5.1	-	1940	C	-
1438	S1.5.1	-	1940	C	-
1439	S1.5.1	-	1941	C	-
1440	S1.5.1	-	1941	C	-
1441	S1.5.1	-	1941	C	-
1442	S1.5.1	-	1940	C	-
1443	E2d	-	1941	B2	No (2)
1449	S1.5.1	-	1940	C	-
1450	S1.5.1	-	1941	C	-
1451	S1.5.1	-	1941	C	-
1453	S1.5.1	-	1941	C	-

**Table 2. Matrix of Environmental Conditions of Structures
Environmental Baseline Survey
Main Garrison Parcels
Former Fort Ord, California**

Structure Number	Parcel Number	ACM Condition (rating 1-5)	Date of Construction	Radiological Survey Classification	Release for Unrestricted Use for Radiological Concerns
1454	SI.5.1	-	1941	C	-
1455	SI.5.1	-	1941	C	-
1456	SI.5.1	-	1941	C	-
1457	SI.5.1	-	1941	C	-
1458	SI.5.1	-	1941	C	-
1459	SI.5.1	-	1941	C	-
1460	SI.5.1	-	1941	C	-
1461	SI.5.1	-	1941	C	-
1462	SI.5.1	-	1941	C	-
1465	SI.5.1	X	1941	C	-
1466	SI.5.1	-	1941	C	-
1467	SI.5.1	-	1941	C	-
1468	SI.5.1	-	1967	C	-
1474	SI.5.1	-	1984	B1	Yes
1476	SI.5.1	-	1984	C	-
1477	SI.5.1	-	1984	B1	Yes
1478	SI.5.1	-	1984	C	-
1480	SI.5.1	NA	unknown	C	-
1481	SI.5.1	-	1977	C	-
1482	SI.5.1	NA	unknown	C	-
1483	SI.5.1	-	1977	A	Yes
1484	SI.5.1	NA	unknown	C	-
1485	SI.5.1	NA	unknown	C	-
1486	SI.5.1	-	1977	C	-
1487	SI.5.1	NA	unknown	C	-
1488	SI.5.1	NA	unknown	C	-
1489	SI.5.1	-	1977	B1	Yes
1490	SI.5.1	NA	unknown	C	-
1491	SI.5.1	-	1977	C	-
1492	SI.5.1	NA	unknown	C	-
1493	SI.5.1	-	1977	C	-
1494	SI.5.1	NA	unknown	C	-
1495	SI.5.1	-	1977	C	-
1496	SI.5.1	NA	unknown	C	-
1497	SI.5.1	-	1977	C	-
1635	SI.5.1	-	1985	C	-
1636	SI.5.1	NA	unknown	C	-
1637	E2b.1	-	1985	C	-
1639	SI.5.1	NA	unknown	C	-
1640	SI.5.1	-	1941	C	-
1641	SI.5.1	-	1941	C	-
1642	SI.5.1	-	1941	C	-
1643	SI.5.1	-	1941	C	-
1646	SI.5.1	-	1941	C	-
1647	SI.5.1	-	1941	C	-
1649	SI.5.1	-	1941	B1	Yes
1650	SI.5.1	X	1941	C	-
1654	SI.5.1	-	1941	C	-
1655	SI.5.1	-	1941	C	-
1656	SI.5.1	-	1941	C	-
1659	SI.5.1	NA	unknown	C	-
1663	SI.5.1	-	1941	C	-
1665	SI.5.1	-	1941	C	-
1666	SI.5.1	-	1941	C	-
1667	SI.5.1	-	1941	C	-

**Table 2. Matrix of Environmental Conditions of Structures
Environmental Baseline Survey
Main Garrison Parcels
Former Fort Ord, California**

Structure Number	Parcel Number	ACM Condition (rating 1-5)	Date of Construction	Radiological Survey Classification	Release for Unrestricted Use for Radiological Concerns
1668	S1.5.1	-	1941	C	-
1669	S1.5.1	-	1944	C	-
1671	S1.5.1	NA	unknown	C	-
1672	S1.5.1	-	1941	C	-
1673	S1.5.1	NA	unknown	C	-
1674	S1.5.1	X	1941	A	No (3)
1675	S1.5.1	-	1974	C	-
1676	S1.5.1	NA	1941	C	-
1677	S1.5.1	-	1956	C	-
1678	S1.5.1	-	1974	C	-
1679	S1.5.1	-	1985	C	-
1680	S1.5.1	NA	unknown	C	-
1681	S1.5.1	-	1985	C	-
1682	S1.5.1	-	1985	C	-
1683	S1.5.1	-	1941	C	-
1684	S1.5.1	-	1984	C	-
1686	S1.5.1	-	1984	C	-
1687	S1.5.1	NA	unknown	C	-
1688	S1.5.1	-	1984	C	-
1689	S1.5.1	NA	unknown	C	-
1694	S1.5.1	NA	unknown	C	-
1697	S1.5.1	-	1980	C	-
1698	S1.5.1	NA	unknown	C	-
1699	S1.5.1	NA	unknown	C	-
1701	E2b.3	X	1941	C	-
1702	E2b.3	X	1941	C	-
1703	E2b.3	X	1941	C	-
1704	E2b.3	X	1941	B2	No (1)
1705	E2b.3	X	1941	C	-
1706	E2b.3	X	1941	C	-
1707	E2b.3	X	1941	C	-
1708	E2b.3	X	1941	C	-
1709	E2b.3	X	1941	B1	Yes
1710	E2b.3	X	1941	C	-
1711	E2b.3	X	1941	A	Yes
1720	E2b.3	-	1940	C	-
1721	E2b.3	-	1940	B1	Yes
1722	E2b.3	-	1940	B2	No (1)
1723	E2b.3	-	1940	B1	Yes
1724	E2b.3	-	1940	B1	No (1)
1725	E2b.3	-	1940	B1	Yes
1726	E2b.3	-	1940	B1	Yes
1727	E2b.3	-	1940	B2	No (4)
1728	E2b.3	-	1940	B2	No (1)
1729	E2b.3	-	1940	B2	No (1)
1730	E2b.3	-	1940	B2	No (1)
1731	E2b.3	-	1940	B2	No (4)
1740	E2b.3	-	1941	B1	Yes
1741	E2b.3	-	1940	C	-
1742	E2b.3	X	1940	C	-
1743	E2b.3	-	1940	C	-
1744	E2b.3	-	1940	C	-
1746	E2b.3	X	1940	C	-
1747	E2b.3	X	1940	C	-
1748	E2b.3	X	1940	C	-

**Table 2. Matrix of Environmental Conditions of Structures
Environmental Baseline Survey
Main Garrison Parcels
Former Fort Ord, California**

Structure Number	Parcel Number	ACM Condition (rating 1-5)	Date of Construction	Radiological Survey Classification	Release for Unrestricted Use for Radiological Concerns
1749	E2b.3	-	1940	C	-
1750	E2b.3	X	1940	C	-
1751	E2b.3	-	1940	A	Yes
1760	E2b.3	X	1940	B1	Yes
1761	E2b.3	X	1940	B1	Yes
1762	E2b.3	X	1940	C	-
1763	E2b.3	X	1940	C	-
1764	E2b.3	X	1940	C	-
1765	E2b.3	X	1940	C	-
1766	E2b.3	X	1940	C	-
1767	E2b.3	X	1940	C	-
1768	E2b.3	X	1940	C	-
1769	E2b.3	X	1940	C	-
1770	E2b.3	X	1940	C	-
1772	E2b.3	X	1940	C	-
1775	E2b.3	X	1940	C	-
1777	E2b.3	-	1944	C	-
1780	E2b.3	-	1940	C	-
1781	E2b.3	-	1940	C	-
1782	E2b.3	-	1940	C	-
1783	E2b.3	X	1940	C	-
1784	E2b.3	X	1940	C	-
1785	E2b.3	-	1940	C	-
1786	E2b.3	X	1940	C	-
1787	E2b.3	X	1940	C	-
1788	E2b.3	X	1940	C	-
1789	E2b.3	X	1940	C	-
1790	E2b.3	X	1940	C	-
1801	E2b.3	-	1940	B2	No (1)
1805	E2b.3	-	1940	B2	No (1)
1806	E2b.3	-	1940	B1	Yes
1807	E2b.3	-	1940	B2	No (1)
1808	E2b.3	-	1940	B2	No (1)
1809	E2b.3	-	1940	B1	Yes
1812	E2b.3	-	1940	B2	No (1)
1817	E2b.3	X	1941	C	-
1820	E2b.3	-	1940	C	-
1822	E2b.3	-	1940	C	-
1824	E2b.3	-	1941	C	-
1826	E2b.3	-	1941	C	-
1828	E2b.3	X	1943	C	-
1831	E2b.3	-	1949	C	-
1834	E2b.3	-	1940	C	-
1836	E2b.3	-	1941	C	-
1883	E2b.3	-	1941	C	-
1885	E2b.3	X	1941	C	-
1888	E2b.3	-	1943	C	-
1891	E2b.3	-	1940	C	-
1894	E2b.3	-	1940	B1	Yes
1895	E2b.3	-	1953	C	-
1896	E2b.3	NA	unknown	C	-
1901	E2b.3	-	1940	B2	No (1)
1902	E2b.3	-	1940	B2	No (1)
1903	E2b.3	-	1940	B1	Yes
1904	E2b.3	-	1940	B2	No (1)

**Table 2. Matrix of Environmental Conditions of Structures
Environmental Baseline Survey
Main Garrison Parcels
Former Fort Ord, California**

Structure Number	Parcel Number	ACM Condition (rating 1-5)	Date of Construction	Radiological Survey Classification	Release for Unrestricted Use for Radiological Concerns
1905	E2b.3	-	1940	B2	No (1)
1906	E2b.3	-	1940	B2	No (1)
1907	E2b.3	-	1940	B1	Yes
1908	E2b.3	-	1940	B2	No (1)
1909	E2b.3	-	1940	B2	No (1)
1910	E2b.3	-	1940	B2	No (1)
1911	E2b.3	-	1940	A	Yes
1912	E2b.3	-	1940	B1	Yes
1913	E2b.3	-	1940	A	Yes
1914	E2b.3	-	1940	A	Yes
1915	E2b.3	-	1941	B1	Yes
1916	E2b.3	-	1941	B1	Yes
1917	E2b.3	-	1941	C	-
1920	E2b.3	X	1941	C	-
1921	E2b.3	X	1940	C	-
1922	E2b.3	X	1940	C	-
1923	E2b.3	X	1940	C	-
1924	E2b.3	X	1940	C	-
1925	E2b.3	X	1940	B1	Yes
1926	E2b.3	X	1940	B1	Yes
1927	E2b.3	X	1940	C	-
1928	E2b.3	X	1940	C	-
1929	E2b.3	X	1940	C	-
1930	E2b.3	X	1940	C	-
1932	E2b.3	X	1940	C	-
1933	E2b.3	X	1940	A	Yes
1934	E2b.3	X	1940	C	-
1935	E2b.3	X	1941	C	-
1936	E2b.3	X	1941	A	Yes
1940	E2b.3	X	1940	C	-
1941	E2b.3	X	1940	C	-
1942	E2b.3	X	1940	C	-
1943	E2b.3	X	1940	C	-
1944	E2b.3	X	1940	C	-
1945	E2b.3	X	1940	B1	Yes
1946	E2b.3	X	1940	C	-
1947	E2b.3	X	1940	C	-
1948	E2b.3	X	1940	C	-
1949	E2b.3	X	1940	C	-
1950	E2b.3	X	1940	C	-
1951	E2b.3	X	1940	C	-
1952	E2b.3	X	1940	C	-
1953	E2b.3	X	1940	A	Yes
1954	E2b.3	X	1940	B1	Yes
1955	E2b.3	X	1941	C	-
1956	E2b.3	X	1941	C	-
1957	E2b.3	-	1940	C	-
1960	E2b.3	-	1940	C	-
1961	E2b.3	-	1940	C	-
1962	E2b.3	-	1940	C	-
1963	E2b.3	-	1940	C	-
1964	E2b.3	-	1940	C	-
1965	E2b.3	-	1940	C	-
1966	E2b.3	-	1940	C	-
1967	E2b.3	-	1940	C	-

**Table 2. Matrix of Environmental Conditions of Structures
Environmental Baseline Survey
Main Garrison Parcels
Former Fort Ord, California**

Structure Number	Parcel Number	ACM Condition (rating 1-5)	Date of Construction	Radiological Survey Classification	Release for Unrestricted Use for Radiological Concerns
1968	E2b.3	-	1940	C	-
1969	E2b.3	-	1940	C	-
1970	E2b.3	-	1940	C	-
1971	E2b.3	-	1940	C	-
1972	E2b.3	-	1940	C	-
1973	E2b.3	-	1940	A	Yes
1974	E2b.3	-	1940	A	Yes
1975	E2b.3	-	1941	C	-
1976	E2b.3	-	1941	C	-
1980	E2b.3	-	1940	C	-
1981	E2b.3	-	1940	B2	No (1)
1982	E2b.3	-	1940	B2	No (1)
1983	E2b.3	-	1940	B1	Yes
1984	E2b.3	-	1940	B2	No (1)
1985	E2b.3	-	1940	B2	No (1)
1986	E2b.3	-	1940	B2	No (1)
1987	E2b.3	-	1940	B1	Yes
1988	E2b.3	-	1940	B2	No (1)
1989	E2b.3	-	1940	B2	No (1)
1990	E2b.3	-	1940	A	Yes
1991	E2b.3	-	1940	B2	No (1)
1992	E2b.3	-	1940	B2	No (1)
1993	E2b.3	-	1940	B1	Yes
1994	E2b.3	-	1940	B2	No (1)
1995	E2b.3	-	1941	B2	No (1)
1996	E2b.3	-	1941	B2	No (1)
1997	E2b.3	-	1961	C	-
2000	E2b.3	-	1940	C	-
2001	E2b.3	X	1941	C	-
2002	E2b.3	-	1941	C	-
2003	E2b.3	X	1941	C	-
2004	E2b.3	X	1941	C	-
2005	E2b.3	X	1941	C	-
2006	E2b.3	X	1941	C	-
2007	E2b.3	X	1941	C	-
2008	E2b.3	X	1941	C	-
2009	E2b.3	X	1941	C	-
2010	E2b.3	X	1941	C	-
2011	E2b.3	X	1941	C	-
2012	E2b.3	X	1941	C	-
2013	E2b.3	X	1941	C	-
2014	E2b.3	X	1941	C	-
2015	E2b.3	X	1941	C	-
2016	E2b.3	X	1941	C	-
2017	E2b.3	-	1940	C	-
2022	E2b.3	-	1941	C	-
2024	E2b.3	-	1941	C	-
2030	L20.16	-	unknown	C	-
2031	L20.16	-	unknown	C	-
2032	L20.16	-	unknown	C	-
2033	L20.16	-	unknown	B1	Yes
2034	L20.16	-	unknown	C	-
2035	L20.16	-	unknown	B1	Yes
2036	L20.16	-	unknown	C	-
2037	L20.16	-	unknown	C	-

**Table 2. Matrix of Environmental Conditions of Structures
Environmental Baseline Survey
Main Garrison Parcels
Former Fort Ord, California**

Structure Number	Parcel Number	ACM Condition (rating 1-5)	Date of Construction	Radiological Survey Classification	Release for Unrestricted Use for Radiological Concerns
2038	L20.16	-	unknown	C	-
2039	L20.16	-	unknown	C	-
2040	L20.16	-	unknown	C	-
2041	L20.16	-	unknown	C	-
2042	L20.16	-	unknown	C	-
2046	E2b.2	-	1940	C	-
2047	E2b.2	-	1941	C	-
2048	E2b.2	-	1959	B2	No (1)
2052	E2b.3	-	1941	C	-
2053	E2b.3	-	1941	C	-
2054	E2b.3	-	1941	C	-
2055	E2b.2	-	1941	C	-
2060	L20.16.3	-	1941	C	-
2061	L20.16.3	-	1953	C	-
2063	L20.16.3	-	1952	C	-
2064	L20.16.3	-	1941	C	-
2065	L20.16.3	-	1952	A	No (1)
2068	E2b.2	-	1941	C	-
2069	E2b.2	-	1941	C	-
2071	L20.16	-	1953	C	-
2072	E2b.2	-	1943	C	-
2073	E2b.2	-	1941	C	-
2074	E2b.2	-	unknown	C	-
2080	E2b.3	-	1942	C	-
2081	E2b.3	-	1942	C	-
2082	E2b.3	-	1942	B1	Yes
2083	E2b.3	X	1942	A	Yes
2084	E2b.3	X	1942	A	Yes
2089	E2b.2	-	1942	C	-
2100	E2b.3	-	1940	C	-
2101	E2b.3	-	1940	B2	No (1)
2102	E2b.3	-	1940	B2	No (1)
2103	E2b.3	-	1940	B2	No (1)
2104	E2b.3	-	1940	B1	Yes
2105	E2b.3	-	1940	B2	No (1)
2106	E2b.3	-	1940	B2	No (1)
2107	E2b.3	-	1940	B2	No (1)
2108	E2b.3	-	1940	B2	No (1)
2120	E2b.3	-	1940	C	-
2121	E2b.3	-	1941	C	-
2122	E2b.3	-	1940	C	-
2123	E2b.3	-	1940	C	-
2124	E2b.3	-	1940	C	-
2125	E2b.3	-	1940	C	-
2126	E2b.3	-	1940	C	-
2127	E2b.3	-	1940	C	-
2128	E2b.3	-	1940	C	-
2140	E2b.3	X	1940	C	-
2141	E2b.3	X	1940	C	-
2142	E2b.3	-	1940	C	-
2143	E2b.3	-	1940	C	-
2144	E2b.3	-	1940	C	-
2145	E2b.3	-	1940	C	-
2146	E2b.3	-	1940	C	-
2147	E2b.3	-	1940	C	-

**Table 2. Matrix of Environmental Conditions of Structures
Environmental Baseline Survey
Main Garrison Parcels
Former Fort Ord, California**

Structure Number	Parcel Number	ACM Condition (rating 1-5)	Date of Construction	Radiological Survey Classification	Release for Unrestricted Use for Radiological Concerns
2148	E2b.3	-	1940	C	-
2160	E2b.3	X	1941	C	-
2161	E2b.3	X	1940	C	-
2162	E2b.3	X	1940	C	-
2163	E2b.3	X	1940	C	-
2164	E2b.3	X	1940	C	-
2165	E2b.3	X	1940	C	-
2166	E2b.3	X	1940	C	-
2167	E2b.3	X	1940	C	-
2168	E2b.3	X	1940	C	-
2180	E2b.3	-	1940	C	-
2181	E2b.3	-	1940	B2	No (1)
2182	E2b.3	-	1940	B1	Yes
2183	E2b.3	-	1940	B1	Yes
2184	E2b.3	-	1940	B2	No (1)
2185	E2b.3	-	1940	B2	No (1)
2186	E2b.3	-	1940	B2	No (1)
2187	E2b.3	-	1940	B2	No (1)
2188	E2b.3	-	1940	B2	No (1)
2201	E2b.3	X	1941	C	-
2202	E2b.3	X	1941	C	-
2203	E2b.3	X	1941	C	-
2204	E2b.3	X	1941	C	-
2205	E2b.3	X	1941	C	-
2206	E2b.3	X	1941	C	-
2207	E2b.3	X	1941	C	-
2208	E2b.3	X	1941	C	-
2223	E2b.2	-	1941	A	Yes
2229	E2b.2	-	1941	C	-
2240	E2b.1	-	1941	C	-
2241	E2b.1	-	1941	C	-
2242	E2b.1	-	1941	C	-
2250	E2b.1	-	1941	C	-
2251	E2b.1	-	1941	C	-
2252	E2b.1	-	1941	C	-
2253	E2b.1	-	1941	C	-
2260	E2b.1	-	1943	C	-
2282	E2b.2	-	1941	C	-
2283	E2b.2	X	1941	C	-
2284	E2b.2	X	1941	C	-
2290	E2b.1	-	1941	C	-
2291	E2b.1	-	1941	C	-
2292	E2b.1	-	1942	C	-
2293	E2b.1	-	1941	C	-
2294	E2b.1	-	1941	C	-
2302	E2b.2	-	1941	B2	No (1)
2303	E2b.2	-	1941	B2	No (1)
2305	E2b.2	-	1941	B2	No (1)
2306	E2b.2	-	1941	B2	No (1)
2307	E2b.2	-	1941	B1	No (1)
2309	E2b.2	-	1941	B2	No (1)
2310	E2b.2	-	1941	B1	No (1)
2311	E2b.2	-	1941	B1	Yes
2312	E2b.2	-	1941	B2	No (1)
2313	E2b.2	-	1941	B2	No (1)

**Table 2. Matrix of Environmental Conditions of Structures
Environmental Baseline Survey
Main Garrison Parcels
Former Fort Ord, California**

Structure Number	Parcel Number	ACM Condition (rating 1-5)	Date of Construction	Radiological Survey Classification	Release for Unrestricted Use for Radiological Concerns
2314	E2b.2	-	1941	B1	Yes
2315	E2b.2	-	1941	B2	No (1)
2316	E2b.2	-	1941	B2	No (1)
2321	E2b.2	X	1941	C	-
2322	E2b.2	X	1941	C	-
2323	E2b.2	X	1941	C	-
2324	E2b.2	X	1941	C	-
2325	E2b.2	X	1941	C	-
2326	E2b.2	X	1941	C	-
2327	E2b.2	X	1941	C	-
2328	E2b.2	X	1941	C	-
2329	E2b.2	X	1941	C	-
2330	E2b.2	X	1941	B1	Yes
2331	E2b.2	X	1941	C	-
2332	E2b.2	X	1941	C	-
2333	E2b.2	X	1941	C	-
2334	E2b.2	X	1941	C	-
2335	E2b.2	X	1941	C	-
2336	E2b.2	X	1941	C	-
2341	E2b.2	X	1941	C	-
2342	E2b.2	X	1941	C	-
2343	E2b.2	X	1941	C	-
2344	E2b.2	X	1941	C	-
2345	E2b.2	X	1941	C	-
2346	E2b.2	X	1941	C	-
2347	E2b.2	X	1941	C	-
2348	E2b.2	X	1941	C	-
2349	E2b.2	X	1941	C	-
2350	E2b.2	X	1941	C	-
2351	E2b.2	X	1941	C	-
2352	E2b.2	X	1941	C	-
2353	E2b.2	X	1941	C	-
2354	E2b.2	X	1941	C	-
2355	E2b.2	X	1941	C	-
2356	E2b.2	X	1941	C	-
2361	E2b.2	-	1941	C	-
2362	E2b.2	-	1941	C	-
2363	E2b.2	-	1941	C	-
2364	E2b.2	-	1941	C	-
2365	E2b.2	-	1941	C	-
2366	E2b.2	-	1941	C	-
2367	E2b.2	-	1941	C	-
2368	E2b.2	-	1941	C	-
2369	E2b.2	-	1941	C	-
2370	E2b.2	-	1941	C	-
2371	E2b.2	-	1941	C	-
2372	E2b.2	-	1941	C	-
2373	E2b.2	-	1941	C	-
2374	E2b.2	-	1941	C	-
2375	E2b.2	-	1941	C	-
2376	E2b.2	-	1942	C	-
2381	E2b.2	X	1941	C	-
2382	E2b.2	X	1941	C	-
2383	E2b.2	X	1941	C	-
2384	E2b.2	X	1941	C	-

**Table 2. Matrix of Environmental Conditions of Structures
Environmental Baseline Survey
Main Garrison Parcels
Former Fort Ord, California**

Structure Number	Parcel Number	ACM Condition (rating 1-5)	Date of Construction	Radiological Survey Classification	Release for Unrestricted Use for Radiological Concerns
2385	E2b.2	X	1941	C	-
2386	E2b.2	X	1941	C	-
2387	E2b.2	X	1941	C	-
2388	E2b.2	X	1941	C	-
2389	E2b.2	X	1941	C	-
2390	E2b.2	X	1941	C	-
2391	E2b.2	X	1941	C	-
2392	E2b.2	X	1941	C	-
2393	E2b.2	X	1941	C	-
2394	E2b.2	X	1941	C	-
2395	E2b.2	-	1967	C	-
2396	E2b.2	-	1943	C	-
2401	E2b.2	-	1941	B2	No (1)
2402	E2b.2	-	1941	B1	No (1)
2403	E2b.2	-	1941	B2	No (1)
2404	E2b.2	-	1941	B2	No (1)
2405	E2b.2	-	1941	B1	No (1)
2406	E2b.2	-	1941	B1	Yes
2407	E2b.2	-	1941	B1	Yes
2408	E2b.2	-	1941	B2	No (1)
2409	E2b.2	-	1941	B2	No (1)
2410	E2b.2	-	1941	B1	Yes
2411	E2b.2	-	1941	B2	No (1)
2412	E2b.2	-	1941	B2	No (1)
2413	E2b.2	-	1941	B1	Yes
2414	E2b.2	-	1941	B2	No (1)
2415	E2b.2	-	1941	B2	No (1)
2416	E2b.2	-	1941	B2	No (1)
2419	E2b.2	-	1990	C	-
2420	E2b.2	-	1941	C	-
2424	E2b.2	-	1942	C	-
2425	E2b.2	-	1942	C	-
2426	E2b.2	-	1941	C	-
2427	E2b.2	-	1941	C	-
2429	E2b.2	-	1991	C	-
2430	E2b.2	-	1941	B2	No (1)
2433	E2b.2	-	1977	B1	Yes
2435	E2b.2	-	1945	C	-
2436	E2b.2	-	1945	C	-
2437	E2b.2	X	1941	C	-
2438	E2b.2	-	1945	C	-
2450	E2b.2	X	1941	C	-
2451	E2b.2	-	unknown	C	-
2454	E2b.2	-	1986	C	-
2459	E2b.2	-	1942	C	-
2460	E2b.2	-	1941	C	-
2501	E2b.1	-	1941	B2	No (1)
2502	E2b.1	-	1941	B2	No (1)
2503	E2b.1	-	1941	B2	No (1)
2504	E2b.1	-	1941	B1	Yes
2505	E2b.1	-	1941	B2	No (1)
2506	E2b.1	-	1941	B2	No (1)
2507	E2b.1	-	1941	B2	No (1)
2508	E2b.1	-	1941	B2	No (1)
2509	E2b.1	-	1941	B2	No (1)

**Table 2. Matrix of Environmental Conditions of Structures
Environmental Baseline Survey
Main Garrison Parcels
Former Fort Ord, California**

Structure Number	Parcel Number	ACM Condition (rating 1-5)	Date of Construction	Radiological Survey Classification	Release for Unrestricted Use for Radiological Concerns
2510	E2b.1	-	1941	B2	No (1)
2520	E2b.1	-	1941	C	-
2521	E2b.1	X	1941	C	-
2522	E2b.1	X	1941	C	-
2523	E2b.1	X	1941	C	-
2524	E2b.1	X	1941	C	-
2525	E2b.1	X	1941	C	-
2526	E2b.1	X	1941	C	-
2527	E2b.1	X	1941	C	-
2528	E2b.1	X	1941	C	-
2529	E2b.1	X	1941	C	-
2530	E2b.1	X	1941	C	-
2540	E2b.1	-	1940	C	-
2541	E2b.1	X	1941	C	-
2542	E2b.1	X	1941	C	-
2544	E2b.1	X	1941	C	-
2545	E2b.1	X	1941	C	-
2546	E2b.1	X	1941	C	-
2547	E2b.1	X	1941	C	-
2548	E2b.1	X	1941	C	-
2549	E2b.1	X	1941	C	-
2550	E2b.1	X	1941	C	-
2560	E2b.1	-	1941	C	-
2561	E2b.1	-	1941	B1	Yes
2562	E2b.1	-	1941	C	-
2563	E2b.1	-	1941	C	-
2567	E2b.1	-	1941	C	-
2568	E2b.1	-	1941	C	-
2569	E2b.1	-	1941	C	-
2580	E2b.1	-	1941	C	-
2581	E2b.1	X	1941	B1	Yes
2582	E2b.1	X	1941	C	-
2583	E2b.1	X	1941	C	-
2584	E2b.1	X	1941	C	-
2585	E2b.1	X	1941	C	-
2586	E2b.1	X	1941	C	-
2587	E2b.1	X	1944	C	-
2588	E2b.1	X	1941	C	-
2590	E2b.1	X	1941	C	-
2601	E2b.1	-	1941	B2	No (1)
2603	E2b.1	-	1941	B2	No (1)
2604	E2b.1	-	1941	B2	No (1)
2605	E2b.1	-	1941	B2	No (1)
2608	E2b.1	-	1941	B1	Yes
2609	E2b.1	-	1941	B2	No (1)
2622	E2b.1	-	1941	C	-
2627	E2b.1	X	1941	C	-
2631	E2b.1	-	1941	C	-
2632	E2b.1	-	1941	C	-
2633	E2b.1	-	1941	C	-
2634	E2b.1	-	1941	C	-
2635	E2b.1	-	1941	C	-
2636	E2b.1	-	1941	C	-
2642	E2b.1	-	1941	C	-
2643	E2b.1	-	1941	C	-

**Table 2. Matrix of Environmental Conditions of Structures
Environmental Baseline Survey
Main Garrison Parcels
Former Fort Ord, California**

Structure Number	Parcel Number	ACM Condition (rating 1-5)	Date of Construction	Radiological Survey Classification	Release for Unrestricted Use for Radiological Concerns
2644	E2b.1	-	1941	C	-
2645	E2b.1	-	1941	C	-
2652	E2b.1	-	1941	C	-
2654	E2b.1	-	1941	C	-
2656	E2b.1	-	1941	C	-
2658	E2b.1	-	1941	C	-
2700	E2b.2	X	1943	C	-
2701	E2b.2	-	1941	C	-
2702	E2b.2	-	1940	C	-
2703	E2b.2	-	1941	C	-
2704	E2b.2	-	1941	C	-
2707	E2b.2	-	unknown	C	-
2710	E2b.2	-	1941	C	-
2711	E2b.2	-	1941	C	-
2712	E2b.2	-	1940	C	-
2713	E2b.2	-	1940	C	-
2714	E2b.2	-	1940	C	-
2715	E2b.2	-	1943	C	-
2716	E2b.2	-	1943	C	-
2717	E2b.2	-	1943	C	-
2719	E2b.2	-	1941	C	-
2720	E2b.2	-	1941	C	-
2721	E2b.2	-	1968	C	-
2722	E2b.2	-	1942	C	-
2723	E2b.2	NA	unknown	C	-
2724	E2b.2	-	1942	C	-
2725	E2b.2	-	1960	C	-
2726	E2b.2	-	1950	C	-
2752	E2b.2	-	1943	C	-
2754	E2b.2	-	1942	C	-
2756	E2b.2	-	1943	C	-
2776	E2b.1	-	1941	C	-
2778	E2b.1	-	1941	C	-
2780	E2b.2	-	1941	C	-
2784	E2b.2	-	1941	C	-
2785	E2b.2	NA	unknown	C	-
2786	E2b.2	-	1941	C	-
2788	E2b.1	-	1940	C	-
2790	E2b.1	-	1941	B1	Yes
2791	E2b.1	-	1940	C	-
2793	E2b.1	-	1940	C	-
2795	E2b.1	-	1940	C	-
2797	E2b.1	-	1940	C	-
2801	E2b.1	X	1941	B1	Yes
2802	E2b.1	-	1940	B1	Yes
2803	E2b.1	-	1940	B2	No (1)
2804	E2b.1	X	1940	B2	No (1)
2805	E2b.1	-	1940	B2	No (1)
2806	E2b.1	-	1941	B1	No (1)
2807	E2b.1	-	1940	B2	Yes
2808	E2b.1	-	1940	B2	No (1)
2809	E2b.1	-	1940	B2	No (1)
2810	E2b.1	-	1940	B2	No (1)
2811	E2b.1	X	1940	B1	Yes
2812	E2b.1	X	1941	B2	No (1)

**Table 2. Matrix of Environmental Conditions of Structures
Environmental Baseline Survey
Main Garrison Parcels
Former Fort Ord, California**

Structure Number	Parcel Number	ACM Condition (rating 1-5)	Date of Construction	Radiological Survey Classification	Release for Unrestricted Use for Radiological Concerns
2813	E2b.1	-	1940	B2	No (1)
2820	E2b.1	-	1941	B1	Yes
2821	E2b.1	-	1941	C	-
2822	E2b.1	-	1940	B2	No (1)
2823	E2b.1	X	1940	C	-
2824	E2b.1	X	1940	C	-
2825	E2b.1	X	1940	C	-
2826	E2b.1	-	1940	C	-
2827	E2b.1	-	1940	C	-
2828	E2b.1	-	1940	C	-
2829	E2b.1	X	1940	C	-
2830	E2b.1	X	1940	C	-
2831	E2b.1	-	1940	C	-
2832	E2b.1	-	1940	C	-
2833	E2b.1	X	1940	C	-
2834	E2b.1	-	1940	C	-
2835	L12.2.2	-	1941	C	-
2837	L12.2.3	-	1941	C	-
2841	E2b.1	X	1941	C	-
2842	E2b.1	X	1940	C	-
2843	E2b.1	X	1940	C	-
2844	E2b.1	X	1940	C	-
2845	E2b.1	X	1940	C	-
2846	E2b.1	X	1940	C	-
2847	E2b.1	X	1940	C	-
2848	E2b.1	X	1940	C	-
2849	E2b.1	X	1940	C	-
2850	E2b.1	X	1940	C	-
2851	E2b.1	X	1940	C	-
2852	E2b.1	X	1940	C	-
2853	E2b.1	X	1940	C	-
2854	E2b.1	X	1940	C	-
2855	E2b.1	X	1940	C	-
2861	E2b.1	X	1941	C	-
2862	E2b.1	X	1940	C	-
2863	E2b.1	X	1940	C	-
2864	E2b.1	X	1941	C	-
2865	E2b.1	X	1940	C	-
2866	E2b.1	X	1940	C	-
2867	E2b.1	X	1940	C	-
2868	E2b.1	X	1940	C	-
2869	E2b.1	X	1940	C	-
2870	E2b.1	X	1940	C	-
2871	E2b.1	X	1940	C	-
2872	E2b.1	X	1940	C	-
2873	E2b.1	X	1940	C	-
2874	E2b.1	X	1940	C	-
2875	E2b.1	X	1941	C	-
2880	E2b.1	-	1940	C	-
2882	E2b.1	-	1940	B2	No (1)
2883	E2b.1	-	1940	B2	No (1)
2884	E2b.1	-	1940	B1	Yes
2885	E2b.1	-	1940	B1	Yes
2886	E2b.1	-	1940	B2	No (1)
2887	E2b.1	-	1940	B2	No (1)

**Table 2. Matrix of Environmental Conditions of Structures
Environmental Baseline Survey
Main Garrison Parcels
Former Fort Ord, California**

Structure Number	Parcel Number	ACM Condition (rating 1-5)	Date of Construction	Radiological Survey Classification	Release for Unrestricted Use for Radiological Concerns
2888	E2b.1	-	1940	B2	No (1)
2889	E2b.1	-	1940	B2	No (1)
2890	E2b.1	-	1940	B1	Yes
2891	E2b.1	-	1940	B2	No (1)
2892	E2b.1	-	1940	B1	Yes
2893	E2b.1	-	1940	B2	No (1)
2894	E2b.1	-	1940	B2	No (1)
2895	E2b.1	-	1941	B2	No (1)
2900	E2b.1	-	1940	C	-
2902	E2b.1	X	1941	C	-
2903	E2b.1	X	1941	C	-
2904	E2b.1	-	1941	C	-
2905	E2b.1	-	1941	C	-
2906	E2b.1	-	1941	C	-
2907	E2b.1	X	1941	C	-
2908	E2b.1	-	1941	B2	No (2)
2909	E2b.1	-	1941	C	-
2910	E2b.1	-	1941	C	-
2911	E2b.1	-	1941	A	Yes
2912	E2b.1	X	1941	C	-
2913	E2b.1	X	1941	C	-
2914	E2b.1	X	1941	C	-
2915	E2b.1	X	1941	C	-
2917	E2b.1	X	1940	C	-
2925	E2b.1	X	1941	C	-
2930	E2a	NA	unknown	C	-
2985	E2d	NA	unknown	C	-
2992	E2d	-	1941	C	-
2994	E2d	-	1943	C	-
2995	E2d	-	1943	C	-
2996	E2d	-	1943	C	-
2997	E2d	-	1943	C	-
2998	E2d	-	1943	C	-
2999	E2d	-	1942	C	-
3000	E2d	X	1941	C	-
3003	E2d	-	1941	C	-
3004	E2d	X	1941	C	-
3005	E2c.3	-	1941	C	-
3007	E2c.3	-	1941	C	-
3010	E2c.3	-	1941	C	-
3011	E2c.3	-	1941	C	-
3012	E2c.3	X	1941	C	-
3019	E2d	-	1942	C	-
3025	E2c.3	-	1941	C	-
3039	E2d	X	1943	C	-
3045	E2c.3	-	1941	C	-
3046	E2c.3	-	1941	C	-
3060	E2c.1	-	1988	C	-
3065	E2c.3	-	1941	C	-
3066	E2c.3	-	1941	C	-
3079	E2d	X	1941	C	-
3080	E2d	X	1941	C	-
3095	E2c.3	-	1986	C	-
3101	E2d	-	1943	C	-
3102	E2d	-	1943	C	-

**Table 2. Matrix of Environmental Conditions of Structures
Environmental Baseline Survey
Main Garrison Parcels
Former Fort Ord, California**

Structure Number	Parcel Number	ACM Condition (rating 1-5)	Date of Construction	Radiological Survey Classification	Release for Unrestricted Use for Radiological Concerns
3104	E2d	X	1941	C	-
3106	E2c.3	X	1941	C	-
3107	E2c.3	-	1941	C	-
3108	E2c.3	NA	unknown	C	-
3109	E2c.3	-	1943	C	-
3114	E2c.3	-	1943	C	-
3118	E2c.3	-	1943	C	-
3119	E2c.3	-	1943	C	-
3121	E2d	-	1943	C	-
3122	E2d	-	1943	C	-
3123	E2c.3	-	1943	C	-
3124	E2d	-	1943	C	-
3125	E2c.3	-	1943	C	-
3126	E2d	-	1943	C	-
3127	E2c.3	-	1943	C	-
3128	E2d	-	1943	C	-
3129	E2c.3	-	1943	C	-
3131	E2c.3	-	1943	C	-
3132	E2d	X	1940	C	-
3133	E2d	-	1943	C	-
3134	E2c.3	-	1943	C	-
3135	E2c.3	-	1943	C	-
3145	E2c.3	-	1969	C	-
3181	E2c.3	-	1943	C	-
3182	E2c.3	-	1943	C	-
3183	E2c.3	-	1943	C	-
3184	E2c.3	-	1943	C	-
3185	E2c.3	-	1943	C	-
3186	E2c.3	-	1943	C	-
3187	E2c.3	-	1943	C	-
3188	E2c.3	-	1943	C	-
3189	E2c.3	-	1943	C	-
3280	E2d	-	1944	C	-
3705	S1.4	-	1983	C	-
3714	S1.4	NA	unknown	C	-
3742	S1.4	X	1941	C	-
3753	S1.4	-	1958	C	-
3754	S1.4	-	1963	C	-
3762	S1.4	X	1941	A	Yes
3766	S1.4	*	1941	C	-
3767	S1.4	X	1941	C	-
3768	S1.4	NA	1941	C	-
3770	S1.4	*	1941	C	-
3771	S1.4	*	1941	C	-
3772	S1.4	-	1941	C	-
3773	S1.4	NA	1941	C	-
3775	S1.4	*	1941	C	-
3776	S1.4	-	1941	C	-
3777	S1.4	-	1941	C	-
3778	S1.4	-	1941	C	-
3780	S1.4	-	1966	C	-
3783	S1.4	-	1956	C	-
3784	S1.4	NA	unknown	C	-
3785	S1.4	NA	1957	C	-
3843	S1.4	*	1957	C	-

**Table 2. Matrix of Environmental Conditions of Structures
Environmental Baseline Survey
Main Garrison Parcels
Former Fort Ord, California**

Structure Number	Parcel Number	ACM Condition (rating 1-5)	Date of Construction	Radiological Survey Classification	Release for Unrestricted Use for Radiological Concerns
3845	S1.4	X	1946	C	-
3850	S1.4	NA	unknown	C	-
3873	S1.4	NA	1942	C	-
4485	S1.4	NA	1978	C	-
4486	S1.4	NA	1978	C	-
4861	S1.5.1	-	1953	C	-
4862	S1.5.1	-	1953	C	-
4863	S1.5.1	-	1953	C	-
4864	S1.5.1	NA	unknown	C	-
4865	S1.5.1	NA	unknown	C	-
4866	S1.5.1	-	1953	C	-
4900	L20.17.1	-	1956	C	-
4901	L20.17.1	-	1960	C	-
4902	L20.17.1	NA	unknown	C	-
4903	L20.17.1	-	1961	C	-
4904	L20.17.1	NA	unknown	C	-
4905	L20.17.1	-	1958	C	-
4909	L20.17.1	-	1966	C	-
4910	L20.17.1	-	1967	C	-
4911	L20.17.1	NA	unknown	C	-
4912	L20.17.1	-	1967	C	-
4913	L20.17.1	-	1967	C	-
4915	L20.17.1	-	1940	C	-
4950	E2c.4	-	1941	C	-
4951	E2c.4	-	1951	C	-
4952	E2c.4	-	1941	C	-
4953	E2c.4	-	1953	C	-
4954	E2c.4	-	1969	C	-
4955	E2c.4	-	1973	C	-
4956	E2c.4	-	1941	C	-
4957	E2c.4	-	1954	C	-
14142A	E2c.3	NA	unknown	C	-
1667A	S1.5.1	NA	unknown	C	-
1671A	S1.5.1	-	1941	C	-
1676A	S1.5.1	NA	unknown	C	-
1A142	E2c.3	NA	unknown	C	-
2250A	E2b.1	-	1950	C	-
2251A	E2b.1	-	unknown	C	-
2251B	E2b.1	-	unknown	C	-
2252A	E2b.1	NA	unknown	C	-
2252B	E2b.1	NA	unknown	C	-
2429A	E2b.2	NA	unknown	C	-
2725A	E2b.2	NA	unknown	C	-
2778A	E2b.1	NA	unknown	C	-
3000A	E2d	-	1976	C	-
3004A	E2d	-	1976	C	-
3007A	E2c.3	-	1976	C	-
3010A	E2c.3	-	1976	C	-
3010B	E2c.3	NA	unknown	C	-
3012A	E2c.3	-	1976	C	-
3025A	E2c.3	-	1976	C	-
3039A	E2d	-	1976	C	-
3046A	E2c.3	-	1976	C	-
3066A	E2c.3	-	1976	C	-
3107A	E2c.3	-	1976	C	-

**Table 2. Matrix of Environmental Conditions of Structures
Environmental Baseline Survey
Main Garrison Parcels
Former Fort Ord, California**

Structure Number	Parcel Number	ACM Condition (rating 1-5)	Date of Construction	Radiological Survey Classification	Release for Unrestricted Use for Radiological Concerns
3753A	S1.4	NA	unknown	C	-
3754A	S1.4	NA	unknown	C	-
3768A	S1.4	NA	unknown	C	-
3768B	S1.4	NA	unknown	C	-
3768C	S1.4	NA	unknown	C	-
3780A	S1.4	NA	unknown	C	-
3780B	S1.4	NA	unknown	C	-
3850A	S1.4	NA	unknown	C	-
3850C	S1.4	NA	unknown	C	-
H-142	S1.5.1	NA	unknown	C	-
H-143	S1.5.1	NA	unknown	C	-
H-144	S1.5.1	NA	unknown	C	-
H-145	S1.5.1	NA	unknown	C	-
H-146	S1.5.1	NA	unknown	C	-
H-161	S1.5.1	NA	unknown	C	-
H-162	S1.5.1	NA	unknown	C	-
H-163	S1.5.1	NA	unknown	C	-
H-164	S1.5.1	NA	unknown	C	-
H-165	S1.5.1	NA	unknown	C	-
H-166	S1.5.1	NA	unknown	C	-
H-167	S1.5.1	NA	unknown	C	-
H-271	E2b.2	NA	unknown	C	-
H-272	E2b.1	NA	unknown	C	-
H-371	S1.4	NA	unknown	C	-
H-372	S1.4	NA	unknown	C	-
H-373	S1.4	NA	unknown	C	-
H-491	L20.17.1	NA	unknown	C	-
R-161	E2b.1	NA	unknown	C	-
R-162	S1.5.1	NA	unknown	C	-
R-163	S1.5.1	NA	unknown	C	-
R-164	S1.5.1	NA	unknown	C	-
R-165	S1.5.1	NA	unknown	C	-
R-201	E2b.2	NA	unknown	C	-
R-221	E2b.2	NA	unknown	C	-
R-222	E2b.1	NA	unknown	C	-
R-223	E2b.1	NA	unknown	C	-
R-271	E2b.2	NA	unknown	C	-
R-371	S1.4	NA	unknown	C	-
R-372	S1.4	NA	unknown	C	-
R-491	E2c.4	NA	unknown	C	-
R-492	L20.17.1	NA	unknown	C	-
No Buildings	E15.1			Not applicable	-
No Buildings	E15.2			Not applicable	-
No Buildings	E2c.2			Not applicable	-
No Buildings	E2e			Not applicable	-
No Buildings	L2.2			Not applicable	-
No Buildings	L20.17.2			Not applicable	-
No Buildings	L5.8.2			Not applicable	-
No Buildings	LE20.16			Not applicable	-

**Table 2. Matrix of Environmental Conditions of Structures
Environmental Baseline Survey
Main Garrison Parcels
Former Fort Ord, California**

Table 2 Footnotes

ACM Classifications:

- ACM Asbestos-containing material.
X Indicates a rating of 1-5 (requires immediate removal).
- Indicates a rating of 6-13.
* Indicates no asbestos found (rating of 0 assigned by ATC).
NA Not applicable - not surveyed because information indicates it is a structure with no ACM concern (e.g., wash racks, grease racks).

Radiological Survey Classifications:

- A Literature search indicates radiological commodities were once stored.
A radiological survey was conducted on these buildings (*AEHA, 1994c; 1994d*).
Contaminated materials that were identified during the survey were removed at the time of the survey and the buildings were cleared for unrestricted use (*AEHA, 1994c; 1994d; USACHPPM, 1997*).
B1 No documentation of use or storage of radiological commodities but survey performed.
B2 No documentation of use or storage of radiological commodities; no survey performed.
C Literature indicates no use or storage of radiological commodities; no survey needed.

Note: Radiological concerns for the buildings classified as B2 were represented by surveys conducted in the B1 buildings. Buildings classified as B2 and C were not surveyed.

Release for Unrestricted Use for Radiological Concerns (based on [DHS, 1997]):

- Indicates structure was not addressed.
Yes Structure is released for unrestricted use.
No (1) Structure is not released for unrestricted use (no reason given).
No (2) Structure is not released for unrestricted use because survey results for the structure was not found
No (3) Structure is not released for unrestricted use because survey report was missing data.
No (4) Structure is not released for unrestricted use because of inconsistent data.

**Table 3. Asbestos Survey Results
Main Garrison Environmental Baseline Survey
Former Fort Ord, California**

Building Number	Parcel Number	Rating	Friability	Condition	Estimated Date of Construction	Material
22	L20.16	*	NA	NA	-	NA
1002	E2b.3	2, 12, 13	F/N	G to SD	1941	N, A, B, C, D, O, T, AA, BC
1003	E2b.3	12, 13	F/N	G, MSD	1941	A, B, C, Y, AA
1004	E2b.3	2, 12, 13	F/N	G	1941	H, A, B, C, N, AR
1005	E2b.3	2, 10, 13	N	G, MSD	1941	H, A, C, E, AA
1006	E2b.3	13	F/N	G	1941	A, B, C, I, BD
1007	E2b.3	2, 13	N	G	1941	N, A, C, D, O, Q
1022	E2b.3	2, 13	N	G	1941	H, B, C
1023	E2b.3	12, 13	F/N	G	1941	A, B, Y, AA
1024	E2b.3	13	N	G	1941	A, B, C, Y
1025	E2b.3	2, 8, 13	F/N	G to F	1941	H, C, N, Y, AD, AN
1026	E2b.3	2, 12, 13	F/N	G	1941	H, B, Y, AD
1027	E2b.3	2, 13	N	G	1940	H, A, B, E
1040	E2b.3	13	N	G	1941	B, L
1041	E2b.3	13	N	G	1953	B, I
1042	E2b.3	13	N	G	1940	B, C, E
1043	E2b.3	13	N	G	1958	B, C
1044	E2b.3	13	N	G	1941	B, C, E, Y
1045	E2b.3	13	N	G	1941	C, E
1046	E2b.3	13	N	G	1940	B, D, E, Y
1047	E2b.3	13	N	G	1940	B, C, E
1048	E2b.3	13	N	G	1940	B, C, E
1060	E2b.3	13	N	G	1970	Y
1061	E2b.3	12, 13	F/N	G to F, MSD	1941	B, C, X, AA
1063	E2b.3	13	F/N	G	1951	A, B, C
1064	E2b.3	13	N	G	1951	A, Y
1065	E2b.3	12, 13	F/N	G	1951	B, C, G
1068	E2b.3	13	N	G	1941	A, B, C, E, O, BD
1421	S1.5.1	13	N	G	1940	B, X
1422	S1.5.1	13	N	G, MSD	1940	B, D, X
1423	S1.5.1	13	N	G	1940	B, F, X
1424	S1.5.1	13	N	G	1940	A, B, X
1425	S1.5.1	13	N	G	1940	B, I, X
1426	S1.5.1	8, 13	F/N	G to F, MSD	1940	B, I, X, AA
1427	S1.5.1	13	N	G	1940	A, B, X
1428	S1.5.1	13	N	G, MD	1940	B, I, X
1429	S1.5.1	13	N	G	1940	A, B, D, X, AN
1430	S1.5.1	13	N	G	1940	B, E, I, X
1431	S1.5.1	10	N	G, MSD	1940	S
1432	S1.5.1	13	N	G, MSD	1940	I, X
1433	S1.5.1	13	N	G	1940	B, C, X, Y
1434	S1.5.1	13	N	G	1940	B, C, X
1435	S1.5.1	13	N	G	1940	B, X
1436	S1.5.1	13	N	G	1940	C, X
1437	S1.5.1	13	N	G	1940	B, X
1438	S1.5.1	13	N	G	1940	A, X, Y
1439	S1.5.1	13	N	G, MSD	1941	B, C, X, Y
1440	S1.5.1	13	N	G, MLD	1941	B, C, X
1441	S1.5.1	12, 13	N	G to F	1941	A, X, Y, AE
1442	S1.5.1	12, 13	N	G	1940	BR, BS
1443	E2d	13	N	G	1941	B, C, I, AX
1449	S1.5.1	13	N	G	1940	BP
1450	S1.5.1	13	N	G	1941	B
1451	S1.5.1	13	N	G	1941	B
1453	S1.5.1	13	N	G	1941	A, C
1454	S1.5.1	13	N	G	1941	A, B, C

**Table 3. Asbestos Survey Results
Main Garrison Environmental Baseline Survey
Former Fort Ord, California**

Building Number	Parcel Number	Rating	Friability	Condition	Estimated Date of Construction	Material
1455	S1.5.1	13	N	G	1941	A, B, C
1456	S1.5.1	13	N	G	1941	B, C
1457	S1.5.1	13	N	G	1941	C
1458	S1.5.1	13	N	G	1941	B
1459	S1.5.1	13	N	G	1941	B, C
1460	S1.5.1	13	N	G	1941	B, C, I
1461	S1.5.1	13	N	G	1941	B, C
1462	S1.5.1	13	N	G	1941	B, L
1465	S1.5.1	2, 7	F/N	G to SD	1941	A, P
1466	S1.5.1	13	N	G	1941	B
1467	S1.5.1	13	N	G	1941	B
1468	S1.5.1	*	NA	NA	1967	NA
1474	S1.5.1	*	NA	NA	1984	NA
1476	S1.5.1	*	NA	NA	1984	NA
1477	S1.5.1	*	NA	NA	1984	NA
1478	S1.5.1	*	NA	NA	1984	NA
1481	S1.5.1	13	N	G	1977	B, BT
1483	S1.5.1	13	N	G	1977	B, O, BT
1486	S1.5.1	13	N	G	1977	Y, BT
1489	S1.5.1	13	N	G	1977	B, O, BT
1491	S1.5.1	13	N	G	1977	B, BT
1493	S1.5.1	13	N	G	1977	Y, BT
1495	S1.5.1	13	N	G	1977	B, O, Y, AD, BT
1497	S1.5.1	13	N	G	1977	B, BT
1635	S1.5.1	13	N	G	1985	Y
1637	E2b.1	13	N	G	1985	L
1640	S1.5.1	13	N	G to F	1941	B, C, E, I
1641	S1.5.1	10	N	G to F	1941	C, E
1642	S1.5.1	10	N	G	1941	C
1643	S1.5.1	10	N	G	1941	E
1646	S1.5.1	13	N	G	1941	B, C
1647	S1.5.1	13	N	G	1941	C, E
1649	S1.5.1	13	N	G	1941	A, B, C
1650	S1.5.1	2, 13	N	G	1941	H, A, B, C, E, I
1654	S1.5.1	13	N	G, MSD	1941	B, E
1655	S1.5.1	13	N	G	1941	B, E
1656	S1.5.1	13	N	G	1941	B, E
1663	S1.5.1	13	N	G	1941	A, B, E, L, P
1665	S1.5.1	13	N	G	1941	B, E
1666	S1.5.1	13	N	G	1941	B, E
1667	S1.5.1	13	N	G	1941	B, C, E
1668	S1.5.1	*	NA	NA	1941	NA
1669	S1.5.1	*	NA	NA	1944	NA
1672	S1.5.1	13	N	G	1941	B, E, X
1674	S1.5.1	1, 12, 13	F/N	G, SD	1941	AI, AB, C, I
1675	S1.5.1	*	NA	NA	1974	NA
1676	S1.5.1	*	NA	NA	1941	NA
1677	S1.5.1	13	N	G	1956	C
1678	S1.5.1	13	N	G, SD	1974	AE
1679	S1.5.1	*	NA	NA	1985	NA
1681	S1.5.1	*	NA	NA	1985	NA
1682	S1.5.1	13	N	G	1985	Y
1683	S1.5.1	*	NA	NA	1941	NA
1684	S1.5.1	*	NA	NA	1984	NA
1686	S1.5.1	13	N	G	1984	L
1688	S1.5.1	*	NA	NA	1984	NA

**Table 3. Asbestos Survey Results
Main Garrison Environmental Baseline Survey
Former Fort Ord, California**

Building Number	Parcel Number	Rating	Friability	Condition	Estimated Date of Construction	Material
1697	S1.5 1	13	N	G	1980	B
1701	E2b.3	2, 10	F	G to F	1941	H, N, BH
1702	E2b.3	2, 10	F/N	G to F	1941	H, C, BH
1703	E2b.3	2, 10	F/N	G to F	1941	H, L
1704	E2b.3	2, 6	F/N	G to SD	1941	H, C
1705	E2b.3	1, 3, 10	F/N	SD to MD	1941	H, A, C
1706	E2b.3	1, 10	F	G to SD	1941	H, N, BH
1707	E2b.3	1, 6, 10	F/N	G to SD	1941	H, C, N, BH
1708	E2b.3	1, 10	F/N	SD	1941	H, C
1709	E2b.3	1, 10	F/N	SD	1941	H, C
1710	E2b.3	2	F	F	1941	H
1711	E2b.3	2, 6, 10	F/N	G to SD	1941	H, C, N, BH
1720	E2b.3	*	NA	NA	1940	NA
1721	E2b.3	10	N	G	1940	C, E
1722	E2b.3	10	N	G to F	1940	C
1723	E2b.3	*	NA	NA	1940	NA
1724	E2b.3	6	N	SD	1940	C
1725	E2b.3	10	N	G to F	1940	C
1726	E2b.3	6, 10	N	F, MSD	1940	C, D
1727	E2b.3	10	N	MSD	1940	C
1728	E2b.3	10	N	F	1940	C, D
1729	E2b.3	10	N	MSD	1940	C
1730	E2b.3	6, 10	N	G, MSD	1940	C, E
1731	E2b.3	6	N	SD	1940	C
1740	E2b.3	10	N	G	1941	C, E
1741	E2b.3	*	NA	NA	1940	NA
1742	E2b.3	3, 10	F/N	G, MLD	1940	N, L
1743	E2b.3	*	NA	NA	1940	NA
1744	E2b.3	10	N	G to F	1940	C, L
1746	E2b.3	1, 6	F/N	SD	1940	N, C
1747	E2b.3	1	F	SD	1940	N
1748	E2b.3	2	F	MD	1940	N
1749	E2b.3	10	N	G to F	1940	C
1750	E2b.3	1, 3	F	SD, MD	1940	N, BG
1751	E2b.3	*	NA	NA	1940	NA
1760	E2b.3	2	F	F	1940	H
1761	E2b.3	2, 10	F/N	G to SD	1940	H, A, C
1762	E2b.3	2, 10	F	G	1940	H, BH
1763	E2b.3	2, 10	F/N	G	1940	H, C
1764	E2b.3	2, 10	F/N	G to SD	1940	H, C
1765	E2b.3	2	F	G to F	1940	H
1766	E2b.3	1, 2, 10	F/N	G, MD, SD	1940	H, BH, C
1767	E2b.3	2, 10	F/N	G to F	1940	H, C
1768	E2b.3	1, 10	F	G to SD	1940	H, N, BH
1769	E2b.3	1, 10	F/N	G to SD	1940	H, L
1770	E2b.3	1, 6, 10	F/N	SD	1940	H, A, C, F
1772	E2b.3	1, 2, 6	F/N	SD, MD to SD	1940	H, BC, C
1775	E2b.3	1, 10	F/N	G to SD	1940	H, N, C
1777	E2b.3	10	N	G to F	1944	C, E, AX
1780	E2b.3	10	F/N	F	1940	AD, BI
1781	E2b.3	10	F	G to F	1940	H, N, BH
1782	E2b.3	10	F/N	G to F	1940	C, H, BH
1783	E2b.3	2	F	F to P	1940	H
1784	E2b.3	2, 10	F/N	G to F	1940	H, C

**Table 3. Asbestos Survey Results
Main Garrison Environmental Baseline Survey
Former Fort Ord, California**

Building Number	Parcel Number	Rating	Friability	Condition	Estimated Date of Construction	Material
1785	E2b.3	*	NA	NA	1940	NA
1786	E2b.3	1, 3, 10	F	G, MD, SD	1940	H, N, BH
1787	E2b.3	2, 10	F	G to F	1940	H, N
1788	E2b.3	1, 10	F	G to SD	1940	H, BH
1789	E2b.3	2, 6	F/N	G to SD	1940	BJ, H, C
1790	E2b.3	1, 6	F/N	SD	1940	H, C
1801	E2b.3	13	N	G	1940	E
1805	E2b.3	13	N	G	1940	C, E, BD
1806	E2b.3	13	N	G	1940	C, D, E, BD
1807	E2b.3	13	N	G	1940	E, BD
1808	E2b.3	13	N	G	1940	C, D, E
1809	E2b.3	13	N	G to F	1940	C, E
1812	E2b.3	13	N	G	1940	C, D, E
1817	E2b.3	2, 8, 13	F/N	G to SD	1941	AA, N, AG, AI
1820	E2b.3	13	N	G to F	1940	C, E
1822	E2b.3	11, 13	F/N	G to F	1940	C, D, E, G
1824	E2b.3	13	N	G to F	1941	C, E
1826	E2b.3	*	NA	NA	1941	NA
1828	E2b.3	2, 13	F/N	G to F	1943	H, C, E
1831	E2b.3	13	N	G	1949	E
1834	E2b.3	13	N	G to F	1940	C, AE
1836	E2b.3	13	N	G	1941	E, L
1883	E2b.3	13	N	G to F	1941	C, E
1885	E2b.3	2, 13	F/N	G to P	1941	AA, C
1888	E2b.3	13	N	G to F	1943	C, E
1891	E2b.3	13	N	G to F	1940	C
1894	E2b.3	13	N	G to F	1940	C
1895	E2b.3	13	N	G to F	1953	C
1901	E2b.3	13	N	G	1940	C, E
1902	E2b.3	13	N	G	1940	C, E
1903	E2b.3	13	N	G	1940	C, E, AS
1904	E2b.3	13	N	G	1940	C, E
1905	E2b.3	13	N	G to F	1940	C, E
1906	E2b.3	13	N	G to F	1940	C, E
1907	E2b.3	13	N	G to F	1940	C, E
1908	E2b.3	13	N	G to F	1940	C, E
1909	E2b.3	13	N	G	1940	C, E
1910	E2b.3	13	N	G	1940	E
1911	E2b.3	13	N	G	1940	E
1912	E2b.3	13	N	G to F	1940	C, E
1913	E2b.3	13	N	G	1940	C, E
1914	E2b.3	13	N	G	1940	E, L
1915	E2b.3	13	N	G	1941	C, E
1916	E2b.3	13	N	G	1941	E, L
1917	E2b.3	12, 13	F/N	G	1941	D, L, BK
1920	E2b.3	2, 13	F/N	G to F	1941	H, N
1921	E2b.3	2, 8, 12	F	G, MSD	1940	H, C, N
1922	E2b.3	2, 8, 12, 13	F/N	G to F, MSD	1940	H, C, N
1923	E2b.3	2, 8, 12, 13	F/N	G to F, MSD	1940	H, C, N, AA
1924	E2b.3	2, 13	F/N	G	1940	H, C
1925	E2b.3	2, 13	F/N	G to F	1940	H, C
1926	E2b.3	2, 8, 12, 13	F/N	G to F, MSD	1940	H, C, N
1927	E2b.3	2, 9, 13	F/N	G, MD	1940	H, C
1928	E2b.3	2, 13	F/N	G to F	1940	H, C
1929	E2b.3	2, 13	F/N	G to F	1940	H, C

**Table 3. Asbestos Survey Results
Main Garrison Environmental Baseline Survey
Former Fort Ord, California**

Building Number	Parcel Number	Rating	Friability	Condition	Estimated Date of Construction	Material
1930	E2b.3	2, 13	F/N	G to F	1940	H, C, E
1932	E2b.3	2, 13	F/N	G	1940	H, C, E
1933	E2b.3	2, 13	F/N	G to F	1940	H, C, E
1934	E2b.3	2, 13	F/N	G to F	1940	H, C, E
1935	E2b.3	2, 12, 13	F/N	G	1941	H, E, N
1936	E2b.3	2, 13	F/N	G to F	1941	H, C, E
1940	E2b.3	2, 13	F/N	G	1940	H, E
1941	E2b.3	2, 13	F/N	G to F	1940	H, C, E
1942	E2b.3	2, 12, 13	F/N	G to F	1940	H, C, E
1943	E2b.3	2, 13	F/N	G to F	1940	H, C, E
1944	E2b.3	2, 12, 13	F/N	G to F	1940	H, C, E
1945	E2b.3	2, 13	F/N	G to F	1940	H, C, E
1946	E2b.3	2, 13	F/N	G to F	1940	H, C, E
1947	E2b.3	2, 13	F/N	G to F	1940	H, C, E
1948	E2b.3	2, 13	F/N	G to F	1940	H, C, E
1949	E2b.3	2, 13	F/N	G to F	1940	H, C, E
1950	E2b.3	2, 13	F/N	G to F	1940	H, C, E
1951	E2b.3	2, 13	F/N	G to F	1940	H, C, E
1952	E2b.3	2, 13	F/N	G to F	1940	H, C, E
1953	E2b.3	2, 13	F/N	G to F	1940	H, C, E
1954	E2b.3	2, 3, 13	F/N	G to SD	1940	H, AA, C, E
1955	E2b.3	2, 3, 8, 12, 13	F/N	G to SD	1941	H, AA, C, E, F, N
1956	E2b.3	2, 12, 13	F/N	G to F	1941	H, C, AA
1957	E2b.3	9, 12, 13	F/N	G to P	1940	A, C, E, G, BF
1960	E2b.3	13	N	G to F	1940	C, E
1961	E2b.3	13	N	G to F	1940	C
1962	E2b.3	13	N	G	1940	C, P
1963	E2b.3	13	N	G to F	1940	C, P
1964	E2b.3	13	N	G	1940	C
1965	E2b.3	13	N	G	1940	C
1966	E2b.3	13	N	G	1940	C
1967	E2b.3	13	N	G to F	1940	C, E, P
1968	E2b.3	12, 13	F/N	G to F	1940	C
1969	E2b.3	13	N	G	1940	C
1970	E2b.3	13	N	G	1940	L
1971	E2b.3	13	N	G	1940	C
1972	E2b.3	13	N	G	1940	C
1973	E2b.3	*	NA	NA	1940	NA
1974	E2b.3	13	N	G	1940	C
1975	E2b.3	13	N	G to F	1941	C
1976	E2b.3	*	NA	NA	1941	NA
1980	E2b.3	13	F/N	G to F	1940	C, E, AD
1981	E2b.3	13	N	G to F	1940	C, D
1982	E2b.3	13	N	G to F	1940	C
1983	E2b.3	13	N	G to F	1940	C
1984	E2b.3	13	N	G to F	1940	C
1985	E2b.3	13	N	G to F	1940	C
1986	E2b.3	*	NA	NA	1940	NA
1987	E2b.3	13	N	G to F	1940	C
1988	E2b.3	12, 13	F/N	G to F	1940	C, A
1989	E2b.3	13	N	G to F	1940	C
1990	E2b.3	13	N	G	1940	C
1991	E2b.3	13	N	G	1940	C
1992	E2b.3	13	N	G to F	1940	C
1993	E2b.3	13	N	G to F	1940	C

**Table 3. Asbestos Survey Results
Main Garrison Environmental Baseline Survey
Former Fort Ord, California**

Building Number	Parcel Number	Rating	Friability	Condition	Estimated Date of Construction	Material
1994	E2b.3	*	NA	NA	1940	NA
1995	E2b.3	12, 13	F/N	G to F	1941	C, BG
1996	E2b.3	13	N	G to F	1941	C
1997	E2b.3	13	N	G	1961	C
2000	E2b.3	12, 13	F/N	G	1940	A, B, E, G, AA, AD
2001	E2b.3	2, 13	N	G, MSD	1941	H, A, B, E, N, P
2002	E2b.3	13	N	G	1941	A, C, E
2003	E2b.3	2, 13	F/N	G to P	1941	H, C, E
2004	E2b.3	1, 12, 13	F/N	G to F	1941	H, C, N, BH
2005	E2b.3	2, 13	N	G	1941	H, C, I, AR
2006	E2b.3	2, 13	N	G	1941	H, C
2007	E2b.3	2, 12, 13	F/N	G	1941	H, C, N
2008	E2b.3	1, 12, 13	F/N	G to F	1941	H, C, N
2009	E2b.3	2, 12, 13	F/N	G	1941	H, E, L, N
2010	E2b.3	2, 12, 13	F/N	G to F	1941	H, B, C, E, N
2011	E2b.3	2, 12, 13	F/N	G, MSD	1941	H, A, C, E, AA
2012	E2b.3	2, 13	F/N	G	1941	H, A, C, E
2013	E2b.3	2, 13	F/N	G	1941	H, B, C, E, I
2014	E2b.3	2, 12, 13	F/N	G, MSD	1941	H, C, E, N
2015	E2b.3	2, 8, 12, 13	F/N	G, MSD	1941	H, E, L, N
2016	E2b.3	2, 12, 13	F/N	G to F, MSD	1941	H, C, E, N, AA
2017	E2b.3	12, 13	F/N	G	1940	A, B, C, Y, AF
2022	E2b.3	13	N	G	1941	B
2024	E2b.3	13	N	G	1941	B, Y
2030	L20.16	*	NA	NA	-	NA
2031	L20.16	*	NA	NA	-	NA
2032	L20.16	*	NA	NA	-	NA
2033	L20.16	*	NA	NA	-	NA
2034	L20.16	*	NA	NA	-	NA
2035	L20.16	*	NA	NA	-	NA
2036	L20.16	*	NA	NA	-	NA
2037	L20.16	*	NA	NA	-	NA
2038	L20.16	*	NA	NA	-	NA
2039	L20.16	*	NA	NA	-	NA
2040	L20.16	*	NA	NA	-	NA
2041	L20.16	*	NA	NA	-	NA
2042	L20.16	*	NA	NA	-	NA
2046	E2b.2	12, 13	F/N	G	1940	A, B, C, G, I, U
2047	E2b.2	13	N	G	1941	A, B, C, E, Y, AN
2048	E2b.2	12, 13	F/N	G to F, MSD	1959	A, B, C, E, P, Y, AA
2052	E2b.3	13	N	G	1941	B, C, D, E
2053	E2b.3	13	N	G	1941	B, E, AN
2054	E2b.3	6, 10	N	G, MD	1941	E, L
2055	E2b.2	13	N	G	1941	B, C
2060	L20.16	13	N	G	1941	B, AB, BQ
2061	L20.16	12, 13	F/N	G	1953	B, C, X, AA, AX
2063	L20.16	13	N	G	1952	E, I
2064	L20.16	13	N	G, MSD	1941	A, C, D, F, Z
2065	L20.16	13	N	G	1952	E, AX
2068	E2b.2	12, 13	F/N	G to F, MSD	1941	B, C, X, AA
2069	E2b.2	8, 12, 13	F	G, MSD	1941	N, T, AA, AI, AO, AP
2071	L20.16	13	N	G	1953	B, C, E, AL
2072	E2b.2	13	N	G	1943	B
2073	E2b.2	13	N	G	1941	A, B, C, P, X
2074	E2b.2	*	NA	NA	-	NA

**Table 3. Asbestos Survey Results
Main Garrison Environmental Baseline Survey
Former Fort Ord, California**

Building Number	Parcel Number	Rating	Friability	Condition	Estimated Date of Construction	Material
2080	E2b.3	13	N	G	1942	B
2081	E2b.3	13	N	G	1942	B, C, E, X
2082	E2b.3	13	N	G	1942	B, E
2083	E2b.3	2, 13	F/N	G	1942	BK, B, E, X
2084	E2b.3	2, 13	F/N	G to F	1942	BK, B, E, BN
2089	E2b.2	12, 13	F/N	G, MSD	1942	B, X, AA
2100	E2b.3	13	N	G	1940	C, B, E, F
2101	E2b.3	13	N	G	1940	B, C, I
2102	E2b.3	13	N	G	1940	B, C
2103	E2b.3	13	N	G	1940	B, I, U
2104	E2b.3	13	N	G	1940	B, AR
2105	E2b.3	13	N	G	1940	B, C
2106	E2b.3	13	N	G, MSD	1940	B, C
2107	E2b.3	13	N	G	1940	B, I
2108	E2b.3	13	N	G	1940	B, C
2120	E2b.3	13	N	G	1940	A, B, C, E, AR
2121	E2b.3	13	N	G	1941	C, BM
2122	E2b.3	13	N	G to F, MSD	1940	B, C, U
2123	E2b.3	13	N	G	1940	B
2124	E2b.3	13	N	G	1940	B, C
2125	E2b.3	13	N	G	1940	A, B, C, I
2126	E2b.3	13	N	G	1940	B, C
2127	E2b.3	13	N	G, MSD	1940	B, C
2128	E2b.3	13	N	G	1940	B, C
2140	E2b.3	2, 13	N/F	G	1940	H, C, E, J
2141	E2b.3	2, 13	N	G	1940	H, C, E
2142	E2b.3	13	N	G	1940	C, E
2143	E2b.3	13	N	G	1940	E
2144	E2b.3	13	N	G	1940	C, E
2145	E2b.3	13	N	G	1940	E, I, M, U
2146	E2b.3	13	N	G	1940	B, E, L, BL
2147	E2b.3	13	N	G	1940	B, E, M
2148	E2b.3	13	N	G	1940	B, C, E, BL
2160	E2b.3	2, 13	N/F	G	1941	H, A, C, E
2161	E2b.3	2, 13	N/F	G to F, MD	1940	H, A, C, E
2162	E2b.3	2, 10, 13	N	G	1940	H, B, E, AR
2163	E2b.3	2, 12, 13	N	G	1940	H, C, E, AA
2164	E2b.3	2, 13	N	G	1940	H, C, D, E
2165	E2b.3	2, 13	N	G	1940	H, B, C, E, BL
2166	E2b.3	2, 13	N	G	1940	H, B, C, E, O
2167	E2b.3	2	N	SD	1940	H
2168	E2b.3	2, 13	N	G	1940	H, B, C, E
2180	E2b.3	13	N	G	1940	A, B, C, E, Y, AE
2181	E2b.3	13	N	G	1940	B, L
2182	E2b.3	13	N	G	1940	B
2183	E2b.3	13	N	G	1940	B
2184	E2b.3	13	N	G	1940	B
2185	E2b.3	13	N	G	1940	A, B, C, D, E
2186	E2b.3	13	N	G	1940	B, C, E, BL
2187	E2b.3	13	N	G	1940	B, C, E, BL
2188	E2b.3	13	N	G	1940	B, C, E, Y
2201	E2b.3	2, 13	N	G	1941	H, B, C, E, M
2202	E2b.3	2, 13	N	G	1941	H, B, C, E
2203	E2b.3	2, 13	N	G	1941	H, B, C, E, M
2204	E2b.3	2, 13	N	G	1941	H, A, B, E

**Table 3. Asbestos Survey Results
Main Garrison Environmental Baseline Survey
Former Fort Ord, California**

Building Number	Parcel Number	Rating	Friability	Condition	Estimated Date of Construction	Material
2205	E2b.3	2, 13	N	G	1941	H, B, C, E, J
2206	E2b.3	2, 13	N	G	1941	H, B, E
2207	E2b.3	2, 13	N	G	1941	H, B, E
2208	E2b.3	2, 13	N	G	1941	H, B, C, E
2223	E2b.2	12, 13	F	G	1941	A, B, C, D, E, AF
2229	E2b.2	12, 13	F/N	G	1941	B, C, AA, AQ
2240	E2b.1	13	N	G	1941	A, C, X
2241	E2b.1	8, 12, 13	F/N	SD,G	1941	A, C, E, AB
2242	E2b.1	13	N	G	1941	A
2250	E2b.1	12, 13	F/N	G	1941	A, P, U, AB, AH
2251	E2b.1	10	F/N	G to F	1941	C, D, E, L, U, AB
2252	E2b.1	2, 10	F/N	G to F	1941	BA, BB, C, S,
2253	E2b.1	*	NA	NA	1941	NA
2260	E2b.1	2, 13	N	G	1943	H, C, D, P
2282	E2b.2	13	N	G	1941	B, C, E, Y
2283	E2b.2	2, 13	F/N	G to SD	1941	AI, A, B, H, U, AR
2284	E2b.2	2, 13	N	G	1941	H, B, C, AM
2290	E2b.1	12, 13	N	G to F	1941	C, E
2291	E2b.1	8, 13	N	G	1941	A, C, E, Y
2292	E2b.1	13	N	G	1942	A, B
2293	E2b.1	13	N	G	1941	B, C, D, E
2294	E2b.1	10	N	G to F	1941	C, E
2302	E2b.2	*	NA	NA	1941	NA
2303	E2b.2	12, 13	F/N	G	1941	C, E, AL
2305	E2b.2	13	N	G to F	1941	C, E
2306	E2b.2	13	N	G to F	1941	C, E
2307	E2b.2	13	N	G to F	1941	C, E
2309	E2b.2	13	N	G to F	1941	C, E
2310	E2b.2	13	N	G to F	1941	C, E
2311	E2b.2	13	N	G	1941	C, E
2312	E2b.2	13	N	G	1941	C, E
2313	E2b.2	13	N	G	1941	E, L
2314	E2b.2	13	N	G	1941	C, E, AN
2315	E2b.2	13	N	G	1941	C, E
2316	E2b.2	13	N	G	1941	E, G
2321	E2b.2	2, 13	F/N	G to F	1941	H, C, E
2322	E2b.2	2, 13	F/N	G to F	1941	H, C, E
2323	E2b.2	2, 12, 13	F/N	G	1941	H, C, E, AL
2324	E2b.2	2, 13	F/N	G to F	1941	H, C, E
2325	E2b.2	2, 8, 12, 13	F/N	G, MSD	1941	H, C, N, AA
2326	E2b.2	2, 8, 12, 13	F/N	G to F	1941	H, C, E, N
2327	E2b.2	2, 12, 13	F/N	G to F	1941	H, C, E, N
2328	E2b.2	2, 13	F/N	G to F	1941	H, C, E, N
2329	E2b.2	2, 12, 13	F/N	G to F	1941	H, C, E, N
2330	E2b.2	2, 13	F/N	G to F	1941	H, C, E
2331	E2b.2	2, 13	F/N	G to F	1941	H, C, E
2332	E2b.2	2, 13	F/N	G to F	1941	H, C, E
2333	E2b.2	2, 12, 13	F/N	G to F	1941	H, C, E, N
2334	E2b.2	2, 13	F/N	G to F	1941	H, N, C, E
2335	E2b.2	2, 12, 13	F/N	G to F	1941	H, C, E, N
2336	E2b.2	2, 13	F/N	G to F	1941	H, C, E
2341	E2b.2	2, 13	F/N	G	1941	H, C, E
2342	E2b.2	2, 13	F/N	G	1941	E, H.
2343	E2b.2	2, 13	F/N	G to F	1941	H, C, E

**Table 3. Asbestos Survey Results
Main Garrison Environmental Baseline Survey
Former Fort Ord, California**

Building Number	Parcel Number	Rating	Friability	Condition	Estimated Date of Construction	Material
2344	E2b.2	2, 13	F/N	G to F	1941	H, C, E
2345	E2b.2	2, 12, 13	F/N	G to F	1941	H, C, E, N
2346	E2b.2	2, 8, 12, 13	F/N	G to F, MSD	1941	H, C, E, N
2347	E2b.2	2, 13	F/N	G to F	1941	H, C, E
2348	E2b.2	2, 12, 13	F/N	G to F	1941	H, C, E
2349	E2b.2	2, 13	F/N	G to F	1941	H, C, E
2350	E2b.2	2, 13	F/N	G to SD	1941	H, C, E, N
2351	E2b.2	2, 12, 13	F/N	G to F	1941	H, C, E, N
2352	E2b.2	2, 13	F/N	G to F	1941	H, C, E, AS
2353	E2b.2	1, 2, 13	F/N	G to SD	1941	N, H, C, E
2354	E2b.2	2, 8, 12, 13	F/N	G to F, MSD	1941	H, C, E, N
2355	E2b.2	2, 13	F/N	G to F	1941	H, C, E
2356	E2b.2	2, 13	F/N	G	1941	H, C, E
2361	E2b.2	13	N	G to F	1941	C
2362	E2b.2	13	N	G to F	1941	C
2363	E2b.2	*	NA	NA	1941	NA
2364	E2b.2	13	F/N	G to F	1941	C, AT
2365	E2b.2	*	NA	NA	1941	NA
2366	E2b.2	13	F/N	G	1941	C
2367	E2b.2	13	N	G	1941	C
2368	E2b.2	13	N	G	1941	C
2369	E2b.2	13	N	G	1941	C
2370	E2b.2	13	N	G	1941	C
2371	E2b.2	13	N	G	1941	C, T
2372	E2b.2	*	NA	NA	1941	NA
2373	E2b.2	13	N	G	1941	C
2374	E2b.2	9, 13	N	G, SD	1941	C, AN
2375	E2b.2	13	N	G to F	1941	C
2376	E2b.2	13	N	G to F	1942	C, E
2381	E2b.2	2, 13	F/N	G to F	1941	H, C, E
2382	E2b.2	2, 13	F/N	G	1941	H, C, E
2383	E2b.2	2, 13	F/N	G to F	1941	H, C, E
2384	E2b.2	2, 13	F/N	G to F	1941	H, C, E
2385	E2b.2	2, 12, 13	F/N	G to F	1941	H, C, E, N
2386	E2b.2	2, 5, 12, 13	F/N	G to SD, DG	1941	H, N, C, E
2387	E2b.2	2, 13	F/N	G to F	1941	H, C, E
2388	E2b.2	1, 2, 12, 13	F/N	G to SD	1941	BC, H, C, E, N
2389	E2b.2	2, 8, 12, 13	F/N	G to F, MSD	1941	H, C, E, N
2390	E2b.2	2, 8, 12, 13	F/N	G to F, MSD	1941	H, C, E, N
2391	E2b.2	2, 13	F/N	G to F	1941	H, C, E
2392	E2b.2	1, 2, 13	F/N	G to SD	1941	N, H, C, E
2393	E2b.2	2, 12, 13	F/N	G to F	1941	H, C, E, N, AA
2394	E2b.2	2, 12, 13	F/N	G to F	1941	H, C, E, N
2395	E2b.2	*	NA	NA	1967	NA
2396	E2b.2	9, 11, 12	F/N	G to P	1943	C, G
2401	E2b.2	13	N	G	1941	B, C, Y
2402	E2b.2	13	N	G	1941	A, B, C, Y
2403	E2b.2	13	N	G	1941	A, B, C, Y, AU
2404	E2b.2	12, 13	N	G, MD	1941	A, C, D, AE
2405	E2b.2	13	N	G	1941	A, B, C
2406	E2b.2	13	N	G, MSD	1941	A, B, C
2407	E2b.2	13	N	G	1941	A, B, C
2408	E2b.2	13	N	G	1941	B, C
2409	E2b.2	13	N	G	1941	B, C

**Table 3. Asbestos Survey Results
Main Garrison Environmental Baseline Survey
Former Fort Ord, California**

Building Number	Parcel Number	Rating	Friability	Condition	Estimated Date of Construction	Material
2410	E2b.2	13	N	G	1941	B, C
2411	E2b.2	13	N	G	1941	B, C
2412	E2b.2	13	N	G	1941	B, C
2413	E2b.2	13	N	G	1941	A, B, C
2414	E2b.2	13	N	G	1941	C, D, Y
2415	E2b.2	13	N	G	1941	B, U, Y
2416	E2b.2	13	N	G	1941	B, R
2419	E2b.2	13	N	G	1990	A
2420	E2b.2	*	NA	NA	1941	NA
2424	E2b.2	13	N	G	1942	B
2425	E2b.2	12, 13	F/N	G	1942	C, AA, AV
2426	E2b.2	12, 13	N	G to F, MSD	1941	B, X, AE, AW
2427	E2b.2	13	N	G	1941	B, C, D, E
2429	E2b.2	13	N	G	1991	B
2430	E2b.2	13	N	G	1941	B
2433	E2b.2	13	N	G	1977	B, BD
2435	E2b.2	13	N	G	1945	A, C
2436	E2b.2	13	N	G	1945	B
2437	E2b.2	2, 13	N	G	1941	H, C, I, AN, AX
2438	E2b.2	*	NA	NA	1945	NA
2450	E2b.2	1, 9, 13	F/N	G to P, SD	1941	C, A, N, AA, AN, AY, AZ
2451	E2b.2	13	N	G	UNK	B, C, I
2454	E2b.2	13	N	G	1986	Y, AX
2459	E2b.2	12, 13	F/N	G	1942	A, B, C, O, X, Y, AF, BD
2460	E2b.2	*	NA	NA	1941	NA
2501	E2b.1	13	N	G	1941	A, C, F
2502	E2b.1	13	N	G	1941	C, D, E
2503	E2b.1	13	N	G	1941	C, E
2504	E2b.1	13	N	G, MSD	1941	C, D, E
2505	E2b.1	13	N	G	1941	A, C, E
2506	E2b.1	13	N	G	1941	B, E
2507	E2b.1	13	N	G	1941	B, C, E
2508	E2b.1	13	N	G	1941	C, E
2509	E2b.1	10	N	G	1941	E
2510	E2b.1	12, 13	F/N	G	1941	B, D, E, G
2520	E2b.1	13	N	G	1941	C, E
2521	E2b.1	2, 13	N	G, MSD	1941	H, A, C, E
2522	E2b.1	2, 13	N	G	1941	H, C, E, I, J
2523	E2b.1	2, 12, 13	F/N	G	1941	H, B, C, E, K
2524	E2b.1	2, 12, 13	F/N	G to F, MSD	1941	H, A, B, C, E, K
2525	E2b.1	2, 12, 13	F/N	G to F, MSD	1941	H, A, B, E, K, L
2526	E2b.1	2, 13	N	G	1941	H, A, B, C, E, M
2527	E2b.1	2, 13	N	G, MSD	1941	H, E, L, Q
2528	E2b.1	2, 13	F/N	G	1941	H, B, C, E, I, K
2529	E2b.1	2, 13	N	G	1941	H, C, E, I
2530	E2b.1	2, 13	N	G	1941	H, B, C, D, E, M
2540	E2b.1	13	N	G	1940	A, C, D, E
2541	E2b.1	2, 12, 13	F/N	G	1941	H, A, C, E, J
2542	E2b.1	2, 13	N	G	1941	H, B, C, E, I
2544	E2b.1	2, 13	N	G	1941	H, B, C, E
2545	E2b.1	2, 12, 13	F/N	G	1941	H, A, C, E
2546	E2b.1	2, 13	F/N	G	1941	H, B, C, E, I, K
2547	E2b.1	2, 8, 12, 13	F/N	G, MSD	1941	H, B, C, E, N
2548	E2b.1	1, 13	N	G	1941	H, C, K
2549	E2b.1	2, 13	F/N	G	1941	H, A, B, C, E, I, K

Table 3. Asbestos Survey Results
Main Garrison Environmental Baseline Survey
Former Fort Ord, California

Building Number	Parcel Number	Rating	Friability	Condition	Estimated Date of Construction	Material
2550	E2b.1	2, 13	F/N	G	1941	H, A, B, C, D, E, K
2560	E2b.1	12, 13	F/N	G	1941	A, B, E, G, P
2561	E2b.1	12, 13	F/N	G	1941	A, B, C, N
2562	E2b.1	13	N	G	1941	C
2563	E2b.1	12, 13	F/N	G	1941	A, C, G
2567	E2b.1	13	N	G	1941	B, C
2568	E2b.1	*	NA	NA	1941	NA
2569	E2b.1	13	N	G	1941	B, C
2580	E2b.1	13	N	G	1941	A, B, D, E
2581	E2b.1	2, 12, 13	F/N	G	1941	H, B, C, E, N
2582	E2b.1	2, 13	F/N	G	1941	H, B, C, E, I, K
2583	E2b.1	2, 13	F/N	G	1941	H, A, C, E, I
2584	E2b.1	2, 13	N	G	1941	H, B, C, E
2585	E2b.1	2, 13	N	G	1941	H, C, E
2586	E2b.1	2, 13	N	G	1941	H, A, C, E, I
2587	E2b.1	2, 13	N	G to F	1944	H, C, E, I
2588	E2b.1	2, 13	N	G	1941	H, C, E, I, Q
2590	E2b.1	2, 12, 13	F/N	G	1941	H, A, B, C, E, I
2601	E2b.1	13	N	G	1941	A, C
2603	E2b.1	13	N	G	1941	C, D
2604	E2b.1	13	N	G to F, MSD	1941	A, C
2605	E2b.1	13	N	G	1941	A, C, P
2608	E2b.1	13	N	G	1941	D
2609	E2b.1	13	N	G	1941	C, E, P, R
2622	E2b.1	13	N	G	1941	B, C, D
2627	E2b.1	2	F	SD	1941	N
2631	E2b.1	13	N	G	1941	A, B, C, D, I, S, T
2632	E2b.1	13	N	G	1941	D, E, T
2633	E2b.1	13	N	G	1941	D, E, T
2634	E2b.1	13	N	G	1941	E, T, U
2635	E2b.1	13	N	G	1941	E, T, U
2636	E2b.1	13	N	G	1941	E, D, T
2642	E2b.1	13	N	G	1941	T, U
2643	E2b.1	13	N	G	1941	T, U
2644	E2b.1	13	N	G	1941	D, T
2645	E2b.1	13	N	G	1941	D, T
2652	E2b.1	13	N	G	1941	C, I, T
2654	E2b.1	13	N	G	1941	I, T, U
2656	E2b.1	13	N	G	1941	D, T
2658	E2b.1	13	N	G	1941	I
2700	E2b.2	2, 13	N	G	1943	H, B, C, X
2701	E2b.2	13	N	G	1941	A, B, C, E, I, Y
2702	E2b.2	13	N	G	1940	C, E
2703	E2b.2	13	N	G	1941	BE
2704	E2b.2	13	N	G	1941	P
2707	E2b.2	13	N	G	UNK	C, X
2710	E2b.2	13	N	G, MSD	1941	B, X, AN
2711	E2b.2	13	N	G	1941	B, X, Y
2712	E2b.2	13	N	G	1940	A
2713	E2b.2	*	NA	NA	1940	NA
2714	E2b.2	*	NA	NA	1940	NA
2715	E2b.2	13	N	G	1943	Y
2716	E2b.2	13	N	G	1943	B, E
2717	E2b.2	*	NA	NA	1943	NA
2719	E2b.2	13	N	G	1941	B

**Table 3. Asbestos Survey Results
Main Garrison Environmental Baseline Survey
Former Fort Ord, California**

Building Number	Parcel Number	Rating	Friability	Condition	Estimated Date of Construction	Material
2720	E2b.2	13	N	G	1941	B
2721	E2b.2	*	NA	NA	1968	NA
2722	E2b.2	13	N	G	1942	B, C, X, AN
2724	E2b.2	13	N	G	1942	B, X, Y
2725	E2b.2	*	NA	NA	1960	NA
2726	E2b.2	13	N	G	1950	B, E, X
2752	E2b.2	13	N	G	1943	B, Y
2754	E2b.2	13	N	G	1942	B, X, Y
2756	E2b.2	13	N	G	1943	B, X
2776	E2b.1	13	N	G	1941	C, L, V, W
2778	E2b.1	13	N	G	1941	B, D
2780	E2b.2	13	N	G	1941	A, B, X, Y
2784	E2b.2	13	N	G	1941	E
2786	E2b.2	12, 13	F/N	G	1941	B, L, Z, AF
2788	E2b.1	13	N	G	1940	B, C, X
2790	E2b.1	13	N	G	1941	E, Y
2791	E2b.1	13	N	G	1940	B, C
2793	E2b.1	13	N	G	1940	B, E
2795	E2b.1	13	N	G	1940	A, B, E
2797	E2b.1	12, 13	F/N	G	1940	A, B, C, E, G, Z
2801	E2b.1	2, 13	F/N	G to P, DG	1941	AA, A, B, C, E, I
2802	E2b.1	13	N	G	1940	B, C, E
2803	E2b.1	13	N	G	1940	B, C, E
2804	E2b.1	2, 13	F/N	G, MD, EX	1940	AH, B, C, E, T
2805	E2b.1	13	N	G	1940	B, C, E, T
2806	E2b.1	13	N	G	1941	B, C, E, T
2807	E2b.1	13	N	G	1940	B, C, E, T
2808	E2b.1	13	N	G	1940	B, C, E, T
2809	E2b.1	13	N	G	1940	B, C, E, T
2810	E2b.1	12, 13	F/N	G	1940	B, C, E, T, AA
2811	E2b.1	2, 13	F/N	G to P, DG	1940	AA, A, B, C, E
2812	E2b.1	2, 13	F/N	G to P, DG	1941	AA, B, C, E
2813	E2b.1	13	N	G	1940	B, C, E
2820	E2b.1	13	N	G	1941	B, C, E
2821	E2b.1	13	N	G	1941	B
2822	E2b.1	12, 13	F/N	G	1940	A, B, C, E, X, Z, AA
2823	E2b.1	2, 13	F/N	G to P, DG	1940	AA, A, B, C, E, I
2824	E2b.1	2, 13	F/N	G to P, DG	1940	AA, B, C, E
2825	E2b.1	1, 13	F/N	G to SD, DG	1940	AA, B, C, I
2826	E2b.1	12, 13	F/N	G	1940	A, B, C, E, P, AA
2827	E2b.1	13	N	G	1940	B, C, D, E
2828	E2b.1	13	N	G	1940	B, C, E
2829	E2b.1	1, 13	F/N	G to P	1940	AA, C, E, Z
2830	E2b.1	1, 13	F/N	G to SD	1940	AH, C, E, F
2831	E2b.1	12, 13	F/N	G	1940	A, B, E, U, AB
2832	E2b.1	12, 13	F/N	G	1940	B, C, E, AA
2833	E2b.1	1, 12, 13	F/N	G to SD	1940	AA, B, C, E
2834	E2b.1	12, 13	F/N	G	1940	B, C, E, AA
2835	L12.2.2	13	N	G	1941	B, C, E
2837	L12.2.3	12, 13	F/N	G	1941	B, C, E, AA
2841	E2b.1	1, 2, 12, 13	F/N	G to P, DG	1941	AA, H, AF, A, B, C, E, N, X
2842	E2b.1	2, 8, 12, 13	F/N	G, MSD	1940	H, A, B, E, J, N, U, X, AB
2843	E2b.1	2, 12, 13	F/N	G	1940	H, B, C, E, N, X
2844	E2b.1	2, 12, 13	F/N	G	1940	H, A, B, C, E, N, X, AA
2845	E2b.1	2, 13	F/N	G to P, DG	1940	H, AA, B, C, E

**Table 3. Asbestos Survey Results
Main Garrison Environmental Baseline Survey
Former Fort Ord, California**

Building Number	Parcel Number	Rating	Friability	Condition	Estimated Date of Construction	Material
2846	E2b.1	2, 12, 13	F/N	G to P, DG, MSD	1940	AA, H, A, B, C, E, F, N
2847	E2b.1	2, 12, 13	F/N	G to F, SD	1940	H, B, C, E, N, X, AA, AC
2848	E2b.1	2, 8, 12, 13	F/N	G, SD	1940	H, A, B, C, E, I, N, X, AA, AD
2849	E2b.1	1, 2, 13	F/N	G to P	1940	AB, H, B, C, E
2850	E2b.1	2, 13	N	G	1940	H, B, C, D, E, AD
2851	E2b.1	2, 12, 13	F/N	G, SD	1940	H, N, AA, AF, AG
2852	E2b.1	2, 8, 12, 13	N	G, MSD	1940	H, A, B, C, E, X, AA
2853	E2b.1	1, 2, 13	F/N	G to P, DG	1940	AA, N, A, B, C, E
2854	E2b.1	2, 12, 13	N	G to F, MD	1940	H, A, B, C, E, N, AA, AD
2855	E2b.1	2, 12, 13	F/N	G to P	1940	AA, A, B, C, E, N
2861	E2b.1	1, 2, 12, 13	F/N	G to P, DG	1941	AA, AI, H, A, B, C, E, X
2862	E2b.1	2, 13	F/N	G	1940	H, B, C, E, K, X, AH
2863	E2b.1	2, 8, 12, 13	F/N	G, MD	1940	H, A, B, C, D, E, N, X, AA, AF
2864	E2b.1	2, 12, 13	F/N	G to SD, DG	1941	H, N, A, B, C, E, X, AA
2865	E2b.1	2, 12, 13	F/N	G to P, DG	1940	H, N, B, C, E, X
2866	E2b.1	2, 8, 12, 13	N	G, MLD	1940	H, A, B, C, E, X, AA
2867	E2b.1	2, 12, 13	N	G	1940	H, B, C, E, X, AA, AJ, AK
2868	E2b.1	2, 12, 13	N	G	1940	H, B, C, E, N, X, AA
2869	E2b.1	2, 12, 13	N	G, MSD	1940	H, B, C, E, N, AA
2870	E2b.1	2, 12, 13	N	G, MSD	1940	H, B, C, E, N, X, AA
2871	E2b.1	2, 12, 13	N	G, MSD	1940	H, A, B, C, E, N, AA, AD, AE
2872	E2b.1	2, 12, 13	N	G, MSD, MLD	1940	H, A, B, C, E, N, X, AA
2873	E2b.1	2, 13	F/N	G to ED	1940	N, AA, A, B, C, E, L
2874	E2b.1	1, 2, 12, 13	F/N	G to P, DG	1940	AA, H, A, B, C, E, N, P, AE
2875	E2b.1	2, 12, 13	N	G to F, MSD	1941	H, A, B, C, E, N, AB
2880	E2b.1	13	N	G	1940	B, E, I
2882	E2b.1	13	N	G	1940	B
2883	E2b.1	13	N	G	1940	B, C
2884	E2b.1	12	N	G	1940	D
2885	E2b.1	*	NA	NA	1940	NA
2886	E2b.1	13	N	G	1940	A, C
2887	E2b.1	13	N	G	1940	B, C
2888	E2b.1	13	N	G	1940	B
2889	E2b.1	13	N	G, MSD	1940	A, B, C
2890	E2b.1	13	N	G	1940	B, C
2891	E2b.1	13	N	G	1940	A, B, C, F
2892	E2b.1	13	N	G	1940	A, B, C, I
2893	E2b.1	13	N	G	1940	A, B, C
2894	E2b.1	13	N	G	1940	B, C
2895	E2b.1	13	N	G	1941	B, C
2900	E2b.1	13	N	G	1940	B, C, E
2902	E2b.1	2, 12, 13	F/N	G to P, DG	1941	AA, B, C, E, H, N, X
2903	E2b.1	2, 10, 12, 13	F	G to F, MD	1941	H, C, E, N, X, AA
2904	E2b.1	12, 13	F/N	G	1941	B, C, E, N, X
2905	E2b.1	12, 13	F	G	1941	C, E, J, N, X
2906	E2b.1	13	N	G	1941	C, E, X, AE
2907	E2b.1	2, 13	N	G	1941	H, A, B, C, E, X
2908	E2b.1	12, 13	F/N	G	1941	B, C, E, N, X, AA
2909	E2b.1	12, 13	F	G to F	1941	A, B, C, E, N
2910	E2b.1	12, 13	F/N	G	1941	A, B, C, E, N, AE
2911	E2b.1	12, 13	F/N	G	1941	B, C, E, F, AF
2912	E2b.1	2, 12, 13	N	G	1941	H, A, B, C, E, N, X
2913	E2b.1	2, 8, 12, 13	F/N	G, MSD	1941	H, B, C, E, N, X, AA, AL
2914	E2b.1	2, 8, 13	F/N	G, MD	1941	H, A, B, C, E, AA

**Table 3. Asbestos Survey Results
Main Garrison Environmental Baseline Survey
Former Fort Ord, California**

Building Number	Parcel Number	Rating	Friability	Condition	Estimated Date of Construction	Material
2915	E2b.1	1, 2, 12, 13	F/N	G to ED	1941	AA, H, A, B, C, E, N, AD, AL
2917	E2b.1	2, 13	N	G	1940	H, A, B, C, E, P, X
2925	E2b.1	2, 13	N	G	1941	E, A, B, C, H
2992	E2d	13	N	G	1941	A, C, E
2994	E2d	13	N	G	1943	B, C, E, X
2995	E2d	12, 13	F/N	G	1943	A, B, C, E, AA, AE
2996	E2d	13	N	G	1943	A, B, C, E, BE
2997	E2d	12, 13	F/N	G	1943	B, C, E, X, AA
2998	E2d	12, 13	F/N	G	1943	B, C, E, N, X, AA
2999	E2d	12, 13	F/N	G	1942	B, U, BK
3000	E2d	2, 9, 13	F/N	G to SD	1941	AA, A, B, C
3003	E2d	12, 13	F/N	G	1941	A, B, C, AA, BD
3004	E2d	3, 12, 13	F/N	G to F	1941	AA, A, B, C, T, Y
3005	E2c.3	12, 13	F/N	G to F, MSD	1941	A, B, N, AA
3007	E2c.3	12, 13	N	G, MSD	1941	A, B, C, Y, AA
3010	E2c.3	12, 13	F/N	G	1941	A, B, C, AA
3011	E2c.3	9, 12, 13	F	G, MSD	1941	A, B, C, P, AA, AI, AN
3012	E2c.3	2, 13	F/N	G to SD	1941	AA, A, B, C, Y
3019	E2d	13	N	G	1942	B, E, U
3025	E2c.3	12, 13	F/N	G, MLD	1941	B, C, U, AA
3039	E2d	1	F	SD	1943	C, N, AA
3045	E2c.3	13	N	G	1941	B, U
3046	E2c.3	13	N	G	1941	B, C, Y, AN
3060	E2c.1	13	N	G	1988	B
3065	E2c.3	13	N	G	1941	B, C
3066	E2c.3	13	N	G to F	1941	B, C
3079	E2d	2, 13	F/N	G to SD	1941	N, B, C, D, H, I
3080	E2d	2, 13	N	G	1941	H, B, C
3095	E2c.3	*	NA	NA	1986	NA
3101	E2d	13	N	G, MD	1943	B, Y
3102	E2d	13	F/N	F to G, MD	1943	B, C, E, I, Y
3104	E2d	3, 12, 13	F/N	G to SD, EX	1941	AA, B, C
3106	E2c.3	1, 12, 13	F/N	G to SD	1941	N, A, B, C, Y, AA
3107	E2c.3	12, 13	F/N	F	1941	A, B, N, AA
3109	E2c.3	8, 12, 13	F/N	G, MD	1943	B, N, X, AA
3114	E2c.3	13	F/N	G	1943	C, AZ, BM
3118	E2c.3	13	N	G to F	1943	C, X, Y
3119	E2c.3	12, 13	F/N	G to F	1943	N, X
3121	E2d	13	N	G	1943	B, X
3122	E2d	13	N	G	1943	B, C, I, X
3123	E2c.3	13	N	G	1943	B, C, X
3124	E2d	13	N	G	1943	B, X
3125	E2c.3	12, 13	F/N	G to F	1943	C, G, X
3126	E2d	13	N	F to G, MSD	1943	B, C, X
3127	E2c.3	13	N	G	1943	B, X
3128	E2d	13	N	G	1943	B, X
3129	E2c.3	13	N	G	1943	B, X
3131	E2c.3	10	F/N	G, MSD	1943	AI, AZ
3132	E2d	2, 12, 13	F/N	G, MSD	1940	H, A, B, C, N, AE
3133	E2d	13	N	G	1943	B, I, X
3134	E2c.3	13	N	G	1943	B, C, X
3135	E2c.3	13	N	G	1943	B, X
3145	E2c.3	13	N	G	1969	B, AX
3181	E2c.3	13	N	G	1943	E, X
3182	E2c.3	13	N	G	1943	E, X

**Table 3. Asbestos Survey Results
Main Garrison Environmental Baseline Survey
Former Fort Ord, California**

Building Number	Parcel Number	Rating	Friability	Condition	Estimated Date of Construction	Material
3183	E2c.3	13	N	G	1943	X, Y, BM
3184	E2c.3	13	N	G	1943	X
3185	E2c.3	13	N	G	1943	X
3186	E2c.3	13	N	G	1943	X
3187	E2c.3	13	N	G	1943	X
3188	E2c.3	13	N	G	1943	X
3189	E2c.3	13	N	G	1943	X
3280	E2d	13	F/N	G	1944	A, B, C, E, I, X, Y
3705	S1.4	13	N	G	1983	BT
3742	S1.4	2, 13	N	G	1941	H, A, B, C
3753	S1.4	13	N	G	1958	B, C, I, AR
3754	S1.4	13	N	G	1963	mastic on metal sheeting
3762	S1.4	2, 13	N	G, MDL	1941	H, A, C, AD
3766	S1.4	*	NA	NA	1941	NA
3767	S1.4	2, 13	N	G, F	1941	H, B, C, E
3770	S1.4	*	NA	NA	1941	NA
3771	S1.4	*	NA	NA	1941	NA
3772	S1.4	13	N	G	1941	B, E
3775	S1.4	*	NA	NA	1941	NA
3776	S1.4	10	N	F	1941	I
3777	S1.4	13	N	G	1941	A, B, C, E
3778	S1.4	13	N	G, MD	1941	B, E
3780	S1.4	13	N	G	1966	P, T, Y, AE
3783	S1.4	13	N	G	1956	B, I
3843	S1.4	*	NA	NA	1957	NA
3845	S1.4	1	N	unknown	1946	C, D, V, Y
4861	S1.5.1	13	N	G	1953	AM
4862	S1.5.1	13	N	G	1953	B, I
4863	S1.5.1	*	NA	NA	1953	NA
4866	S1.5.1	*	NA	NA	1953	NA
4900	L20.17.1	13	N	Unknown	1956	B, C
4901	L20.17.1	*	NA	NA	1960	NA
4903	L20.17.1	13	N	G	1961	B
4905	L20.17.1	*	NA	NA	1958	NA
4909	L20.17.1	13	N	G	1966	BD
4910	L20.17.1	13	N	G	1967	C
4912	L20.17.1	*	NA	NA	1967	NA
4913	L20.17.1	13	N	G	1967	B
4915	L20.17.1	13	N	G	1940	B, E
4950	E2c.4	13	N	G	1941	B, X
4951	E2c.4	*	NA	NA	1951	NA
4952	E2c.4	13	N	G	1941	B, X
4953	E2c.4	12, 13	F/N	G	1953	B, C, N, AA, AP, AX

Table 3. Asbestos Survey Results
Main Garrison Environmental Baseline Survey
Former Fort Ord, California

ASBESTOS SURVEY ABBREVIATIONS

RATING:

Numbers range from 1 to 13. Values closer to 1 indicate a greater hazard. Multiple ratings indicate different materials. ACM rated 1 to 5 is shown in bold italics.

* No asbestos found.

NA Not available.

FRIABILITY:

F Asbestos-containing materials are friable.

N Asbestos-containing materials are nonfriable.

F/N Asbestos-containing materials include friable and nonfriable materials.

CONDITION:

G Good

F Fair

P Poor

MSD Minor Spot Damage

MLD Minor Localized Damage

MD Minor Damage

SD Significant Damage

ED Extreme Damage

DG Debris on Ground

EX Exposed

MATERIAL:

Material responsible for a rating of 1 to 5 is shown in bold italics.

A	Joint Compound	AK	Power Lead Insulation
B	Roof Penetration Mastic	AL	Joint Tape
C	Resilient Floor Tile and Mastic	AM	Roofing Felt
D	Resilient Sheet Flooring & Mastic	AN	Sheet Flooring Mastic
E	Transite Pipe	AO	Exhaust Flue Insulation & Lagging
F	Wallboard	AP	Breeching & Exhaust Flue Insulation
G	Spray Applied Acoustic Material	AQ	Wall Insulation Panels
H	HVAC Flexible Connector	AR	Roofing Shingle
I	Window Putty	AS	Platter Finish Coat
J	HVAC Duct Insulation Mastic	AT	Stove Insulation
K	Patching Compound	AU	Fabric Wall Covering
L	Floor Tile Mastic	AV	Roof Coating & Roof Repair Tape
M	Stair Riser Mastic	AW	Patching Fabric
N	Storage Tank Insulation and Lagging	AX	Roofing Materials
O	Baseboard Mastic	AY	Fire Rated Wall Material
P	Textured Paint	AZ	Transite Wall Panels
Q	Plaster Composite	BA	Kiln Insulation
R	Caulking	BB	Heat Gloves/Protective Clothing
S	Transite Door Panels	BC	Unidentified Asbestos Debris
T	Sink Undercoat Material	BD	Sealant
U	Flooring Materials	BE	Exterior Coating
V	Transite Siding Materials	BF	Ceiling Tile Mastic
W	Transite Sheet Flooring	BG	Ceiling Material
X	Transite Sheet Material	BH	Furnace Gasket
Y	Roofing Mastic	BI	Transite Pipe
Z	Carpet Mastic	BJ	Duct Lagging
AA	Pipe Run/Fitting Insulation & Lagging	BK	Heat Shield
AB	Pipe Insulation Materials	BL	Vapor Barrier
AC	Joint Tape	BM	Tar Paper
AD	Duct Tape	BN	Roofing Cap Sheeting
AE	Acoustic Tile Mastic	BO	Breeching Mastic
AF	Acoustic Tile	BP	Roof Flashing
AG	Wall Materials	BQ	Cork Insulating Material with Paint Coating
AH	Pipe Run Insulation Lagging Tape	BR	Autoclave Insulation Lagging
AI	Boiler Insulation & Lagging	BS	Transite Shingle
AJ	Duct Insulation	BT	Roof Flashing & Mastic

**Table 4. Paint Condition of Former Barracks
Environmental Baseline Survey
Main Garrison Parcels
Former Fort Ord, California**

Parcel Number	Building Numbers	Paint Condition*
E2b.1	1600-series	Good
	2200-series	Good to fair, except Building 2290 (poor) and the south side of Buildings 2290-2294 (poor)
	2500-series	Good, except the south sides of the buildings (poor)
	2600-series	Good
	2700-series	Good to fair
E2b.2	2000-series	Fair to poor
	2300-series	Fair to poor
	2400-series	Good
	2700-series	Good to fair
E2b.3	1000-series	Fair
	1700-series	Good to fair, except Buildings 1731, 1772, 1775, 1789, and 1790 (poor)
	1800-series	Poor
	1900-series	Good to fair, except for Buildings 1901-1916
	2000-series	Good
	2100-series	Fair to poor

Notes:

*Based on visual site inspections (VSIs) conducted during March and April 1997.

Good Less than 10% of the outside surface area of the building has peeling paint.

Fair More than 10% of the outside surface area of the building has peeling paint, most of the paint is adhered to the wall.

Poor More than 10% of the outside surface area of the building has peeling paint, most of the paint has fallen from the wall.

**Table 5. Ordnance and Explosive and Training Areas
Environmental Baseline Survey
Main Garrison Parcels
Former Fort Ord, California**

HLA Study Area Name	USAEDH Site Number	USAEDH Site Name	Flame Thrower Range	Parcel Numbers Associated with OE Area	Size (acres)	Known OE Items	Recommendations	Status of Sampling or Removal As of April 1997
Flame Thrower Range #1	OE-1			E2a	9.45	5 M1 practice mines	Confirmatory sampling *	Sampling is not complete
Pete's Pond (including Extension)	OE-2	Chemical Training Area		S1.5.1 E2d E2c.4 L2.2 L5.8.2 L20.17.1 L20.17.2	23.45	1 empty practice grenade; 1 empty practice bomb; several bazooka rounds uncovered during excavation, rounds were destroyed in place.	No further action *	No sampling or removal is recommended
Mine and Booby Trap Area #1	OE-6	Mine and Booby Trap Training Areas		E2a	1.83	1 7.62-mm cartridge, 1 inert M1 AT mine.	No further action *	No sampling or removal is recommended
Recoilless Rifle Training Area	OE-20	Recoilless Rifle Training Range		E15.2	3.6	No OE was found within grids sampled.	No further action *	No sampling or removal is recommended

Within or Overlapping the Main Garrison Parcels

**Annex 5. Ordnance and Training Areas
Environmental Baseline Survey
Main Garrison Parcels
Former Fort Ord, California**

HLA Study Area Name	USAEDH Site Number	USAEDH Site Name	Parcel Numbers Associated with OE Area	Size (acres)	Known OE Items	Recommendations	Status of Sampling or Removal As of April 1997
75mm Pack Howitzer Firing Area	NA	Not identified as potential ordnance site by the USAEDH	E2a	NA	None	Need for investigation being evaluated	No sampling or removal performed
Storage Yard Landmine	NA	Not identified as potential ordnance site by the USAEDH	E2d	NA	land mine, inert training device.	Need for investigation being evaluated	No sampling or removal performed
Mortar Square #1	NA	Not identified as potential ordnance site by the USAEDH	E2a	NA	None	No further action ^b	No sampling or removal is recommended
Machine Gun Proficiency Training Area	NA	Not identified as potential ordnance site by the USAEDH	E2c	NA	None	No further action ^b	No sampling or removal is recommended
Machine Gun Square #3	NA	Not identified as potential ordnance site by the USAEDH	S1.4	NA	None	No further action ^b	No sampling or removal is recommended
Machine Gun Square #4	NA	Not identified as potential ordnance site by the USAEDH	S1.4	NA	None	No further action ^b	No sampling or removal is recommended

Within or Overlapping the Main Garrison Parcels (continued)

**Table 5. Ordnance and Explosive and Training Areas
Environmental Baseline Survey
Main Garrison Parcels
Former Fort Ord, California**

HLA Study Area Name	USAEDH Site Number	USAEDH Site Name	Parcel Numbers Associated with OE Area	Size (acres)	Known OE Items	Recommendations	Status of Sampling or Removal As of April 1997
Adjacent to the Main Garrison Parcels (within 800 feet)							
Mortar Square #2 (30' south)	NA	Not identified as potential ordnance site by the USAEDH	None	NA	None	No further action ^b	No sampling or removal is recommended
Mortar Square #3 (670' east)	NA	Not identified as potential ordnance site by the USAEDH	None	NA	None	No further action ^b	No sampling or removal is recommended
Site 3 : Beach Trainfire Ranges (300' west)	OE-22	Beach Ranges	None	NA	121 5.56-mm cartridges 11 blank 5.56-mm cartridges, 8 7.62-mm cartridges.	No further action ^a	No sampling or removal is recommended
Machine Gun Square #1 (70' northwest)	NA	Not identified as potential ordnance site by the USAEDH	None	NA	None	No further action ^b	No sampling or removal is recommended
Machine Gun Square #2 (80' east)	NA	Not identified as potential ordnance site by the USAEDH	None	NA	None	No further action ^b	No sampling or removal is recommended

^a Recommendation based on final Phase I EE/CA (Earth Tech, 1997).

^b Recommendation based on letter from Presidio of Monterey Annex, to Cal/EPA, dated February 24, 1997.

NA Not applicable.

HLA Harding Lawson Associates.

USAEDH United States Army Engineering Division Huntsville.

OE Ordnance and explosives.

**Table 6. Underground Storage Tank Status
Environmental Baseline Survey
Main Garrison Parcels
Former Fort Ord, California**

Parcel Number	UST Number	Contents	Size (Gallons)	Year Placed	Date Removed	Closure Granted	Closure Date ^a
E2b 1	2253.1	Diesel	12,000	1942	Mar-91	Yes	8/22/96
E2b.2	2426.1	Diesel	550	1942	Feb-91	Yes	4/6/94
E2b 2	2426.2	Stoddard Solvent	550	1942	Feb-91	Yes	4/6/94
E2b.2	2426.3	Diesel	550	1942	Feb-91	Yes	4/6/94
E2b.2	2430.1	Waste Oil	--	--	Mar-92	Yes	1/3/94
E2b.2	2433.1	Diesel	850	1976	Sep-92	Yes	1/3/94
E2b.2	2705.1	Regular Gasoline	12,000	1941	Feb-91	Yes	4/6/94
E2b.2	2705.2	Regular Gasoline	12,000	1941	Feb-91	Yes	4/6/94
E2b 2	2754.1	Regular Gasoline	1,000	1942	Feb-91	Yes	8/22/96
E2b.3	1060.1	Diesel	10,000	1941	Oct-95	No	Investigation
E2b.3	1060.2	Unleaded Gasoline	10,000	1976	Oct-95	No	Investigation
E2b.3	1060.3	Premium Gasoline	10,000	1941	Oct-95	No	Investigation
E2c.3	3007A.1	Diesel	3,000	1976	Mar-92	Yes	1/3/94
E2c.3	3010.1	Diesel	1,500	1976	Jun-95	Yes	12/13/95
E2c.3	3012A.1	Diesel	3,000	1976	Mar-92	Yes	1/3/94
E2c.3	3025A.1	Diesel	1,000	1976	May-92	Yes	1/3/94
E2c.3	3046A.1	Diesel	2,000	1976	Mar-92	Yes	4/6/94
E2c.3	3050A.1	Diesel	4,000	1976	Mar-92	Yes	4/6/94
E2c.3	3066A.1	Diesel	2,000	1976	May-92	Yes	1/3/94
E2c.3	3107A.1	Diesel	4,000	1976	Mar-91	Yes	1/3/94
E2c.3	3111A.1	Regular Gasoline	--	--	Sep-76	No	Investigation
E2c.4	4950.1	Diesel	1,000	--	Sep-92	Yes	4/6/94
E2c.4	4953.1	Diesel	1,000	--	Mar-92	Yes	1/3/94
E2c.4	4953.2	Waste Oil	5,000	--	Sep-92	Yes	4/6/94
E2c.4	4953.3	Diesel	1,000	1951	Sep-92	Yes	4/6/94
E2d	2999.1	Diesel	8,000	1942	Mar-91	Yes	4/6/94
E2d	3000A.1	Diesel	1,000	1976	Mar-92	Yes	1/3/94
E2d	3004A.1	Diesel	2,000	1976	May-95	No	Investigation
E2d	3039A.1	Diesel	1,000	1976	Mar-92	Yes	1/3/94
L20.16	2037.1	Diesel	12,000	1941	Jan-96	Yes	1/6/97
L20.16	2037.2	Unleaded Gasoline	12,000	1941	Jan-96	Yes	1/6/97
L20.16	2038.1	Diesel	12,000	1941	Jun-95	No	Moved
L20.16	2038.2	Diesel	12,000	1941	Jun-95	No	Moved
L20.16	2039.1	Diesel	12,000	1941	Jan-96	Yes	1/6/97
L20.16	2039.2	Unleaded Gasoline	12,000	1941	Jan-96	Yes	1/6/97
L20.16	2040.1	Diesel	12,000	1941	Jan-96	Yes	1/6/97
L20.16	2040.2	Diesel	12,000	1941	Jan-96	Yes	1/6/97
L20.16	2041.1	Diesel	12,000	1941	Jan-96	Yes	1/6/97
L20.16	2041.2	Unleaded Gasoline	12,000	1941	Jan-96	Yes	1/14/97
L20.16	2042.1	Kerosene	12,000	1941	Oct-93	Yes	4/6/94
L20.16	2042.2	Stoddard Solvent	12,000	1941	Oct-93	Yes	4/6/94
L20.17.1	4900.1	Diesel	1,500	1956	Mar-92	Yes	1/3/94
L20.17.1	4911.1	Unleaded Gasoline	3,500	1967	Feb-91	Yes	4/6/94
L20.17.1	4911.2	Diesel	550	1967	Feb-91	Yes	4/6/94
S1.4	3766.1	Unleaded Gasoline	5,000	1941	Mar-91	Yes	4/6/94
S1.4	3766.2	Waste Oil	5,000	1941	Mar-91	Yes	4/6/94
S1.4	3771.1	Unleaded Gasoline	5,000	1941	Mar-91	Yes	4/6/94
S1.4	3771.2	Diesel	5,000	1941	Mar-91	Yes	4/6/94
S1.4	3775.1	Unleaded Gasoline	5,000	1941	Mar-91	Yes	4/6/94
S1.4	3775.2	Diesel	5,000	1941	Mar-91	Yes	4/6/94

**Table 6. Underground Storage Tank Status
Environmental Baseline Survey
Main Garrison Parcels
Former Fort Ord, California**

Parcel Number	UST Number	Contents	Size (Gallons)	Year Placed	Date Removed	Closure Granted	Closure Date*
S1.5.1	1426.1	Diesel	200	--	Feb-91	Yes	4/6/94
S1.5.1	1426.2	Diesel	200	--	Feb-91	Yes	4/6/94
S1.5.1	1426.3	Diesel	200	--	Feb-91	Yes	4/6/94
S1.5.1	1434.1	Stoddard Solvent	9,000	1951	Aug-95	Yes	12/13/95
S1.5.1	1434.2	Stoddard Solvent	3,000	1951	Aug-95	Yes	12/13/95
S1.5.1	1434.3	Stoddard Solvent	3,000	1951	Mar-92	Yes	1/3/94
S1.5.1	1480.1	Waste Oil	550	1976	Sep-92	Yes	1/3/94
S1.5.1	1482.1	Waste Oil	550	1976	Jan-96	Yes	1/6/97
S1.5.1	1483.1	Diesel	2,500	1976	Jun-94	Yes	8/22/96
S1.5.1	1483.2	Waste Oil	550	1976	Sep-92	Yes	3/3/95
S1.5.1	1483.3	Waste Oil	280	1976	Jan-96	No	Investigation
S1.5.1	1487.1	Waste Oil	550	1976	Mar-92	Yes	1/3/94
S1.5.1	1489.1	Diesel	1,500	1976	May-95	Yes	12/13/95
S1.5.1	1489.2	Waste Oil	550	1976	May-95	Yes	12/13/95
S1.5.1	1489.3	Waste Oil	280	1976	Jan-96	Yes	1/6/97
S1.5.1	1492.1	Waste Oil	550	1976	Jan-96	Yes	1/6/97
S1.5.1	1494.1	Waste Oil	550	1976	May-95	Yes	12/13/95
S1.5.1	1495.1	Diesel	2,000	1976	May-95	Yes	12/13/95
S1.5.1	1495.2	Waste Oil	550	1976	Jan-96	Yes	1/6/97
S1.5.1	1495.3	Waste Oil	280	1976	Jan-96	Yes	1/6/97
S1.5.1	1497.1	Diesel	12,000	1976	Apr-96	Yes	1/6/97
S1.5.1	1497.2	Diesel	25,000	1976	Apr-96	Yes	1/6/97
S1.5.1	1497.3	Diesel	25,000	1976	Apr-96	Yes	1/6/97
S1.5.1	1497.4	Unleaded Gasoline	25,000	1976	Apr-96	Yes	1/6/97
S1.5.1	1497.5	Unleaded Gasoline	25,000	1976	Apr-96	Yes	1/6/97
S1.5.1	1636.1	Waste Oil	1,000	1985	May-92	Yes	1/3/94
S1.5.1	1670.1	Unleaded Gasoline	12,000	1941	Jan-96	Yes	1/6/97
S1.5.1	1670.2	Diesel	12,000	1941	Jan-96	Yes	1/6/97
S1.5.1	1680.1	Waste Oil	1,000	1983	Jan-96	Yes	1/6/97
S1.5.1	1685.1	Diesel	--	--	1984	Yes	8/22/96
S1.5.1	1685.2	Diesel	--	--	1984	Yes	8/22/96
S1.5.1	1685.3	Diesel	--	--	1984	Yes	8/22/96
S1.5.1	1689.1	Waste Oil	1,000	1985	Mar-92	Yes	4/6/94
S1.5.1	1697.1	Diesel	1,000	1981	Jun-94	Yes	8/22/96
S1.5.1	1697.2	Waste Oil	550	1981	Mar-92	Yes	3/3/95
S1.5.1	1699.1	Waste Oil	550	1981	Mar-92	Yes	1/3/94
S1.5.1	4861.1	Diesel	5,000	1952	Feb-91	Yes	4/6/94
S1.5.1	4861.2	Diesel	5,000	1952	Feb-91	Yes	4/6/94
S1.5.1	4861.3	Diesel	5,000	1952	Feb-91	Yes	4/6/94

Notes:

- Information not available.
- a Date of closure letter by Monterey County Department of Health.

**Table 7. Aboveground Storage Tank Status
Environmental Baseline Survey
Main Garrison Parcels
Former Fort Ord, California**

Parcel Number	Tank Number	Contents	Size (Gallons)	Construction	Status
E2c.3	3108.1	Propane	25,000	Steel	Not in use
E2c.3	3108.2	Propane	300	Steel	Not in use
L20.17.1	4900	Waste Oil	500	Steel	In use
L20.17.1	4901	Diesel	400	Steel	In use

**Table 8. Solid Waste Management Units
Environmental Baseline Survey
Main Garrison Parcels
Former Fort Ord, California**

Parcel Number	SWMU Number	Nearest Building	SWMU Name	SWMU Type	Recommendations/ Comments	IRP Site Number
E2b.2	FTO-007	2460	Cannibalization Area	Waste Pile	CERCLA Program	12
	FTO-037 (A&B)	2726	DOL Main Automotive Yard	Temporary Container Storage	NFA	12
	FTO-038	2424	DOL General Equipment Maintenance Yard	Temporary Container Storage	NFA	12
	FTO-060	--	Lower Meadow Disposal Area	Landfill	CERCLA Program	12
E2d	FTO-022	--	Former DRMO Site	Abandoned Storage Site	NFA	25
L5.8.2	FTO-062	--	Pete's Pond and Pete's Pond Extension	Landfill	CERCLA Program	16
L20.17.1	FTO-036	4900	DOL Heavy Equipment Maintenance Yard	Temporary Container Storage	Site/unit still active in 1996. Properly dispose of remaining inventory and clean unit prior to property transfer	16
S1.4	FTO-054	3772	107th Medical Battalion Motor Pool	Temporary Container Storage	NFA	23
	FTO-069	3767	107th Medical Battalion Motor Pool	Temporary Container Storage	NFA	23
S1.5.1	FTO-013	1442	Building 1442 Autoclave	Low Temperature Thermal Treatment	NFA	17
	FTO-017	1663	TASC Plastics Shop	Temporary Container Storage	NFA	18

**Table 8. Solid Waste Management Units
Environmental Baseline Survey
Main Garrison Parcels
Former Fort Ord, California**

Parcel Number	SWMU Number	Nearest Building	SWMU Name	SWMU Type	Recommendations/Comments	IRP Site Number
S1.5.1 cont.	FTO-019	1434	AAFES Economy Cleaners	3 USTs (removed)	NFA	38
	FTO-023	1665	TASC Graphics Shop	Temporary Container Storage	NFA	18
	FTO-040	1672	DOL Temporary Motor Pool	Temporary Container Storage	NFA	18
	FTO-041	1637	590th SS Company Motor Pool	Temporary Container Storage	NFA	18
	FTO-044	1697	121st Aviation Battalion, Company E Motor Pool	Temporary Container Storage	NFA	18
	FTO-048 (A&B)	1483	6th/8th Field Artillery Battalion Motor Pool	Temporary Container Storage (2)	NFA	17
	FTO-049	1489	7th/15th Field Artillery Battalion Motor Pool	Temporary Container Storage	NFA	17
	FTO-050	1495	7/7th Air Defense Artillery Motor Pool	Temporary Container Storage	NFA	17
	FTO-051	1489	5/15th Field Artillery Battalion Motor Pool	Temporary Container Storage	NFA	17
	FTO-052 (A&B)	1641	2/62d ADA B-Battery Motor Pool	Temporary Container Storage (2)	NFA	18

**Table 8. Solid Waste Management Units
Environmental Baseline Survey
Main Garrison Parcels
Former Fort Ord, California**

Parcel Number	SWMU Number	Nearest Building	SWMU Name	SWMU Type	Recommendations/Comments	IRP Site Number
S1.5.1 cont.	FTO-053	1697	7th Medical Battalion Motor Pool	Temporary Container Storage	NFA	18
	FTO-056	1681	7th MP Company Motor Pool	Temporary Container Storage	NFA	18
	FTO-057	1686	571st MP Company Motor Pool	Temporary Container Storage	NFA	18
	FTO-058	1656	761st Chemical Company Motor Pool	Temporary Container Storage	NFA	18
	FTO-063	1440	Temporary Container Storage Unit East of Aces Carpentry	Temporary Container Storage	NFA	17
	FTO-064	1458 & 1468	Temporary Container Storage Unit Between Buildings 1458 and 1468	Temporary Container Storage	NFA	17
	FTO-065	1483	Site 17 Disposal Area	Landfill	CERCLA Program	17

IRP
CERCLA
NFA
UST
MP
Installation Restoration Program.
Comprehensive Environmental Response, Compensation, and Liability Act.
No further action.
Underground storage tank.
Motor pool.

Table 9. Monitoring Wells, Piezometers, Extraction Wells, and Injection Wells^a
Environmental Baseline Survey
Main Garrison Parcels
Former Fort Ord, California

Parcel Number	Well ID	Most Recent Sample Date	TCE (µg/L)	1,2-DCE (total) (µg/L)
E2a	MW-OU2-32-A	3/5/97	ND	ND
E2b.1	MW-OU2-33-A	3/5/97	ND	ND
E2b.1	MW-OU2-41-A	3/10/97	1.6	ND
E2b.2	MW-12-01-180	3/7/97	1.8	ND
E2b.2	MW-12-02-180	3/10/97	1.4	ND
E2b.2	MW-12-03-180	3/7/97	12	12
E2b.2	MW-12-04-180	3/10/97	ND	ND
E2b.2	MW-12-05-180	3/10/97	15	9.5
E2b.2	MW-12-06-180	3/10/97	ND	ND
E2b.2	MW-12-07-180	3/11/97	7.3	1.8
E2b.2	MW-12-08-180	3/11/97	ND	ND
E2b.2	MW-12-09-180	3/11/97	2.3	ND
E2b.2	MW-12-10-180	3/4/97	4.6	5.1
E2c.2	MW-OU2-20-180	3/4/97	3.5	ND
E2c.2	MW-OU2-20-180X	Not applicable	Not applicable	Not applicable
E2c.2	MW-OU2-20-A	3/4/97	16	ND
E2c.3	MW-OU2-40-A	3/10/97	7	3.1
E2c.4	MW-OU2-21-A	4/4/97	ND	ND
E2d	MW-OU2-34-A	3/5/97	2.6	ND
L5.8.2	MW-16-01-A	3/7/97	ND	ND
L20.16	MW-02-06-180	3/12/97	ND	ND
L20.17.2	MW-OU2-51-180	5/9/97	4.5	ND
S1.4	MW-23-01-A	not analyzed	Not analyzed	Not analyzed
S1.4	MW-23-02-A	not analyzed	Not analyzed	Not analyzed
S1.4	MW-23-03-A	not analyzed	Not analyzed	Not analyzed
S1.4	MW-24-01-180	3/10/97	ND	ND
S1.5.1	MW-17-01-A	3/7/97	ND	ND
S1.5.1	MW-17-02-180	3/12/97	1	ND
S1.5.1	MW-18-01-180	3/12/97	ND	ND
S1.5.1	MW-18-03-180	3/12/97	3.2	0.7
E2b.1	PZ-12-02-180L	3/31/97	ND	ND
E2b.1	PZ-12-02-180M	3/31/97	1.7	0.7
E2b.1	PZ-12-02-180U	3/15/97	ND	ND
E2b.2	PZ-12-01-180L	4/3/97	2.8	ND
E2b.2	PZ-12-01-180M	3/7/97	4.9	4.5
E2b.2	PZ-12-01-180U	3/31/97	1.4	ND
E2b.2	PZ-12-04-180L	3/5/97	1	0.8
E2b.2	PZ-12-04-180M	3/5/97	220	230
E2b.2	PZ-12-04-180U	3/5/97	14	17

**Table 9. Monitoring Wells, Piezometers, Extraction Wells, and Injection Wells^a
Environmental Baseline Survey
Main Garrison Parcels
Former Fort Ord, California**

Parcel Number	Well ID	Most Recent Sample Date	TCE (µg/L)	1,2-DCE (total) (µg/L)
E2c.1	EW-OU2-03-A	11/12/96	3.2	ND
E2c.2	EW-OU2-02-A	11/12/96	17	0.19
E2c.2	EW-OU2-03-180	11/12/96	8.7	0.72
E2c.3	EW-OU2-04-A	11/12/96	17	8.3
E2c.3	EW-OU2-05-A	11/12/96	18	9.4
E2c.3	EW-OU2-06-A	11/12/96	16	7.8
E2c.1	IW-OU2-01-180	Not applicable	Not applicable	Not applicable
S1.5.1	IW-OU2-02-180	Not applicable	Not applicable	Not applicable

Notes:

a This table lists all known wells on Main Garrison Parcels

MW	Monitoring well.
EW	Extraction well.
IW	Injection well.
PZ	Piezometer.
-A	A-aquifer.
-180	180-foot aquifer.
-180U	Upper 180-foot aquifer.
-180M	Intermediate 180-foot aquifer.
-180L	Lower 180-foot aquifer.
TCE	Trichloroethene.
1,2-DCE (total)	Total 1, 2-dichloroethene.
µg/L	Micrograms per liter (parts per billion).
ND	Not detected.

**Table 10. Installation Restoration Program Sites
Environmental Baseline Survey
Main Garrison Parcels
Former Fort Ord, California**

IRP Site Number	Parcel Number(s)	Type of Site	Status of Interim Action or Remedial Investigation		Approval Status
			Remedial Investigation	Interim Action	
12	E2b.2	Remedial Investigation	Underway		Not applicable
13	E2b.3, L20.16, LE20.16	No Action	-		US EPA (8/2/95), DTSC (8/18/95)
14	S1.5.1	Interim Action	Complete		US EPA (3/7/96), DTSC approval pending
15	L20.17.1	Interim Action	Complete		US EPA (3/7/96), DTSC approval pending
16	L5.8.2, L20.17.1	Remedial Investigation	Underway		Not applicable
17	S1.5.1	Remedial Investigation	Underway		Not applicable
18	S1.5.1, E2b.1, E2d	No Action	-		Agency approval pending
19	E2b.1	No Action	-		Agency approval pending
20	E15.1	Interim Action	Complete		Agency approval pending
23	S1.4	No Action	-		Agency approval pending
24	S1.4	Interim Action	Complete		US EPA (4/14/97), DTSC approval pending
25	E2d	Remedial Investigation	No remediation necessary		Remedial Investigation Record of Decision
28	E2b.1, E2b.2	No Action	-		US EPA (9/25/95), DTSC (10/10/95)
38	S1.5.1	No Action	-		US EPA (7/11/96), DTSC approval pending

Notes:

US EPA United States Environmental Protection Agency.

DTSC California Environmental Protection Agency Department of Toxic Substances Control.

() Indicates date of approval letter.

**Table 11. Hazardous Substance Storage or Petroleum Storage Areas
Environmental Baseline Survey
Main Garrison Parcels
Former Fort Ord, California**

Parcel Number	Building Number	Visual Site Inspection	Description from CERFA Report	Surface Condition		Is Building Vacant?
				Adjacent Area	Adjacent Area	
E2a	NA	NA	No HMSA or PSA present	NA	NA	NA
E2b.1	2540	partial*	HMSA	soil	soil	Yes *
E2b.1	2560	yes	HMSA	soil	soil	No - Office furniture storage.
E2b.1	2562	yes	HMSA	soil	soil	Yes
E2b.1	2842	yes	HMSA (cleaning compound, developer, fixer, and solvent)	soil	soil	No - South ground floor rooms contain Diazo printer with stock of unused ammonia developing film.
E2b.1	2850	yes	HMSA	soil	soil	Yes
E2b.2	2048	yes	HMSA	paved	paved	No - Building 2048 is an active facility. Hazardous material storage consists of four labeled metal cabinets. Hazardous waste is routinely transported to hazardous waste division.
E2b.2	2353	yes	HMSA	soil	soil	Yes
E2b.2	2373	yes	HMSA	soil	soil	Yes
E2b.2	2719	yes	HMSA	paved	paved	Yes
E2b.2	2722	yes	HMSA	paved	paved	Yes
E2b.2	2724	yes	HMSA	paved	paved	Yes
E2b.2	2726	yes	HMSA	paved	paved	Yes
E2b.2	2754	yes	HMSA	paved	paved	Yes
E2b.2	2780	yes	HMSA	paved	paved	Yes
E2b.3	1040	yes	HMSA (flammable storage)	soil	soil	Yes
E2b.3	1060	yes	PSA (UST investigation in process)	paved	paved	Yes
E2b.3	1730	yes	HMSA (flammable materials)	partially paved	partially paved	Yes
E2b.3	1741	yes	HMSA (flammable materials)	soil	soil	Yes
E2b.3	1747 / 1767	yes	HMSA between Buildings 1747 and 1767 (flammable materials)	soil	soil	NA
E2b.3	1894	yes	HMSA (flammable materials)	soil	soil	Yes
E2b.3	1925 / 1945	yes	HMSA between Buildings 1925 and 1945 (flammable storage)	soil	soil	NA
E2b.3	2022	yes	HMSA (poison and flammable materials)	partially paved	partially paved	No - Office furniture storage.

**Table 11. Hazardous Substance Storage or Petroleum Storage Areas
Environmental Baseline Survey
Main Garrison Parcels
Former Fort Ord, California**

Parcel Number	Building Number	Visual Site Inspection	Description from CEREA Report	Surface Condition		Is Building Vacant?
				Adjacent Area	Adjacent Area	
E2b.3	2024	yes	HMSA (poison and flammable materials)	partially paved	partially paved	Yes
E2b.3	2084	yes	HMSA (drums, portable tanks, and flammable materials)	partially paved	partially paved	Yes
E2c.1	NA	NA	No HMSA or PSA present	NA	NA	NA
E2c.2	NA	NA	No HMSA or PSA present	NA	NA	NA
E2c.3	3107	yes	PSA	soil	soil	No - Office furniture storage.
E2c.3	3127	yes	HMSA	soil	soil	Yes
E2c.4	NA	NA	No HMSA or PSA present	NA	NA	NA
E2d	2999 / 3019	yes	PSA between Buildings 2999 and 3019	soil	soil	NA
E2e	NA	NA	No HMSA or PSA present	NA	NA	NA
E15.1	NA	NA	No HMSA or PSA present	NA	NA	NA
E15.2	NA	NA	No HMSA or PSA present	NA	NA	NA
L2.2	NA	NA	No HMSA or PSA present	NA	NA	NA
L5.8.2	NA	NA	No HMSA or PSA present	NA	NA	NA
L17.1	NA	NA	No HMSA or PSA present	NA	NA	NA
L20.16	2030	yes	HMSA (flammable storage)	partially paved	partially paved	Yes
L20.16	2031	yes	HMSA (flammable materials)	partially paved	partially paved	Yes
L20.16	2032	yes	HMSA (flammable materials)	partially paved	partially paved	Yes
L20.16	2033	yes	HMSA (flammable materials)	partially paved	partially paved	Yes
L20.16	2034	yes	HMSA (hazardous materials)	partially paved	partially paved	Yes
L20.16	2038	yes	PSA	partially paved	partially paved	destroyed
L20.17.1	NA	NA	No HMSA or PSA present	NA	NA	NA
L20.17.2	NA	NA	No HMSA or PSA present	NA	NA	NA
LE20.16	NA	NA	No HMSA or PSA present	NA	NA	NA
S1.4	3766	yes	HMSA (flammable materials)	soil	soil	Yes
S1.4	3767	yes	HMSA (flammable materials)	soil	soil	Yes
S1.5.1	1434	yes	HMSA	paved	paved	Yes
S1.5.1	1439	yes	HMSA	paved	paved	Yes

**Table 11. Hazardous Substance Storage or Petroleum Storage Areas
Environmental Baseline Survey
Main Garrison Parcels
Former Fort Ord, California**

Parcel Number	Building Number	Visual Site Inspection	Description from CERFA Report	Surface Condition		Is Building Vacant?
				Adjacent Area		
S1.5.1	1483	yes	HMSA		paved	No - Building 1483 is an active facility. A contractor is using the east half for temporary storage. Materials stored include plastic cement and solvents. The west half is vacant.
S1.5.1	1489	partial*	HMSA		paved	No - Building 1489 is an active facility. CSUMB stores furniture in the south half and computers in the north half.
S1.5.1	1491	yes	HMSA		paved	Yes
S1.5.1	1641	yes	HMSA		paved	Yes
S1.5.1	1642	yes	HMSA		paved	Yes
S1.5.1	1654	yes	HMSA		paved	Yes
S1.5.1	1663	yes	HMSA		paved	Yes
S1.5.1	1678	yes	HMSA		paved	Yes

Notes:

- a Access denied because the door is boarded over.
- * The accessible portion of Building 2540 was vacant.
- NA Not applicable.
- HMSA Hazardous material storage area.
- PSA Petroleum storage area.
- CSUMB California State University, Monterey Bay.

**Table 12. CERFA Parcels with Qualifiers
Environmental Baseline Survey
Main Garrison Parcels
Former Fort Ord, California**

Parcel Number	CERFA Parcel No.	CERFA Category ¹	IRP Site No(s)	IRP Category(s)	Reason for CERFA Category
E2a	2	Disqualified / Qualified	--	--	HR at sewage overflow collection area. OE Sites 1 and 6.
E2a	4	Disqualified / Qualified	--	--	No buildings on parcel. Within OU 2 plume.
E2a	191	Qualified	--	--	OE Sites 1 and 6.
E2a	201	CERFA Parcel	--	--	No evidence was observed during the CERFA assessment to indicate storage, release, or disposal of hazardous substances or petroleum products within this parcel.
E2b.1	4	Disqualified / Qualified	19, 28	No Action Site, Remedial No Action Site	Probable LBP, ACM, HS, PS, Rad, and HR. Performed VSIs of HS areas at Buildings 2540, 2560, 2562, 2842, and 2850.
E2b.2	4	Disqualified / Qualified	12, 28	Investigation Site, No Action Site	Probable LBP, ACM, HS, PS, Rad, and HR. Performed VSIs of HS areas at Buildings 2048, 2053, 2373, 2719, 2722, 2724, 2726, 2754, and 2780.
E2b.2	42	Disqualified / Qualified	28	No Action Site	No buildings in parcel.
E2b.3	4	Disqualified / Qualified	--	--	LBP, ACM, HS, PS, Rad, and HR issues identified in Parcel 4; however, only LBP and ACM appear to be present in Parcel E2b.3.
E2b.3	5	Disqualified / Qualified	--	--	LBP, ACM, HS, PS, Rad, and HR issues identified in Parcel 5; however, only LBP and ACM appear to be present in Parcel E2b.3.
E2b.3	6	Disqualified / Qualified	--	--	LBP, ACM, HS, PS, and HR issues identified in Parcel 6; however, only LBP and ACM appear to be present in Parcel E2b.3.
E2b.3	7	Disqualified / Qualified	--	--	HS in Building 2084, probable LBP and ACM.
E2b.3	8	Disqualified / Qualified	--	--	Probable LBP, no ACM in parcel.
E2b.3	9	Disqualified / Qualified	--	--	Probable LBP, ACM, HS, and PS. Performed VSIs of former UST Locations 1060.1 - 1060.3
E2b.3	10	Disqualified / Qualified	--	--	Probable LBP, ACM, HS, and Rad. Performed VSIs of HS area between Buildings 1925 and 1945.
E2b.3	11	Disqualified / Qualified	13	No Action Site	Probable LBP, ACM, HS, and Rad. Performed VSIs of HS areas at Buildings 2022 and 2024.
E2b.3	12	Disqualified / Qualified	--	--	Probable LBP, ACM, HS, and Rad. Performed VSI of HS area at Building 1741.

Table 12. CERFA Parcels with Qualifiers
Environmental Baseline Survey
Main Garrison Parcels
Former Fort Ord, California

Parcel Number	CERFA Parcel No.	CERFA Category*	IRP Site No(s)	IRP Site Category(s)	Reason for CERFA Category
E2b.3	13	Disqualified / Qualified	-	-	Probable LBP, ACM, HS, and Rad. Performed VSIs of HS area at Building 1730 and between Buildings 1747 and 1767.
E2b.3	14	Disqualified / Qualified	-	-	Probable LBP, ACM, HS, and Rad. Performed VSI of HS area at Building 1894.
E2b.3	100	Qualified	-	-	Probable LBP, ACM and Rad. No evidence was observed during the CERFA assessment to indicate storage, release, or disposal of hazardous substances or petroleum products within this parcel.
E2b.3	206	CERFA Parcel	-	-	No evidence was observed during the CERFA assessment to indicate storage, release, or disposal of hazardous substances or petroleum products within this parcel.
E2b.3	211	CERFA Parcel	-	-	No evidence was observed during the CERFA assessment to indicate storage, release, or disposal of hazardous substances or petroleum products within this parcel.
E2c.1	4	Disqualified / Qualified	-	-	No buildings on parcel. Within OU 2 Plume.
E2c.2	4	Disqualified / Qualified	-	-	No buildings on parcel. Within OU 2 Plume.
E2c.3	4	Disqualified / Qualified	-	-	Probable LBP, ACM, HS, PS, Rad, and HR. Performed VSIs of the PS area at Building 3107 and the HS area at Building 3127.
E2c.4	4	Disqualified / Qualified	-	-	Probable LBP, ACM and Rad. Within OU 2 Plume.
E2d	4	Disqualified / Qualified	25	No Action Site	Probable LBP, ACM, PS, Rad, and HR. Performed VSI of PS area between Buildings 2999 and 3019
E2e	4	Disqualified / Qualified	-	-	No buildings on parcel. LBP, ACM, HS, PS, Rad, and HR issues present in Parcel 4; however, no issues appear to be present in Parcel E2e.
E2e	99	Qualified	-	-	Machine Gun Proficiency Area next to parcel. No evidence was observed during the CERFA assessment to indicate storage, release, or disposal of hazardous substances or petroleum products within this parcel.
E2e	114	Qualified	-	-	No buildings on parcel. No evidence was observed during the CERFA assessment to indicate storage, release, or disposal of hazardous substances or petroleum products within this parcel.
E2e	212	CERFA Parcel	-	-	No evidence was observed during the CERFA assessment to indicate storage, release, or disposal of hazardous substances or petroleum products within this parcel.
E15.1	21	Disqualified	20	Interim Action Site	The two interim action locations are not present in Parcel E15.1.
E15.2	27	Qualified	-	-	OE Site 20

Table 12. CERFA Parcels with Qualifiers
Environmental Baseline Survey
Main Garrison Parcels
Former Fort Ord, California

Parcel Number	CERFA Parcel No.	CERFA Category ¹	IRP Site No(s)	IRP Category(s)	Reason for CERFA Category
E15.2	162	Qualified	--	--	UXO - Machine Gun Square 2
E15.2	206	CERFA Parcel	--	--	No evidence was observed during the CERFA assessment to indicate storage, release, or disposal of hazardous substances or petroleum products within this parcel
L2.2	4	Disqualified / Qualified	--	--	No buildings on Parcel. Within OU 2 Plume.
L5.8.2	4	Disqualified / Qualified	16	Remedial Investigation Site	No buildings on site. OE Site 2.
L17.1	4	Disqualified	--	--	Within OU 2 Plume.
L20.16	4	Disqualified / Qualified	--	--	LBP, ACM, HS, PS, Rad, and HR issues present in Parcel 4; however, only LBP and ACM appear to be present in Parcel L20 16.
L20.16	5	Disqualified / Qualified	--	--	Probable LBP, ACM, PS, and Rad. Performed VSI of PS area at Building 2038.
L20.16	8	Disqualified / Qualified	--	--	Probable LBP, ACM, HS, and Rad. Performed VSIs of HS areas at Buildings 2030 - 2034
L20.17.1	4	Disqualified / Qualified	16	Remedial Investigation Site	Probable LBP, ACM, HS, and Rad. Performed VSIs of HS areas at Buildings 4912 - 4914.
L20.17.2	4	Disqualified / Qualified	--	--	No buildings on parcel. Within OU 2 Plume.
LE20.16	11	Disqualified	13	No Action Site	No buildings on parcel.
LE20.16	206	CERFA Parcel	--	--	No evidence was observed during the CERFA assessment to indicate storage, release, or disposal of hazardous substances or petroleum products within this parcel.
S1.4	21	Disqualified	24	Interim Action	HR at IRP Site 24. UXO - Machine Gun Square #3.
S1.4	25	Disqualified	23	No Action	HS, PS, PR issues identified at underground storage tanks.
S1.4	33	Disqualified	--	--	HS
S1.4	102	Disqualified	--	--	Possible hazardous materials storage at plant nursery (but none observed or recorded)
S1.4	113	Qualified	--	--	Probable LBP, ACM, and Rad
S1.4	114	Qualified	--	--	Probable LBP, ACM, and Rad.
S1.4	164	Qualified	--	--	UXO - Machine Gun Square #4.
S1.4	194	CERFA parcel	--	--	No evidence was observed during the CERFA assessment to indicate storage, release, or disposal of hazardous substances or petroleum products within this parcel

Table 12. CERFA Parcels with Qualifiers
Environmental Baseline Survey
Main Garrison Parcels
Former Fort Ord, California

Parcel Number	CERFA Parcel No.	CERFA Category ^a	IRP Site No(s)	IRP Site Category(s)	Reason for CERFA Category
S1.4	195	CERFA parcel	--	--	No evidence was observed during the CERFA assessment to indicate storage, release, or disposal of hazardous substances or petroleum products within this parcel.
S1.4	213	CERFA parcel	--	--	No evidence was observed during the CERFA assessment to indicate storage, release, or disposal of hazardous substances or petroleum products within this parcel.
S1.5.1	4	Disqualified / Qualified	17, 18, 38	Remedial Investigation Site, No Action Site, No Action Site	Probable LBP, ACM, HS, PS, Rad, and HR. Performed VSIs of HS areas at Buildings 1434, 1439, 1483, 1489, 1491, 1641, 1642, 1654, 1663, and 1678.

Notes:

^a CERFA Qualified Parcels - Parcels in which there is no evidence of current or past storage, release, or disposal of hazardous substances or petroleum products or their derivatives but for which there is evidence of the presence of other environmental, hazard, or safety concerns.

CERFA Disqualified Parcels - Any parcel in which storage, release, or disposal of petroleum products or CERCLA hazardous substances has occurred or is occurring

CERFA Parcel (referred to as "CERFA uncontaminated parcel" in the text) - Parcels in which there is no evidence of current or past storage, release, or disposal of hazardous substances or petroleum products or their derivatives, and for which there is no evidence of the presence of other environmental, hazard, or safety concerns.

- ACM Asbestos-containing materials.
- HR Hazardous release.
- HS Hazardous substance storage.
- LBP Lead-based paint.
- PS Petroleum storage.
- Rad Radiological source.
- VSI Visual site inspection.
- UXO Ordnance issues.

**Table 13. Matrix of Environmental Issues
Environmental Baseline Survey
Main Garrison Parcels
Former Fort Ord, California**

Main Garrison Parcel Number	Asbestos - Containing Materials (ACM) ^{a,b}	Lead-Based Paint (LBP) ^a	Radon ^a	Radiological Surveys	Ordnance & Explosives (OE) Sites and Training Areas	Poly-chlorinated biphenyls (PCBs)	Underground & Aboveground Storage Tanks (USTs/ASTs)	Solid Waste Management Units (SWMUs)	Hazardous Materials Storage Areas	OU2 Groundwater Plume	2/12 Groundwater Plume	Installation Restoration Program (IRP) Sites	DoD Category	Finding of Suitability to Transfer (FOST)	Main Garrison Parcel Number
E2a	1 building in parcel rating unknown	1 structure unknown age	No surveyed buildings exceeded the 4 pCi/L action level	No buildings in parcel surveyed	OE Site 1 (under evaluation) OE Site 6 (no further action) Mortar Square 1 (no further action) 75mm Pack Howitzer Firing Area (need for investigation being evaluated)	No releases of PCBs are known to have occurred on parcel	--	--	No hazardous materials storage areas on parcel noted in CERFA report	--	--	--	7 (OE Site 1&6)	Not transferable at this time	E2a
E2b.1	185 buildings in parcel 84 buildings rated 1-5	182 structures constructed prior to 1978 1 structure constructed after 1978 9 structures of unknown age	No surveyed buildings exceeded the 4 pCi/L action level	13 buildings in parcel surveyed (no radiological contamination found)	--	No releases of PCBs are known to have occurred on parcel	1 former UST location (2253.1) (release, remediation completed)	--	Visual site inspections in March and April 1997 of parcel revealed all hazardous materials storage areas noted in the CERFA report had been removed and there was no evidence of release	--	--	Site 18 (no action) Site 19 (no action) Site 28 (no action)	4 (UST 2253.1 release, remediation completed; IRP Site 28)	CERCLA 120 (h) (3) Appendix B (DoD Category 4)	E2b.1
E2b.2	161 buildings in parcel 51 buildings rated 1-5	147 structures constructed prior to 1978 3 structures constructed after 1978 11 structures of unknown age	No surveyed buildings exceeded the 4 pCi/L action level	13 buildings in parcel surveyed (no radiological contamination found)	--	No releases of PCBs are known to have occurred on parcel	5 former UST locations (no evidence of release) 1 former UST location (2754.1) with release, remediation completed	FTO-037 FTO-038 (no evidence of release) FTO-007 FTO-069 (remediation under IRP Site 12)	Visual site inspections in March and April 1997 of parcel revealed all hazardous materials storage areas noted in the CERFA report had been removed and there was no evidence of release	--	groundwater plume awaiting implementation of remedial actions	Site 12 (undergoing RI) Site 28 (no action)	6 (2/12 plume)	Not transferable at this time	E2b.2
E2b.3	275 buildings in parcel 116 buildings rated 1-5	275 structures constructed prior to 1978 No structures constructed after 1978 1 structure of unknown age	No surveyed buildings exceeded the 4 pCi/L action level	41 buildings in parcel surveyed (no radiological contamination found)	--	No releases of PCBs are known to have occurred on parcel	3 former UST locations (1060.1, 2, 3) undergoing cleanup	--	Visual site inspections in March and April 1997 of parcel revealed all hazardous materials storage areas noted in the CERFA report had been removed and there was no evidence of release	--	--	Site 13 (no action)	3 (majority of parcel) 5 (immediate area surrounding Building 1060 in southwestern portion, see Plate 8; 3 former UST locations under remediation)	DoD 3 area - CERCLA 120 (h) (3) Appendix A (DoD Category 3) DoD 5 area - Not transferable at this time	E2b.3
E2c.1	1 building in parcel rated 13	No structures constructed prior to 1978 1 structure constructed after 1978	No surveyed buildings exceeded the 4 pCi/L action level	No buildings in parcel surveyed	--	No releases of PCBs are known to have occurred on parcel	--	--	No hazardous materials storage areas on parcel noted in CERFA report	groundwater plume remediation in place operating effectively	--	--	4 (OU2 plume)	CERCLA 120 (h) (3) Appendix B (DoD Category 4)	E2c.1
E2c.2	No buildings in parcel	No structures in parcel	No buildings in parcel	No buildings in parcel	--	No releases of PCBs are known to have occurred on parcel	--	--	No hazardous materials storage areas on parcel noted in CERFA report	groundwater plume remediation in place operating effectively	--	--	4 (OU2 plume)	CERCLA 120 (h) (3) Appendix B (DoD Category 4)	E2c.2
E2c.3	41 buildings in parcel 2 buildings rated 1-5	40 structures constructed prior to 1978 1 structure constructed after 1978 4 structures of unknown age	No surveyed buildings exceeded the 4 pCi/L action level	No buildings in parcel surveyed	--	No releases of PCBs are known to have occurred on parcel	7 former UST locations (no evidence of release) 2 current AST locations (no evidence of release)	--	Visual site inspections in March and April 1997 of parcel revealed all hazardous materials storage areas noted in the CERFA report had been removed and there was no evidence of release	groundwater plume remediation in place operating effectively	--	--	4 (OU2 plume)	CERCLA 120 (h) (3) Appendix B (DoD Category 4)	E2c.3
E2c.4	8 buildings in parcel none rated 1-5	8 structures constructed prior to 1978 No structures constructed after 1978 1 structure of unknown age	No surveyed buildings exceeded the 4 pCi/L action level	No buildings in parcel surveyed	OE Site 2 (no further action)	No releases of PCBs are known to have occurred on parcel	4 former UST locations (no evidence of release)	--	No hazardous materials storage areas on parcel noted in CERFA report	groundwater plume remediation in place operating effectively	--	--	4 (OU2 plume) 7 (OE Site 2)	CERCLA 120 (h) (3) Appendix B (DoD Category 4) DoD 7 area - Not transferable at this time	E2c.4
E2d	29 buildings in parcel 7 buildings rated 1-5	29 structures constructed prior to 1978 3 structures constructed after 1978 1 structure of unknown age	No surveyed buildings exceeded the 4 pCi/L action level	No buildings in parcel surveyed	OE Site 2 (no further action) Storage Yard Landmine (need for investigation being evaluated)	No releases of PCBs are known to have occurred on parcel	3 former UST locations (no evidence of release) 1 former UST location (3004A.1) with release, further investigation underway	FTO-022 (no evidence of release)	Visual site inspections in March and April 1997 of parcel revealed all hazardous materials storage areas noted in the CERFA report had been removed and there was no evidence of release	groundwater plume remediation in place operating effectively	--	Site 18 (no action) Site 25 (RI - no action recommended)	3 (majority of parcel) 6 (near northwestern corner, see Plate 8; former UST 3004A.1 under remediation) 7 (eastern portion, see Plate 8; OE Site 2)	DoD 3 area - CERCLA 120 (h) (3) Appendix A (DoD Category 3) DoD 6 area - Not transferable at this time DoD 7 area - Not transferable at this time	E2d
E2e	No buildings in parcel	No structures in parcel	No buildings in parcel	No buildings in parcel	MGPTA (no further action)	No releases of PCBs are known to have occurred on parcel	--	--	No hazardous materials storage areas on parcel noted in CERFA report	groundwater plume remediation in place operating effectively	--	--	4 (OU2 plume)	CERCLA 120 (h) (3) Appendix B (DoD Category 4)	E2e
E15.1	No buildings in parcel	No structures in parcel	No buildings in parcel	No buildings in parcel	--	No releases of PCBs are known to have occurred on parcel	--	--	No hazardous materials storage areas on parcel noted in CERFA report	--	--	Site 20 (interim action, but IA areas not in Main Garrison Parcels)	3	CERCLA 120 (h) (3) Appendix A (DoD Category 3)	E15.1
E15.2	No buildings in parcel	No structures in parcel	No buildings in parcel	No buildings in parcel	OE Site 20 (no further action)	No releases of PCBs are known to have occurred on parcel	--	--	No hazardous materials storage areas on parcel noted in CERFA report	--	--	--	7 (OE Site 20)	Not transferable at this time	E15.2
L2.2	No buildings in parcel	No structures in parcel	No buildings in parcel	No buildings in parcel	OE Site 2 (no further action)	No releases of PCBs are known to have occurred on parcel	--	--	No hazardous materials storage areas on parcel noted in CERFA report	--	--	--	7 (OE Site 2)	Not transferable at this time	L2.2
L5.8.2	No buildings in parcel	No structures in parcel	No buildings in parcel	No buildings in parcel	OE Site 2 (no further action)	No releases of PCBs are known to have occurred on parcel	--	FTO-062 (remediation under IRP Site 16)	No hazardous materials storage areas on parcel noted in CERFA report	groundwater plume remediation in place operating effectively	--	Site 16 (under remediation)	7 (OE Site 2) 5 (IRP Site 16)	Not transferable at this time	L5.8.2
L12.2.2	1 building in parcel rated 13	1 structure constructed prior to 1978	No buildings in parcel	No buildings in parcel surveyed	--	No releases of PCBs are known to have occurred on parcel	--	--	No hazardous materials storage areas on parcel noted in CERFA report	--	--	Site 28 (no action)	4 (IRP 28)	CERCLA 120 (h) (3) Appendix B (DoD Category 4)	L12.2.2
L12.2.3	1 building in parcel rated 12, 13	1 structure constructed prior to 1978	No buildings in parcel	No buildings in parcel surveyed	--	No releases of PCBs are known to have occurred on parcel	--	--	No hazardous materials storage areas on parcel noted in CERFA report	--	--	Site 28 (no action)	4 (IRP 28)	CERCLA 120 (h) (3) Appendix B (DoD Category 4)	L12.2.3
L20.16-2	14 buildings in parcel 1 rated 13	1 structure constructed prior to 1978 13 structures of unknown age	No surveyed buildings exceeded the 4 pCi/L action level	2 buildings in parcel surveyed (no radiological contamination found)	--	No releases of PCBs are known to have occurred on parcel	10 former UST locations (no evidence of release) 2 USTs (2038.1, 2038.2) in use off parcel at USRA locations (no evidence of release)	--	Visual site inspections in March and April 1997 of parcel revealed all hazardous materials storage areas noted in the CERFA report had been removed and there was no evidence of release	--	groundwater plume awaiting implementation of remedial actions	Site 13 (no action)	6 (2/12 plume, 2 former UST locations not yet granted closure)	Not transferable at this time	L20.16-2
L20.16-3	5 buildings in parcel rated 12, 13	5 structures constructed prior to 1978	No surveyed buildings exceeded the 4 pCi/L action level	1 building in parcel surveyed (no radiological contamination found)	--	No releases of PCBs are known to have occurred on parcel	--	--	No hazardous materials storage areas on parcel noted in CERFA report	--	--	--	3	CERCLA 120 (h) (3) Appendix A (DoD Category 3)	L20.16-3
L20.16-4	No buildings in parcel	No structures in parcel	No buildings in parcel	No buildings in parcel	--	No releases of PCBs are known to have occurred on parcel	--	--	No hazardous materials storage areas on parcel noted in CERFA report	--	--	--	3	CERCLA 120 (h) (3) Appendix A (DoD Category 3)	L20.16-4
L20.17.1	10 buildings in parcel none rated 1-5	10 structures constructed prior to 1978 5 structures of unknown age	No surveyed buildings exceeded the 4 pCi/L action level	No buildings in parcel surveyed	OE Site 2 (no further action)	No releases of PCBs are known to have occurred on parcel	3 former UST locations 2 current AST locations (no evidence of release)	FTO-036 (remediation under IRP Site 16)	No hazardous materials storage areas on parcel noted in CERFA report	groundwater plume remediation in place operating effectively	--	Site 15 (interim action) Site 16 (under remediation)	5 (eastern portion, see Plate 8; IRP Site 16) 7 (northwest corner, see Plate 8; OE Site 2)	Not transferable at this time	L20.17.1
L20.17.2	No buildings in parcel	No structures in parcel	No buildings in parcel	No buildings in parcel	OE Site 2 (no further action)	No releases of PCBs are known to have occurred on parcel	--	--	No hazardous materials storage areas on parcel noted in CERFA report	groundwater plume remediation in place operating effectively	--	--	7 (OE Site 2)	Not transferable at this time	L20.17.2
LE20.16	No buildings in parcel	No structures in parcel	No buildings in parcel	No buildings in parcel	--	No releases of PCBs are known to have occurred on parcel	--	--	No hazardous materials storage areas on parcel noted in CERFA report	--	--	Site 13 (no action)	3	CERCLA 120 (h) (3) Appendix A (DoD Category 3)	LE20.16
S1.4	18 buildings in parcel 4 buildings rated 1-5	21 structures constructed prior to 1978 3 structures constructed after 1978 16 structures of unknown age	No surveyed buildings exceeded the 4 pCi/L action level	1 building in parcel surveyed (no radiological contamination found)	Machine Gun Square 3 (no further action); Machine Gun Square 4 (no further action)	No releases of PCBs are known to have occurred on parcel	6 former UST locations (no evidence of release)	FTO-054 and FTO-069 (no evidence of release)	No hazardous materials storage areas on parcel noted in CERFA report	--	--	Site 23 (no action); Site 24 (interim action)	4 (interim action at IRP Site 24, remediation completed)	CERCLA 120 (h) (3) Appendix B (DoD Category 4)	S1.4
S1.5.1	88 buildings in parcel 3 buildings rated 1-5	76 structures constructed prior to 1978 12 structures constructed after 1978 41 structures of unknown age	No surveyed buildings exceeded the 4 pCi/L action level	11 buildings in parcel surveyed (no radiological contamination found)	OE Site 2 (no further action)	No releases of PCBs are known to have occurred on parcel	29 former UST locations (no evidence of release) 4 former UST locations (1483.1, 2 and 1697.1, 2) with release, remediation completed 1 former UST location (1483.3) with release, further investigation underway	FTO-013 FTO-017 FTO-019 FTO-023 FTO-040 FTO-041 FTO-044 FTO-048 through FTO-053 FTO-056 through FTO-058 FTO-063 and FTO-064 (no evidence of release) FTO-065 (remediation under IRP Site 17)	Visual site inspections in March and April 1997 of parcel revealed all hazardous materials storage areas noted in the CERFA report had been removed and there was no evidence of release	groundwater plume remediation in place operating effectively	Site 14 (interim action) Site 17 (under remediation) Site 18 (no action) Site 38 (no action)	4 (majority of parcel, see Plate 8; OU2 plume and IRP Site 14) 5 (eastern portion, see Plate 8; IRP Site 17)	DoD 4 area - CERCLA 120 (h) (3) Appendix B (DoD Category 4) DoD 5 area - Not transferable at this time	S1.5.1	

Notes:
a Issue does not affect DoD category classification.
b ACM ratings of 1-5 require immediate action. ACM ratings of 6-13 require various degrees of inspection. (see Section 4.1, Tables 2 & 3).
-- Environmental issue does not pertain to parcel.
MGPTA Machine Gun Proficiency Training Area.
Structures include buildings, grease racks, sheds, etc.
See Plate 8 for explanation of DoD Categories.