

Project Site Name	Area Of Concern Name	Search Area ID	Northing	Easting	Target Number	Response Amplitude (mV)	Response Max	Channel 1	Channel 2	Channel 3	Channel 4	Item Number	Item Count	Dig Date	Logged By	Is MEC	Item Category	Item Type	MEC Description	MEC Category	MEC Part	MEC Condition	Offset	Offset Units	Offset Azimuth	Depth (inches)	Weight (pounds)	Item Current Status	Comments	Requires Further Action	Hole Cleared	UXO QC Completed	UXOQC By	UXOQC Notes	UXOQC Date	Number of Photos	Geo QC By	Geo QC Date	IOE Model ID	QC Final	Land Use
Interim Action Ranges	E39 - MCP Reserve R44 South	B217F0	2120589.88	5742419.19	730	282.00	424.40	169.96	106.63	54.02	20.13	1	1	6/17/2011 9:09	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	0.00	in		12.00	1.50	Stockpiled		FALSE	FALSE	FALSE		UXO QC not conducted for Design Study Sampling Investigation		0			0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B217F0	2120543.25	5742425.75	785	300.40	477.60	137.27	91.62	47.99	22.00	1	1	6/17/2011 8:37	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	6.00	in	W	3.00	2.50	Stockpiled		FALSE	FALSE	FALSE		UXO QC not conducted for Design Study Sampling Investigation		0			0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B217F0	2120518.50	5742426.75	796	192.60	201.50	99.97	61.30	24.47	5.47	1	1	6/17/2011 8:22	Matthew Lauchner	FALSE	MD (standard)	Rocket motors, M222/M223 (DRAGON)	Unknown	Unknown		Inert	12.00	in	W	6.00	0.10	Stockpiled	dragon	FALSE	FALSE	FALSE		UXO QC not conducted for Design Study Sampling Investigation		0		201	TRUE	Interim_Action_Range	
Interim Action Ranges	E39 - MCP Reserve R44 South	B217F0	2120511.50	5742448.00	829	96.20	104.10	58.77	27.46	6.80	1.62	1	1	6/17/2011 8:22	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	6.00	in	N	6.00	0.10	Stockpiled		FALSE	FALSE	FALSE		UXO QC not conducted for Design Study Sampling Investigation		0			0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B217F0	2120596.42	5742473.16	860	633.50	796.70	308.14	203.61	100.79	35.50	1	1	6/17/2011 8:28	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	6.00	in	S	3.00	0.10	Stockpiled		FALSE	FALSE	FALSE		UXO QC not conducted for Design Study Sampling Investigation		0			0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B217F0	2120517.75	5742461.50	837	398.10	758.80	202.34	118.86	52.60	19.36	1	1	6/17/2011 8:24	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	6.00	in	N	3.00	0.10	Stockpiled		FALSE	FALSE	FALSE		UXO QC not conducted for Design Study Sampling Investigation		0			0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B217G0	2120654.85	5742475.09	874	144.40	266.10	96.66	61.45	26.13	7.69	1	1	6/17/2011 11:09	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	0.00	in		12.00	0.50	Stockpiled		FALSE	FALSE	FALSE		UXO QC not conducted for Design Study Sampling Investigation		0			0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B217G0	2120631.00	5742478.50	907	98.20	195.30	51.50	29.79	12.64	4.04	1	1	6/17/2011 11:16	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	6.00	in	SE	12.00	0.10	Stockpiled		FALSE	FALSE	FALSE		UXO QC not conducted for Design Study Sampling Investigation		0			0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B217G0	2120617.09	5742480.44	920	233.50	365.10	118.29	72.17	37.04	13.88	1	1	6/17/2011 11:19	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	0.00	in		6.00	0.10	Stockpiled	main hit out of work area	FALSE	FALSE	FALSE		UXO QC not conducted for Design Study Sampling Investigation		0			0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B217G0	2120620.66	5742420.38	748	135.40	178.60	75.09	45.20	22.10	8.45	1	1	6/17/2011 9:45	Matthew Lauchner	FALSE	MD (standard)	fuze, projectile, PD, M557	Unknown	Unknown		Inert	6.00	in	W	6.00	2.00	Stockpiled		FALSE	FALSE	FALSE		UXO QC not conducted for Design Study Sampling Investigation		0			116	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B217G0	2120697.25	5742421.75	753	112.10	174.90	55.44	31.31	11.93	3.58	1	1	6/17/2011 10:00	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	12.00	in	W	3.00	0.10	Stockpiled		FALSE	FALSE	FALSE		UXO QC not conducted for Design Study Sampling Investigation		0			0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B217G0	2120673.75	5742424.00	771	71.90	71.90	39.42	23.43	9.42	2.18	1	1	6/17/2011 9:55	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	6.00	in	S	6.00	0.50	Stockpiled		FALSE	FALSE	FALSE		UXO QC not conducted for Design Study Sampling Investigation		0			0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B217G0	2120646.25	5742417.50	727	267.60	267.70	122.13	77.22	37.55	14.40	1	1	6/10/2011 12:22	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	0.00	in		9.00	1.50	Stockpiled		FALSE	FALSE	FALSE		UXO QC not conducted for Design Study Sampling Investigation		0			0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B217G9	2120615.25	5742332.50	576	58.60	118.40	22.27	17.20	8.99	3.36	1	1	6/17/2011 13:28	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	0.00	in		6.00	0.25	Stockpiled		FALSE	FALSE	FALSE		UXO QC not conducted for Design Study Sampling Investigation		0			0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B217G9	2120614.50	5742347.75	584	403.50	411.50	185.22	123.12	62.75	28.51	1	1	6/17/2011 13:23	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	6.00	in	NE	3.00	0.50	Stockpiled		FALSE	FALSE	FALSE		UXO QC not conducted for Design Study Sampling Investigation		0			0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B217G9	2120631.75	5742361.25	592	702.60	702.60	355.20	220.02	105.32	37.75	1	1	6/17/2011 12:59	Matthew Lauchner	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73	Unknown	Unknown		Live	0.00	in		3.00	0.50	Detonated	Disposed 5/28/13	FALSE	FALSE	FALSE		UXO QC not conducted for Design Study Sampling Investigation		0			363	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B217G9	2120618.23	5742359.56	593	385.50	462.50	211.70	121.71	51.23	15.30	1	1	6/17/2011 13:05	Matthew Lauchner	FALSE	MD (standard)	fuze, projectile, PD, M557	Unknown	Unknown		Inert	6.00	in	S	6.00	2.00	Stockpiled		FALSE	FALSE	FALSE		UXO QC not conducted for Design Study Sampling Investigation		0			116	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B217G9	2120618.23	5742359.56	593	385.50	462.50	211.70	121.71	51.23	15.30	2	1	6/17/2011 13:09	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	6.00	in	E	0.00	0.50	Stockpiled		FALSE	FALSE	FALSE		UXO QC not conducted for Design Study Sampling Investigation		0			0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B217G9	2120657.00	5742377.75	682	967.70	970.40	414.06	275.95	138.02	52.36	1	1	6/17/2011 12:56	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	12.00	in	S	6.00	0.50	Stockpiled		FALSE	FALSE	FALSE		UXO QC not conducted for Design Study Sampling Investigation		0			0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B217G9	2120691.25	5742326.83	525	388.30	1022.60	196.50	118.11	59.86	21.88	1	1	6/17/2011 13:37	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	0.00	in		6.00	0.50	Stockpiled		FALSE	FALSE	FALSE		UXO QC not conducted for Design Study Sampling Investigation		0			0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B217G9	2120675.50	5742381.25	714	157.60	203.20	71.46	47.38	25.41	11.09	1	1	6/17/2011 12:47	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	0.00	in		3.00	0.10	Stockpiled		FALSE	FALSE	FALSE		UXO QC not conducted for Design Study Sampling Investigation		0			0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B217H0	2120731.72	5742423.50	775	69.20	280.10	28.51	20.09	12.17	5.03	1	1	6/17/2011 10:25	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	0.00	in		3.00	0.10	Stockpiled		FALSE	FALSE	FALSE		UXO QC not conducted for Design Study Sampling Investigation		0			0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B217H0	2120712.54	5742425.14	780	331.40	360.20	169.17	96.78	40.58	12.52	1	1	6/17/2011 10:04	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	6.00	in	S	6.00	0.10	Stockpiled		FALSE	FALSE	FALSE		UXO QC not conducted for Design Study Sampling Investigation		0			0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B217H0	2120721.50	5742425.50	784	255.30	255.60	119.76	71.83	32.32	12.34	1	1	6/17/2011 10:21	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	6.00	in	S	12.00	0.10	Stockpiled		FALSE	FALSE	FALSE		UXO QC not conducted for Design Study Sampling Investigation		0			0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B217H0	2120784.75	5742451.13	831	196.00	227.10	100.61	59.84	27.28	9.02	1	1	6/17/2011 10:34	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	0.00	in		3.00	0.10	Stockpiled		FALSE	FALSE	FALSE		UXO QC not conducted for Design Study Sampling Investigation		0			0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B217H0	2120736.32	5742475.54	859	237.60	391.60	128.58	72.54	30.14	8.76	1	1	6/10/2011 12:23	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	0.00	in		12.00	2.00	Stockpiled		FALSE	FALSE	FALSE		UXO QC not conducted for Design Study Sampling Investigation		0			0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B217H9	2120794.50	5742330.00	568	170.40	170.40	80.16	46.41	18.68	6.04	1	1	6/17/2011 10:18	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	24.00	in	NE	6.00	0.50	Stockpiled		FALSE	FALSE	FALSE		UXO QC not conducted for Design Study Sampling Investigation		0			0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B217H9	2120792.50	5742377.75	684	348.00	348.00	142.34	106.69	64.45	34.85	1	1	6/17/2011 12:34	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	0.00	in		6.00	0.50	Stockpiled		FALSE	FALSE	FALSE		UXO QC not conducted for Design Study Sampling Investigation		0			0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B217H9	2120727.75	5742379.00	690	55.70	145.70	22.94	17.78	11.40	6.46	1	1	6/17/2011 12:44	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	0.00	in		3.00	0.50	Stockpiled		FALSE	FALSE	FALSE		UXO QC not conducted for Design Study Sampling Investigation		0			0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B217H9	2120738.75	5742380.25	703	185.30	369.50	103.19	56.14	20.71	4.09	1	1	6/17/2011 0:00	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	0.00	in		0.00	0.10	Stockpiled		FALSE	FALSE	FALSE		UXO QC not conducted for Design Study Sampling Investigation		0	</				

Interim Action Ranges	E39 - MCP Reserve R44 South	B21887	2120151.00	5743119.75	4825	231.00	241.60	103.93	70.88	35.93	16.69	1	1	6/21/2011 10:57	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	6.00	in	NE	6.00	1.00	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range	
Interim Action Ranges	E39 - MCP Reserve R44 South	B21887	2120185.67	5743125.44	4968	80.20	449.00	65.81	44.09	25.69	10.91	1	1	6/21/2011 11:02	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	8.00	in	S	6.00	0.10	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range	
Interim Action Ranges	E39 - MCP Reserve R44 South	B21887	2120127.50	5743130.75	5070	146.00	146.00	72.54	47.18	20.33	6.31	1	1	6/21/2011 10:55	Andrew Caldwell	FALSE	Munitions Debris	Fuze	Unknown	Unknown	Fragments	Inert	2.00	in	N	6.00	2.00	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range	
Interim Action Ranges	E39 - MCP Reserve R44 South	B21887	2120211.50	5743169.00	5117	52.70	52.70	29.44	17.69	5.37	1.00	1	1	6/21/2011 11:06	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	4.00	in	E	6.00	0.10	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range	
Interim Action Ranges	E39 - MCP Reserve R44 South	B21887	2120164.50	5743172.50	5174	180.70	319.00	83.48	56.74	29.48	11.61	1	1	6/21/2011 11:12	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	6.00	in	SE	6.00	1.00	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range	
Interim Action Ranges	E39 - MCP Reserve R44 South	B21888	2120189.00	5743220.00	5419	115.20	118.20	50.71	36.24	19.36	9.19	1	1	6/21/2011 11:25	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	7.00	in	W	6.00	0.10	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range	
Interim Action Ranges	E39 - MCP Reserve R44 South	B21888	2120168.75	5743226.87	5500	211.90	317.50	80.54	49.26	27.67	10.19	1	1	6/21/2011 11:20	Andrew Caldwell	FALSE	Munitions Debris	Projectile	81mm High Explosive	Tail Boom	Inert	3.00	in	SW	9.00	1.00	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range		
Interim Action Ranges	E39 - MCP Reserve R44 South	B21888	2120122.00	5743267.00	5617	540.40	540.40	244.44	171.79	88.36	28.67	1	1	6/21/2011 11:33	Andrew Caldwell	FALSE	Munitions Debris	Fuze	Unknown	Unknown	Components	Inert	1.00	in	NE	6.00	0.50	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range	
Interim Action Ranges	E39 - MCP Reserve R44 South	B21888	2120157.25	5743269.75	5629	98.60	98.60	48.76	29.37	13.14	4.24	1	1	6/21/2011 11:38	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	3.00	in	S	6.00	0.10	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range	
Interim Action Ranges	E39 - MCP Reserve R44 South	B21888	2120118.25	5743271.50	5642	158.30	169.70	74.46	48.88	24.02	7.35	1	1	6/21/2011 11:31	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	9.00	in	SE	6.00	0.10	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range	
Interim Action Ranges	E39 - MCP Reserve R44 South	B21888	2120121.75	5743276.75	5711	51.90	51.90	25.18	16.25	8.01	2.53	1	0	6/21/2011 11:35	Andrew Caldwell	FALSE	No Contact	NA																			
Interim Action Ranges	E39 - MCP Reserve R44 South	B21889	2120127.61	5743327.47	5860	20.20	112.60	14.01	6.75	1.12	-0.76	1	1	6/22/2011 8:30	Andrew Caldwell	FALSE	Munitions Debris	Fuze	Unknown	Unknown	Components	Inert	4.00	in	SW	6.00	0.50	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range	
Interim Action Ranges	E39 - MCP Reserve R44 South	B21889	2120168.75	5743329.50	5894	54.10	92.80	28.01	17.26	7.08	1.67	1	1	6/22/2011 8:33	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	5.00	in	NE	6.00	0.10	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range	
Interim Action Ranges	E39 - MCP Reserve R44 South	B21889	2120212.50	5743358.25	6033	55.90	101.10	32.86	15.32	4.96	1.05	1	0	6/22/2011 8:21	Andrew Caldwell	FALSE	No Contact	NA																			
Interim Action Ranges	E39 - MCP Reserve R44 South	B21889	2120124.25	5743361.25	6036	101.10	101.10	48.65	32.46	15.47	4.67	1	0	6/22/2011 8:21	Andrew Caldwell	FALSE	No Contact	NA																			
Interim Action Ranges	E39 - MCP Reserve R44 South	B21889	2120145.75	5743374.25	6155	83.00	96.50	43.13	29.98	13.75	5.00	1	1	6/22/2011 8:26	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	8.00	in	NE	6.00	0.10	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range	
Interim Action Ranges	E39 - MCP Reserve R44 South	B21890	2120274.00	5743421.50	6261	55.10	123.20	19.02	17.08	12.02	7.23	1	1	6/22/2011 9:17	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	6.00	in	S	6.00	0.10	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range	
Interim Action Ranges	E39 - MCP Reserve R44 South	B21890	2120231.00	5743429.00	6329	173.80	177.20	77.03	51.24	27.46	11.97	1	1	6/22/2011 9:21	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	5.00	in	SW	6.00	0.50	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range	
Interim Action Ranges	E39 - MCP Reserve R44 South	B21890	2120286.75	5743439.25	6376	167.40	296.90	82.73	51.11	23.03	6.83	1	1	6/22/2011 9:13	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	5.00	in	N	6.00	0.10	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range	
Interim Action Ranges	E39 - MCP Reserve R44 South	B21890	2120213.50	5743450.75	6395	221.60	266.80	106.20	67.64	34.71	14.32	1	1	6/22/2011 10:02	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	4.00	in	NE	6.00	0.50	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range	
Interim Action Ranges	E39 - MCP Reserve R44 South	B21890	2120211.25	5743462.50	6412	218.20	218.20	98.71	66.74	33.06	10.78	1	1	6/22/2011 10:06	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	5.00	in	W	6.00	0.50	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range	
Interim Action Ranges	E39 - MCP Reserve R44 South	B21890	2120283.50	5743470.50	6439	200.10	200.20	99.14	59.03	29.72	12.52	1	1	6/22/2011 10:12	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	5.00	in	SW	6.00	0.50	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range	
Interim Action Ranges	E39 - MCP Reserve R44 South	B21890	2120271.75	5743474.25	6472	77.20	134.70	37.41	26.23	13.31	3.65	1	1	6/22/2011 10:11	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	8.00	in	W	6.00	0.50	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range	
Interim Action Ranges	E39 - MCP Reserve R44 South	B21890	2120245.00	5742879.75	2826	339.20	352.30	155.23	99.12	45.80	16.42	1	1	6/22/2011 11:01	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	24.00	in	NE	6.00	0.50	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range	
Interim Action Ranges	E39 - MCP Reserve R44 South	B21890	2120220.75	5742871.50	2621	125.10	131.00	45.86	34.31	19.21	8.78	1	1	6/22/2011 11:00	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	24.00	in	NE	6.00	0.10	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range	
Interim Action Ranges	E39 - MCP Reserve R44 South	B21890	2120284.25	5742839.13	2513	93.50	119.60	45.62	28.55	15.56	5.95	1	1	6/22/2011 10:59	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	24.00	in	NE	6.00	0.10	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range	
Interim Action Ranges	E39 - MCP Reserve R44 South	B21890	2120287.75	5742869.75	2598	95.60	96.30	42.57	29.44	14.64	7.37	1	1	6/21/2011 16:48	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	4.00	in	E	6.00	0.10	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range	
Interim Action Ranges	E39 - MCP Reserve R44 South	B21890	2120252.50	5742832.00	2468	246.70	246.70	106.91	74.09	39.95	15.91	1	1	6/22/2011 10:59	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	24.00	in	N	6.00	0.50	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range	
Interim Action Ranges	E39 - MCP Reserve R44 South	B21890	2120240.50	5742824.25	2302	218.40	222.00	101.43	68.21	36.48	15.64	1	1	6/22/2011 10:57	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	6.00	in	NE	6.00	2.00	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range	
Interim Action Ranges	E39 - MCP Reserve R44 South	B21890	2120235.25	5742825.75	2344	67.10	147.60	34.87	20.97	9.15	2.57	1	1	6/22/2011 10:58	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	24.00	in	NE	6.00	1.00	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range	
Interim Action Ranges	E39 - MCP Reserve R44 South	B21890	2120255.00	5742927.75	3179	1032.90	1032.90	415.91	305.76	190.76	106.30	1	1	6/21/2011 11:05	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	10.00	in	NE	3.00	0.50	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range	
Interim Action Ranges	E39 - MCP Reserve R44 South	B21890	2120268.25	5742927.75	3180	337.20	337.20	137.36	102.09	62.04	32.93	1	1	6/21/2011 16:41	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	4.00	in	SE	9.00	1.00	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range	
Interim Action Ranges	E39 - MCP Reserve R44 South	B21890	2120240.16	5742976.18	3580	1135.00	1447.00	547.67	340.50	189.52	65.25	1	1	6/21/2011 16:36	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	6.00	in	E	12.00	7.00	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range	
Interim Action Ranges	E39 - MCP Reserve R44 South	B21890	2120249.50	5742977.50	3622	432.70	570.00	186.97	122.99	59.67	22.44	1	1	6/21/2011 16:32	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert															

Interim Action Ranges	E39 - MCP Reserve R44 South	B2IBD6	2120377.25	5743082.00	4702	646.60	1039.00	306.24	196.65	106.04	43.71	2	1	6/23/2011 17:31	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	0.00	in		9.00	3.00	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2IBD6	2120377.25	5743082.00	4702	646.60	1039.00	306.24	196.65	106.04	43.71	1	1	6/23/2011 17:30	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fuze	Inert	0.00	in		6.00	0.50	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2IBD6	2120303.62	5743025.37	4013	1538.70	1807.00	730.18	472.04	239.45	92.22	2	1	6/23/2011 17:24	Andrew Caldwell	FALSE	Munitions Debris	Fuze	Unknown	Unknown	Components	Inert	0.00	in		6.00	0.50	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2IBD6	2120303.62	5743025.37	4013	1538.70	1807.00	730.18	472.04	239.45	92.22	1	1	6/23/2011 17:24	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	0.00	in		15.00	7.00	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2IBD7	2120359.00	5743115.75	4740	471.40	503.40	241.73	141.35	65.58	19.87	1	1	6/22/2011 13:54	Bruce Moe	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	4.00	in	NE	9.00	0.50	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2IBD7	2120309.25	5743116.75	4747	155.40	1186.60	75.56	48.67	22.08	6.24	1	1	6/22/2011 13:49	Bruce Moe	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	6.00	in	W	6.00	0.25	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2IBD7	2120347.35	5743125.74	5003	1447.40	2319.70	683.27	426.19	227.76	85.81	1	6	6/22/2011 13:46	Bruce Moe	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	12.00	in	N	12.00	2.00	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2IBD7	2120378.75	5743177.88	5285	443.80	991.10	295.93	189.58	110.11	40.81	1	1	6/22/2011 15:21	Bruce Moe	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	5.00	in	NE	15.00	1.00	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2IBD7	2120309.75	5743177.50	5299	259.70	452.50	115.21	69.51	32.75	13.39	1	1	6/22/2011 15:20	Bruce Moe	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	6.00	in	N	9.00	0.25	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2IBE1	2120472.50	5742524.00	1022	50.70	50.70	15.11	14.00	10.69	8.30	1	1	6/21/2011 14:03	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	6.00	in	S	3.00	0.10	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2IBE1	2120435.48	5742527.22	1039	116.70	339.70	54.08	34.79	19.23	5.56	1	1	6/21/2011 13:53	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	0.00	in		3.00	0.10	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2IBE1	2120456.00	5742527.50	1063	453.80	620.60	216.06	137.91	69.18	27.51	1	1	6/21/2011 13:58	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	0.00	in		3.00	0.50	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2IBE1	2120418.50	5742538.00	1095	301.60	303.40	138.04	94.12	47.54	17.46	1	1	6/21/2011 13:48	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	0.00	in		3.00	0.10	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2IBE1	2120422.00	5742549.50	1104	174.10	174.10	73.69	54.82	31.04	14.76	1	1	6/21/2011 13:43	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	0.00	in		3.00	0.10	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2IBE1	2120428.13	5742558.88	1109	296.40	396.60	140.15	95.65	52.67	22.02	1	1	6/21/2011 13:40	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	0.00	in		3.00	0.10	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2IBE2	2120469.00	5742623.75	1343	117.40	119.60	48.13	32.60	16.04	7.29	1	1	6/21/2011 11:37	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	0.00	in		3.00	0.25	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2IBE2	2120473.00	5742675.50	1444	11.00	316.30	7.42	5.67	3.98	1.47	1	1	6/21/2011 10:52	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	20.00	in	E	3.00	0.10	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2IBE2	2120416.75	5742639.25	1401	179.60	1153.50	79.25	53.18	27.34	12.54	1	1	6/21/2011 11:35	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	6.00	in	S	3.00	0.10	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2IBE2	2120419.00	5742648.25	1406	1086.70	1086.70	509.12	334.34	173.91	69.66	1	1	6/21/2011 11:33	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	12.00	in	S	18.00	9.50	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2IBE2	2120483.00	5742670.75	1420	241.00	1458.60	80.17	58.71	33.92	16.68	1	1	6/21/2011 11:08	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	6.00	in	S	6.00	0.10	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2IBE2	2120470.64	5742679.13	1478	231.30	282.00	112.47	17.72	35.51	13.74	1	1	6/21/2011 11:23	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	6.00	in	S	3.00	0.50	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2IBE3	2120498.75	5742725.75	1681	510.70	512.00	242.84	151.62	76.22	28.48	1	1	6/21/2011 10:12	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	0.00	in		3.00	0.10	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2IBE3	2120416.50	5742728.75	1753	185.30	200.50	103.57	60.28	23.73	6.23	1	1	6/21/2011 9:23	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	6.00	in	S	3.00	0.10	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2IBE3	2120474.25	5742730.25	1786	54.90	377.50	23.92	17.56	10.33	4.90	1	1	6/21/2011 10:06	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	12.00	in	S	0.00	0.10	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2IBE3	2120457.75	5742731.25	1801	129.80	134.20	68.93	39.50	16.38	5.09	1	1	6/21/2011 10:00	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	0.00	in		3.00	0.10	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2IBE3	2120448.75	5742767.50	1913	177.80	184.30	81.16	52.06	25.52	9.67	1	1	6/21/2011 9:19	Matthew Lauchner	FALSE	Munitions Debris	Fuze	Unknown	Unknown	Fragments	Inert	6.00	in	S	3.00	0.25	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2IBE3	2120444.75	5742775.75	2006	58.40	138.40	31.16	20.57	11.58	4.81	1	1	6/21/2011 9:17	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	6.00	in	E	6.00	0.25	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2IBE3	2120410.50	5742792.50	2178	83.90	149.20	34.21	26.32	14.92	7.64	1	1	6/21/2011 9:16	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	0.00	in		3.00	0.10	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2IBE4	2120455.82	5742821.35	2220	300.30	430.00	150.04	100.37	50.97	21.09	1	1	6/21/2011 8:35	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	6.00	in	S	3.00	0.25	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2IBE4	2120450.00	5742822.25	2260	128.90	308.20	68.59	40.15	14.33	3.58	1	1	6/21/2011 8:30	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	6.00	in	S	3.00	0.10	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2IBE4	2120413.75	5742826.00	2353	76.90	96.00	40.96	25.10	11.53	3.91	1	1	6/21/2011 8:24	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	6.00	in	W	0.00	0.50	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2IBE4	2120420.75	5742831.00	2456	216.40	300.00	92.94	64.13	35.08	17.48	1	1	6/21/2011 8:21	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	0.00	in		6.00	0.10	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2IBE4	2120415.50	5742857.00	2558	590.20	590.20	282.02	185.57	91.72	34.42	1	1	6/21/2011 8:09	Matthew Lauchner	FALSE	Munitions Debris	Fuze	Unknown	Unknown	Fragments																

Interim Action Ranges	E39 - MCP Reserve R44 South	B2BF1	2120528.00	5742528.00	1075	318.90	318.90	159.45	97.67	46.30	15.58	1	1	6/21/2011 14:12	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	6.00	in	W	3.00	0.50	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2BF1	2120593.00	5742523.75	1019	96.50	345.20	41.66	30.84	15.17	6.33	1	1	6/24/2011 10:24	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	6.00	in	E	6.00	0.50	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2BF1	2120558.25	5742524.00	1025	238.30	754.60	108.83	71.72	38.36	17.23	1	1	6/24/2011 9:55	Matthew Lauchner	FALSE	Munitions Debris	Fuze	Unknown	Unknown	Fragments	Inert	6.00	in	S	6.00	1.00	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2BF1	2120598.50	5742524.00	1026	549.30	549.30	277.92	170.31	72.66	21.84	1	1	6/24/2011 10:30	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	12.00	in	S	12.00	1.50	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2BF1	2120565.50	5742525.00	1030	462.10	600.90	199.68	123.40	69.00	26.62	1	1	6/21/2011 14:17	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	6.00	in	S	3.00	0.10	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2BF1	2120580.66	5742574.29	1144	185.60	563.20	100.40	65.76	41.72	15.39	1	1	6/24/2011 11:35	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	24.00	in	N	3.00	0.50	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2BF1	2120508.75	5742574.50	1152	390.40	411.50	172.89	120.67	64.06	30.16	1	1	6/24/2011 10:39	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Tail Boom	Inert	6.00	in	S	6.00	0.50	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2BF1	2120524.75	5742574.75	1154	58.60	143.90	30.76	18.10	6.47	2.07	1	1	6/21/2011 13:30	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	0.00	in		3.00	0.10	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2BF1	2120561.26	5742576.52	1160	52.10	156.60	18.46	7.37	0.55	-1.47	1	1	6/24/2011 11:21	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	6.00	in	S	3.00	0.10	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2BF1	2120566.75	5742573.75	1141	125.30	127.80	59.45	35.05	11.57	3.30	1	1	6/24/2011 11:22	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	6.00	in	E	6.00	0.10	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2BF1	2120541.50	5742575.75	1194	151.90	411.10	52.96	45.20	27.63	13.63	1	1	6/24/2011 11:07	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fuze	Inert	6.00	in	S	6.00	0.50	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2BF1	2120514.50	5742578.00	1198	345.60	434.80	160.08	100.01	48.85	21.12	1	1	6/24/2011 10:41	Matthew Lauchner	FALSE	MD (standard)	fuze, projectile, PD, M557				Inert	12.00	in	W	12.00	0.50	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	116	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2BF1	2120527.25	5742578.00	1199	156.20	574.90	82.19	47.36	20.65	5.75	1	1	6/24/2011 10:51	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	6.00	in	S	6.00	0.10	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2BF1	2120532.75	5742578.00	1200	157.60	192.40	68.67	49.20	26.76	12.17	1	1	6/24/2011 10:59	Matthew Lauchner	FALSE	Munitions Debris	Projectile	60mm	Unknown	Fin	Inert	6.00	in	E	12.00	0.50	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2BF1	2120577.00	5742578.11	1205	240.30	382.30	119.40	69.46	28.50	8.98	1	1	6/24/2011 11:26	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	6.00	in	N	12.00	0.25	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2BF1	2120554.75	5742579.00	1207	59.10	59.10	22.68	16.84	9.31	5.88	1	1	6/24/2011 11:09	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	12.00	in	S	3.00	0.25	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2BF1	2120516.57	5742582.08	1239	371.60	434.80	169.14	105.25	53.71	23.67	1	1	6/24/2011 10:48	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	18.00	in	S	12.00	0.25	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2BF1	2120503.75	5742583.00	1257	426.20	496.70	210.60	143.39	71.33	25.97	1	1	6/24/2011 10:35	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	6.00	in	S	6.00	0.25	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2BF1	2120537.25	5742583.00	1258	97.60	144.50	53.04	31.83	14.87	6.39	1	1	6/21/2011 13:26	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	6.00	in	S	3.00	0.25	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2BF1	2120594.17	5742581.92	1259	911.20	1108.90	428.70	289.34	162.95	77.04	1	1	6/24/2011 11:37	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	6.00	in	E	3.00	0.50	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2BF1	2120584.50	5742518.50	945	466.80	471.20	234.65	141.70	65.39	23.00	1	1	6/24/2011 10:12	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	6.00	in	W	6.00	1.00	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2BF1	2120558.50	5742519.50	946	670.00	994.40	327.05	218.97	130.56	56.87	1	1	6/24/2011 10:00	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	6.00	in	W	6.00	0.25	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2BF1	2120594.75	5742520.75	981	345.20	511.80	174.68	105.03	53.58	22.04	1	1	6/24/2011 10:18	Matthew Lauchner	FALSE	MD (standard)	fuze, projectile, PD, M557				Inert	18.00	in	S	6.00	0.50	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	116	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2BF1	2120506.24	5742519.91	952	496.00	1130.70	216.42	134.25	60.74	22.85	1	1	6/24/2011 9:44	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	6.00	in	W	3.00	1.00	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2BF1	2120571.00	5742519.75	966	225.40	768.30	107.73	60.29	29.28	9.15	1	1	6/24/2011 10:02	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fuze	Inert	6.00	in	E	3.00	0.25	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2BF2	2120546.25	5742617.25	1267	73.90	165.00	41.77	22.86	7.44	2.19	1	1	6/24/2011 12:45	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	6.00	in	S	3.00	0.25	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2BF2	2120571.75	5742617.50	1274	668.70	668.70	316.21	202.34	102.42	40.80	1	1	6/24/2011 13:23	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	3.00	in	S	12.00	3.00	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2BF2	2120541.26	5742619.04	1276	74.70	266.80	38.87	25.95	12.73	5.13	1	1	6/24/2011 12:42	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	12.00	in	W	3.00	0.25	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2BF2	2120504.96	5742677.60	1479	290.20	865.20	169.56	101.56	52.54	18.56	1	1	6/24/2011 14:25	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	12.00	in	S	18.00	1.50	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2BF2	2120557.75	5742678.25	1480	178.10	178.10	91.34	54.97	24.21	7.51	1	1	6/27/2011 16:39	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	8.00	in	SW	6.00	0.20	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2BF2	2120599.00	5742678.25	1481	54.50	174.30	19.09	13.23	8.15	3.55	1	1	6/27/2011 16:40	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	5.00	in	SE	6.00	0.20	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2BF2	2120512.58	5742680.50	1520	499.30	669.30	263.60	146.45	73.60	29.33	1	1	6/24/2011 14:39	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	12.00	in	W	18.00	1.50	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2BF2	2120528.25	5742681.75	1524	639.90	920.70	313.56	196.83	94.43	36.98	1	1	6/27/2011 16:44	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	4.00	in	SW	6.00	0.10	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2BF2																																		

Interim Action Ranges	E39 - MCP Reserve R44 South	B218F3	2120501.15	5742730.02	1769	206.70	241.80	74.55	50.10	26.60	11.20	1	1	6/27/2011 15:55	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	4.00 in	N	6.00	0.20	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B218F3	2120543.75	5742726.50	1704	128.10	301.60	53.36	42.58	24.94	7.25	1	1	6/21/2011 10:17	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	6.00 in	S	3.00	0.10	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B218F3	2120560.50	5742726.75	1709	134.30	134.30	58.22	41.91	23.01	9.68	1	1	6/27/2011 15:52	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	4.00 in	NE	9.00	1.00	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B218F3	2120510.50	5742727.75	1733	403.60	976.70	190.01	122.82	62.46	24.73	1	1	6/27/2011 15:54	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	7.00 in	SW	6.00	0.20	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B218F3	2120508.44	5742724.86	1653	848.00	1267.50	433.18	295.55	152.19	72.49	1	1	6/27/2011 15:51	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	6.00 in	NE	9.00	0.50	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B218F3	2120531.00	5742780.50	2127	62.50	65.80	29.76	18.70	9.22	3.54	1	1	6/27/2011 16:21	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	6.00 in	S	9.00	0.50	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B218F3	2120547.00	5742781.00	2134	81.90	154.50	37.80	24.64	11.95	4.23	1	1	6/27/2011 16:22	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	7.00 in	SW	6.00	0.20	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B218F3	2120530.50	5742773.75	1979	82.50	88.10	43.45	25.34	10.63	2.79	1	1	6/21/2011 10:38	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	0.00 in		6.00	0.10	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B218F3	2120573.80	5742775.01	1986	80.70	267.40	38.13	23.92	13.80	5.75	1	1	6/27/2011 16:13	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	1.00 in	SW	6.00	0.20	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B218F3	2120523.25	5742775.50	2024	181.60	183.30	77.67	51.09	24.62	10.94	1	1	6/21/2011 10:48	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	6.00 in	E	3.00	0.10	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B218F3	2120529.75	5742776.75	2057	68.50	88.10	29.67	21.74	11.62	6.41	1	1	6/27/2011 16:19	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	6.00 in	NE	9.00	0.20	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B218F3	2120542.75	5742776.75	2058	405.90	405.90	180.54	124.10	66.84	32.82	1	1	6/21/2011 10:34	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	3.00 in	E	3.00	0.10	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B218F3	2120513.75	5742776.00	2037	198.40	198.40	99.38	61.14	28.16	10.95	1	1	6/27/2011 16:17	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	6.00 in	N	6.00	0.20	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B218F3	2120536.25	5742778.75	2095	82.30	82.30	41.17	26.42	11.24	4.04	1	1	6/27/2011 16:20	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	6.00 in	NE	6.00	0.20	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B218F3	2120506.50	5742774.75	1999	74.50	124.40	46.05	24.39	7.43	0.79	1	1	6/27/2011 16:14	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	2.00 in	SW	6.00	0.20	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B218F3	2120546.63	5742775.63	2001	37.40	232.60	29.54	16.87	7.48	1.72	1	1	6/27/2011 16:16	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	5.00 in	SW	6.00	0.20	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B218F3	2120563.16	5742775.77	2007	644.90	1028.10	307.04	198.96	104.00	40.80	1	1	6/21/2011 10:32	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	6.00 in	W	12.00	5.00	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B218F3	2120504.00	5742771.25	1937	151.60	157.20	67.14	44.55	22.20	10.80	1	1	6/27/2011 16:08	Andrew Caldwell	FALSE	Munitions Debris	Fuze	M557	Point Detonating	Fragments	Inert	5.00 in	NE	6.00	0.10	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B218F3	2120516.75	5742771.50	1940	141.60	144.30	69.02	39.90	16.03	4.53	1	1	6/27/2011 16:09	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	5.00 in	S	6.00	0.20	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B218F3	2120560.50	5742772.88	1944	538.50	927.70	277.52	180.07	94.34	34.85	1	1	6/27/2011 16:10	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	8.00 in	S	6.00	0.20	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B218F3	2120501.00	5742773.00	1966	129.90	157.20	65.51	41.63	18.14	6.12	1	1	6/27/2011 16:27	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	5.00 in	NE	6.00	0.10	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B218F3	2120553.00	5742774.00	1969	80.20	145.70	44.26	28.89	14.73	5.92	1	1	6/27/2011 16:11	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	5.00 in	NW	6.00	0.20	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B218F3	2120580.75	5742755.25	1875	177.10	335.10	72.91	53.75	31.07	14.93	1	1	6/27/2011 16:04	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	7.00 in	S	6.00	0.20	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B218F3	2120574.71	5742759.36	1885	114.20	179.50	68.39	45.20	23.47	9.41	1	1	6/27/2011 16:05	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	7.00 in	SW	9.00	0.50	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B218F3	2120571.50	5742765.00	1899	52.10	52.10	19.41	16.99	10.21	5.10	1	1	6/21/2011 10:22	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	6.00 in	S	6.00	0.10	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B218F4	2120588.50	5742857.75	2559	71.90	83.10	32.99	22.08	9.55	3.59	1	1	6/27/2011 14:10	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	6.00 in	W	6.00	0.05	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B218F4	2120586.75	5742865.00	2580	81.80	213.30	36.26	24.40	12.77	6.03	1	1	6/27/2011 14:17	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	6.00 in	NE	6.00	0.10	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B218F4	2120580.50	5742868.00	2592	276.90	326.00	125.72	86.83	45.52	17.78	1	1	6/27/2011 14:18	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	10.00 in	W	6.00	1.00	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B218F4	2120511.25	5742871.75	2632	68.10	109.80	34.91	20.24	6.91	1.63	1	1	6/21/2011 8:58	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	6.00 in	S	3.00	0.10	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B218F4	2120525.25	5742871.75	2633	73.10	218.30	39.49	22.32	10.41	3.04	1	1	6/27/2011 15:48	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	6.00 in	N	6.00	0.10	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B218F4	2120528.50	5742872.25	2642	212.00	219.60	108.52	65.82	30.68	10.65	1	1	6/21/2011 8:53	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	6.00 in	S	3.00	0.10	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B218F4	2120551.75	5742874.13	2664	231.00	348.60	123.30	78.55	43.43	17.23	1	1	6/27/2011 15:25	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	5.00 in	SE	9.00	1.00	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B218F4	2120576.75	5742873.75	2674	135.50	135.50	65.62	40.18	19.15	8.36	1	1	6/21/2011 8:44	Matthew Lauchner	FALSE	MD (standard)	fuze, projectile, PD, M557				Inert	0.00 in		3.00	0.50	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	116	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B218F4	2120586.00	5742870.50	2605	272.60	272.60	142.88	83.73	35.57	11.90	1	1	6/27/2011 14:24	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	5.												

Interim Action Ranges	E39 - MCP Reserve R44 South	B218F6	2120582.25	5743066.00	4307	58.80	77.90	38.13	16.76	4.07	-0.08	1	1	6/22/2011 16:34	Bruce Moe	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	3.00	in	SE	6.00	0.25	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B218F7	2120550.64	5743118.23	4753	810.80	947.20	391.54	247.19	119.56	46.51	1	1	6/22/2011 14:08	Bruce Moe	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	4.00	in	NE	6.00	0.25	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B218F7	2120573.25	5743121.75	4871	111.70	113.10	38.55	27.79	15.84	7.27	1	1	6/22/2011 14:12	Bruce Moe	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Projectile	Inert	6.00	in	W	6.00	0.25	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B218F7	2120529.75	5743172.50	5177	272.80	272.80	135.61	83.33	39.17	15.17	1	1	6/22/2011 14:26	Bruce Moe	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	6.00	in	SE	9.00	0.25	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B218F7	2120528.50	5743180.75	5367	165.00	854.20	81.17	49.38	25.83	11.26	1	1	6/22/2011 14:23	Bruce Moe	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	6.00	in	SE	9.00	0.25	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B218F7	2120546.44	5743179.23	5347	58.80	121.40	31.67	17.06	6.98	2.63	1	1	6/22/2011 14:21	Bruce Moe	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	12.00	in	SE	9.00	0.25	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B218F8	2120505.50	5743225.75	5501	713.80	713.80	331.44	211.63	106.38	41.15	1	1	6/22/2011 15:58	Bruce Moe	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	6.00	in	NE	6.00	0.50	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B218F8	2120516.25	5743230.00	5559	367.40	371.90	175.22	115.86	57.41	21.78	1	1	6/22/2011 15:55	Bruce Moe	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	6.00	in	SE	12.00	1.00	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B218F8	2120559.50	5743281.75	5770	424.00	429.60	184.98	125.53	65.03	26.19	1	1	6/22/2011 16:26	Bruce Moe	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	5.00	in	S	9.00	0.25	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B218F8	2120585.00	5743275.50	5696	72.20	229.40	31.39	21.10	10.88	4.14	1	1	6/22/2011 16:24	Bruce Moe	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	2.00	in	NE	6.00	0.25	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B218G1	2120619.50	5742582.75	1254	76.60	77.40	44.23	22.94	7.81	2.52	1	1	6/21/2011 13:14	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	6.00	in	S	3.00	0.10	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B218G1	2120646.75	5742582.75	1255	101.10	29.30	42.29	32.26	18.05	7.38	1	1	6/21/2011 13:10	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	3.00	in	E	3.00	0.10	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B218G1	2120692.60	5742580.02	1217	47.70	230.00	15.27	11.47	5.04	2.98	1	1	6/21/2011 13:06	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	0.00	in		3.00	0.10	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B218G1	2120697.50	5742578.00	1201	194.40	201.60	85.37	62.25	32.68	13.12	1	1	6/28/2011 13:59	Bruce Moe	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	3.00	in	SE	6.00	0.20	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B218G1	2120647.00	5742577.75	1197	293.20	304.30	115.13	80.59	47.48	22.84	1	1	6/28/2011 14:23	Bruce Moe	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	3.00	in	SE	6.00	0.20	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B218G1	2120674.25	5742577.75	1196	556.70	884.30	273.20	169.66	84.42	32.10	1	1	6/28/2011 14:15	Bruce Moe	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	5.00	in	SE	9.00	0.20	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B218G1	2120603.75	5742573.75	1142	160.10	166.60	73.52	43.30	21.26	6.79	1	1	6/28/2011 15:19	Bruce Moe	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	3.00	in	SE	6.00	0.20	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B218G1	2120635.04	5742523.88	1161	455.20	678.50	224.59	132.02	65.04	19.96	1	1	6/28/2011 9:25	Bruce Moe	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	2.00	in	NE	9.00	0.20	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B218G1	2120621.25	5742575.75	1167	83.20	88.50	34.69	22.96	9.06	3.29	1	1	6/28/2011 15:13	Bruce Moe	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	4.00	in	S	6.00	0.20	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B218G1	2120642.50	5742575.75	1168	429.20	429.20	176.94	125.54	72.54	35.54	1	1	6/28/2011 14:29	Bruce Moe	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	3.00	in	SE	9.00	0.50	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B218G1	2120683.50	5742575.75	1170	1130.60	1143.50	524.21	332.86	165.54	65.44	1	1	6/28/2011 14:08	Bruce Moe	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	4.00	in	SE	6.00	1.00	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B218G1	2120618.75	5742525.25	1036	307.90	77.60	124.05	84.61	48.16	23.10	1	1	6/28/2011 9:11	Bruce Moe	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	3.00	in	SW	9.00	0.50	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B218G1	2120600.22	5742527.86	1067	298.60	502.70	150.57	86.07	42.59	8.44	1	1	6/28/2011 9:14	Bruce Moe	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	4.00	in	SE	6.00	0.20	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B218G1	2120682.90	5742527.86	1070	119.30	294.70	76.28	35.04	10.39	0.21	1	1	6/21/2011 14:26	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	8.00	in	S	6.00	0.50	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B218G1	2120678.00	5742525.75	1050	136.20	579.90	62.48	42.79	21.07	8.65	1	1	6/28/2011 10:30	Bruce Moe	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	3.00	in	E	6.00	0.20	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B218G1	2120612.25	5742526.50	1058	896.90	896.90	454.37	288.29	126.67	38.10	1	1	6/28/2011 9:12	Bruce Moe	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	2.00	in	SE	6.00	0.20	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B218G1	2120605.25	5742528.00	1077	214.10	497.50	94.77	64.25	34.19	15.64	1	1	6/30/2011 13:09	Bruce Moe	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	0.00	in		6.00	1.00	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B218G1	2120648.88	5742524.68	1078	466.80	590.00	261.68	155.20	69.91	23.97	1	1	6/28/2011 10:38	Bruce Moe	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	2.00	in	SE	9.00	0.50	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B218G1	2120693.25	5742529.75	1089	384.30	384.30	187.56	118.18	56.64	22.33	1	1	6/28/2011 10:42	Bruce Moe	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	5.00	in	SE	6.00	0.20	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B218G1	2120678.29	5742574.77	1138	359.20	580.50	155.71	92.59	44.22	11.78	1	1	6/28/2011 14:12	Bruce Moe	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	3.00	in	E	6.00	1.00	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B218G1	2120692.00	5742573.50	1159	261.30	261.30	122.48	79.77	40.16	18.03	1	1	6/21/2011 13:04	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	6.00	in	S	3.00	0.25	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B218G1	2120623.25	5742519.25	995	378.00	378.00	196.68	111.13	39.97	9.67	1	1	6/21/2011 14:21	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	6.00	in	S	3.00	0.10	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B218G1	2120647.88	5742521.13	974	366.80	590.00	177.44	107.03	52.77	18.25	1	1	6/28/2011 9:29	Bruce M																						

Interim Action Ranges	E39 - MCP Reserve R44 South	B2I8G7	2120649.00	5743173.25	5199	201.50	946.00	79.54	50.88	24.15	10.14	1	1	6/22/2011 11:37	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	0.00	in	S	3.00	0.10	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range				
Interim Action Ranges	E39 - MCP Reserve R44 South	B2I8G7	2120663.75	5743127.50	5041	215.40	222.70	92.23	63.27	34.75	16.83	1	1	6/22/2011 11:20	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	6.00	in	S	3.00	0.10	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range				
Interim Action Ranges	E39 - MCP Reserve R44 South	B2I8G8	2120622.88	5743224.56	5471	92.70	282.80	41.14	28.58	15.88	7.06	1	1	6/22/2011 12:57	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	0.00	in	S	3.00	0.10	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range				
Interim Action Ranges	E39 - MCP Reserve R44 South	B2I8G8	2120641.75	5743274.75	5688	78.20	171.90	37.95	24.14	12.44	5.61	1	1	6/22/2011 13:43	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	6.00	in	S	3.00	0.25	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range				
Interim Action Ranges	E39 - MCP Reserve R44 South	B2I8G8	2120683.75	5743275.25	5693	104.70	114.20	53.62	32.60	14.09	3.98	1	1	6/22/2011 13:31	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	3.00	in	E	3.00	0.25	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range				
Interim Action Ranges	E39 - MCP Reserve R44 South	B2I8G8	2120689.00	5743271.50	5644	208.10	758.60	102.20	65.34	27.98	10.38	1	1	6/22/2011 13:27	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	0.00	in	S	3.00	0.50	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range				
Interim Action Ranges	E39 - MCP Reserve R44 South	B2I8G8	2120667.53	5743272.28	5650	123.40	291.50	60.57	40.99	22.04	10.51	1	1	6/22/2011 13:38	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	0.00	in	S	3.00	0.10	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range				
Interim Action Ranges	E39 - MCP Reserve R44 South	B2I8G9	2120640.00	5743329.75	5903	92.50	95.90	42.06	26.57	10.86	2.48	1	0	6/22/2011 13:48	Matthew Lauchner	FALSE	No Contact	NA														large roots on surface	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2I8G9	2120624.25	5743371.88	6106	45.00	102.60	26.69	12.78	4.52	0.88	1	1	6/22/2011 13:55	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	12.00	in	N	3.00	0.10	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range				
Interim Action Ranges	E39 - MCP Reserve R44 South	B2I8G9	2120675.80	5743371.48	6079	193.90	359.80	91.63	59.63	30.20	11.93	1	1	6/22/2011 14:05	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	0.00	in	S	3.00	0.25	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range				
Interim Action Ranges	E39 - MCP Reserve R44 South	B2I8G9	2120615.00	5743339.75	6005	62.50	92.70	29.48	16.39	6.00	1.56	1	1	6/22/2011 13:51	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	3.00	in	E	3.00	0.10	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range				
Interim Action Ranges	E39 - MCP Reserve R44 South	B2I8G9	2120682.75	5743343.00	6010	72.00	73.10	29.94	21.77	12.58	6.21	1	1	6/22/2011 14:06	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	6.00	in	E	3.00	0.25	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range				
Interim Action Ranges	E39 - MCP Reserve R44 South	B2I8H1	2120763.25	5742577.25	1187	176.30	216.80	91.72	48.53	17.20	5.06	1	1	6/28/2011 13:31	Bruce Moe	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	4.00	in	SE	9.00	0.20	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range				
Interim Action Ranges	E39 - MCP Reserve R44 South	B2I8H1	2120724.25	5742579.75	1220	90.50	132.20	42.45	26.90	12.40	4.63	1	1	6/28/2011 13:48	Bruce Moe	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	3.00	in	SE	6.00	0.20	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range				
Interim Action Ranges	E39 - MCP Reserve R44 South	B2I8H1	2120730.50	5742580.75	1223	64.90	143.20	39.70	22.62	10.43	4.34	1	1	6/21/2011 13:00	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	6.00	in	W	3.00	0.10	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range				
Interim Action Ranges	E39 - MCP Reserve R44 South	B2I8H1	2120744.00	5742581.50	1244	282.80	283.80	140.62	86.03	38.38	13.11	1	1	6/21/2011 12:57	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	6.00	in	W	3.00	0.50	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range				
Interim Action Ranges	E39 - MCP Reserve R44 South	B2I8H1	2120749.50	5742581.50	1245	347.00	357.10	176.82	102.59	40.27	10.40	1	1	6/20/2011 16:31	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	6.00	in	S	3.00	0.10	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range				
Interim Action Ranges	E39 - MCP Reserve R44 South	B2I8H1	2120737.75	5742576.00	1175	269.40	269.40	125.86	84.16	42.53	17.22	1	1	6/28/2011 13:42	Bruce Moe	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	3.00	in	SE	6.00	0.20	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range				
Interim Action Ranges	E39 - MCP Reserve R44 South	B2I8H1	2120745.50	5742576.00	1176	87.70	170.50	40.14	26.91	13.09	5.44	1	1	6/28/2011 13:39	Bruce Moe	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	3.00	in	E	9.00	0.20	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range				
Interim Action Ranges	E39 - MCP Reserve R44 South	B2I8H1	2120772.00	5742576.50	1179	392.50	392.50	207.86	120.10	50.37	13.43	1	1	6/28/2011 13:29	Bruce Moe	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	3.00	in	SE	12.00	0.20	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range				
Interim Action Ranges	E39 - MCP Reserve R44 South	B2I8H1	2120773.00	5742572.00	1122	591.00	597.30	300.32	180.45	80.64	25.13	1	1	6/28/2011 13:24	Bruce Moe	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	3.00	in	SE	12.00	1.00	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range				
Interim Action Ranges	E39 - MCP Reserve R44 South	B2I8H1	2120760.25	5742572.25	1127	68.00	229.20	36.71	21.45	7.70	1.35	1	1	6/28/2011 13:36	Bruce Moe	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	4.00	in	SE	9.00	0.20	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range				
Interim Action Ranges	E39 - MCP Reserve R44 South	B2I8H1	2120783.75	5742572.25	1128	447.80	457.80	232.79	142.90	68.32	24.44	1	1	6/28/2011 13:16	Bruce Moe	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	3.00	in	SE	9.00	2.00	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range				
Interim Action Ranges	E39 - MCP Reserve R44 South	B2I8H1	2120760.25	5742528.50	1082	192.90	196.50	97.62	60.34	30.48	12.71	1	1	6/28/2011 11:43	Bruce Moe	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	4.00	in	S	9.00	0.50	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range				
Interim Action Ranges	E39 - MCP Reserve R44 South	B2I8H1	2120706.00	5742528.75	1085	151.00	286.40	76.21	47.47	20.45	6.47	1	1	6/28/2011 10:49	Bruce Moe	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	3.00	in	E	6.00	0.20	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range				
Interim Action Ranges	E39 - MCP Reserve R44 South	B2I8H1	2120731.88	5742527.38	1086	65.20	388.50	29.58	17.96	14.03	5.67	1	1	6/28/2011 11:15	Bruce Moe	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	3.00	in	NE	9.00	0.20	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range				
Interim Action Ranges	E39 - MCP Reserve R44 South	B2I8H1	2120735.54	5742525.47	1059	350.90	458.30	186.66	109.83	49.11	14.47	1	1	6/28/2011 11:23	Bruce Moe	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	3.00	in	SE	6.00	0.10	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range				
Interim Action Ranges	E39 - MCP Reserve R44 South	B2I8H1	2120714.50	5742525.75	1051	193.30	363.70	92.94	57.40	27.76	12.50	1	1	6/28/2011 11:01	Bruce Moe	FALSE	Munitions Debris	Fuze	M557	Point Detonating Components	Inert	3.00	in	E	6.00	0.50	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range					
Interim Action Ranges	E39 - MCP Reserve R44 South	B2I8H1	2120700.87	5742528.97	1064	468.20	486.70	242.16	145.95	68.21	23.13	1	1	6/21/2011 14:31	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	6.00	in	E	12.00	0.50	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range				
Interim Action Ranges	E39 - MCP Reserve R44 South	B2I8H1	2120702.50	5742525.50	1040	329.00	383.90	154.17	98.06	46.29	17.11	1	1	6/28/2011 10:49	Bruce Moe	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	4.00	in	SE	6.00	0.20	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range				
Interim Action Ranges	E39 - MCP Reserve R44 South	B2I8H1	2120742.50	5742524.50	1033	90.80	103.20	42.60	29.77	13.42	5.18	1	1	6/28/2011 11:27	Bruce Moe	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	4.00	in	SE	9.00	0.20	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range				
Interim Action Ranges	E39 - MCP Reserve R44 South	B2I8H1	2120767.25	5742524.75	1034	68.50	113.90	34.56	23.51	9.30	3.01	1	1	6/28/2011 12:54	Bruce Moe	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	3.00	in	SE	9.00	0.20	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range				
Interim Action Ranges	E39 - MCP Reserve R44 South	B2I8H1	2120778.00	5742523.25	1035	198.30	292.20	94.82	62.01	33.19	13.11	1	1	6/21/2011 14:38	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	6.00	in	S	3.00	0.10	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range				
Interim Action Ranges																																								

Interim Action Ranges	E39 - MCP Reserve R44 South	B2I8H5	2120790.25	5742940.50	3321	76.90	86.70	38.12	24.35	10.88	4.38	1	1	6/22/2011 10:19	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	6.00	in	E	3.00	0.10	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2I8H5	2120785.00	5742970.75	3406	117.90	119.50	55.39	34.47	16.34	6.54	1	1	6/22/2011 10:46	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	6.00	in	S	3.00	0.10	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2I8H5	2120763.75	5742926.25	3138	273.40	273.40	129.62	85.53	44.13	17.74	1	1	6/22/2011 10:34	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	6.00	in	E	3.00	0.10	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2I8H5	2120738.00	5742977.00	3604	121.10	121.10	56.28	37.73	18.55	7.77	1	1	6/22/2011 10:42	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	6.00	in	E	3.00	0.10	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2I8H6	2120717.75	5743058.75	4292	79.60	89.10	38.15	25.30	12.70	4.43	1	1	6/30/2011 10:42	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	6.00	in	S	3.00	0.25	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2I8H6	2120749.00	5743021.00	3928	97.20	186.50	50.42	29.26	11.25	3.11	1	1	6/22/2011 10:50	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	6.00	in	E	3.00	0.10	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2I8H6	2120743.00	5743020.50	3903	79.60	185.50	40.52	24.20	11.55	3.72	1	1	6/30/2011 8:39	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	6.00	in	S	6.00	0.25	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2I8H6	2120793.50	5743002.00	3795	71.30	225.60	31.37	19.82	8.85	2.64	1	1	6/22/2011 10:48	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	0.00	in		3.00	0.10	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2I8H6	2120789.75	5743005.00	3798	290.50	306.10	135.50	91.76	49.13	21.66	1	1	6/30/2011 0:00	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	0.00	in		3.00	0.50	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2I8H6	2120737.00	5743024.00	4042	155.80	479.90	80.44	49.04	20.98	5.82	1	1	6/30/2011 8:34	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	6.00	in	S	6.00	0.10	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2I8H6	2120758.50	5743024.00	4044	145.10	147.50	55.40	40.50	21.93	10.49	1	1	6/30/2011 8:44	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	6.00	in	S	3.00	0.10	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2I8H6	2120728.75	5743024.25	4052	87.50	21.80	44.17	27.29	12.28	4.12	1	1	6/30/2011 8:27		FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	0.00	in		6.00	0.25	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2I8H6	2120731.75	5743025.75	4101	60.90	121.20	27.61	18.62	9.93	4.27	1	1	6/30/2011 8:31	Matthew Lauchner	FALSE	Munitions Debris	Fuze	Unknown	Unknown	Fragments	Inert	6.00	in	E	3.00	0.10	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2I8H6	2120767.75	5743028.75	4202	75.80	75.80	40.37	24.55	10.23	2.74	1	1	6/30/2011 8:46	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	6.00	in	E	3.00	0.10	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2I8H6	2120758.25	5743029.75	4222	66.00	71.60	34.10	19.70	7.91	2.28	1	1	6/30/2011 8:43	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	6.00	in	S	3.00	0.25	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2I8H6	2120774.53	5743030.48	4223	109.10	257.00	46.43	28.25	12.85	4.24	1	1	6/30/2011 8:53	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	3.00	in	E	3.00	0.10	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2I8H6	2120728.25	5743033.75	4245	50.00	77.70	20.98	16.96	9.20	3.22	1	1	6/22/2011 10:53	Matthew Lauchner	FALSE	Munitions Debris	Fuze	Unknown	Unknown	Fragments	Inert	6.00	in	W	3.00	0.25	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2I8H6	2120725.75	5743037.00	4253	76.80	77.70	39.42	25.25	10.48	2.50	1	1	6/30/2011 8:21	Matthew Lauchner	FALSE	Munitions Debris	Fuze	Unknown	Unknown	Fragments	Inert	6.00	in	E	3.00	0.50	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2I8H6	2120720.13	5743041.88	4261	64.10	127.50	23.55	15.53	7.74	2.86	1	1	6/22/2011 10:55	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	0.00	in		3.00	0.10	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2I8H6	2120792.00	5743046.25	4271	312.80	331.60	146.68	98.53	54.04	24.20	1	1	6/30/2011 9:00	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	6.00	in	E	3.00	0.10	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2I8H6	2120785.94	5743050.61	4283	67.00	87.30	33.35	21.03	9.52	3.36	1	1	6/30/2011 9:02	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	6.00	in	E	3.00	0.10	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2I8H6	2120788.25	5743099.75	4731	88.90	89.70	41.75	27.16	14.00	5.83	1	1	6/30/2011 10:13	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	0.00	in		3.00	0.10	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2I8H6	2120749.75	5743078.75	4614	365.10	388.50	169.99	119.78	61.24	23.04	1	1	6/22/2011 10:59	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	6.00	in	E	3.00	0.10	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2I8H6	2120775.13	5743080.25	4636	81.40	88.80	36.90	23.93	12.28	4.22	1	1	6/30/2011 10:17	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	0.00	in		3.00	0.10	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2I8H6	2120790.25	5743062.75	4301	87.70	88.80	41.91	27.13	13.93	6.23	1	1	6/30/2011 9:12	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	6.00	in	E	3.00	0.10	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2I8H6	2120771.25	5743069.75	4321	54.60	54.60	25.52	16.71	8.19	3.07	1	1	6/30/2011 10:20	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	6.00	in	S	6.00	0.10	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2I8H6	2120784.50	5743068.50	4314	197.50	199.20	91.64	61.61	32.47	14.39	1	1	6/30/2011 9:16	Matthew Lauchner	FALSE	Munitions Debris	Fuze	Unknown	Detonating	Fragments	Inert	6.00	in	N	3.00	0.10	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2I8H6	2120753.25	5743074.75	4458	83.50	97.00	39.81	26.01	12.59	5.14	1	1	6/30/2011 10:28	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	0.00	in		3.00	0.10	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2I8H6	2120721.00	5743075.00	4467	178.00	181.80	77.49	55.37	31.37	15.13	1	1	6/22/2011 10:59	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	6.00	in	S	3.00	0.10	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2I8H6	2120761.25	5743073.00	4392	59.10	59.10	28.68	17.38	8.70	3.92	1	1	6/30/2011 10:24	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	0.00	in		3.00	0.10	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2I8H6	2120780.00	5743071.50	4394	325.60	325.60	151.23	97.37	46.01	17.29	1	1	6/30/2011 10:10	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	6.00	in	E	3.00	0.25	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2I8H7	2120785.25	5743117.25	4759	141.80	141.80	73.09	43.72	17.66	4.59	1	1	6/22/2011 11:05	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	6.00	in	E	3.00	0.10	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2I8H7	2120759.75	5743180.25	5358	416.70	416.70	203.84	131.96	68.54	31.16	1	1	6/22/2011 11:27	Matthew Lauchner	FALSE	Munitions Debris	Projectile	105mm	Unknown	Base Plate	Inert	6.00	in	W	3.00	2.00										

Interim Action Ranges	E39 - MCP Reserve R44 South	B2I8I3	2120809.75	5742776.50	2051	63.60	88.00	35.12	20.70	8.04	2.82	1	1	6/30/2011 14:00	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	6.00	in	S	3.00	0.10	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2I8I3	2120812.50	5742777.50	2074	87.40	314.30	38.97	22.73	9.74	3.56	1	1	6/30/2011 14:03	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	0.00	in	S	3.00	0.10	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2I8I3	2120840.50	5742774.75	2003	130.90	136.10	63.48	42.50	21.70	8.46	1	1	6/30/2011 15:02	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	6.00	in	S	3.00	0.50	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2I8I3	2120861.25	5742773.50	1978	324.20	324.20	143.76	99.11	53.60	22.57	1	1	6/30/2011 15:10	Matthew Lauchner	FALSE	Munitions Debris	Fuze	Unknown	Unknown	Fragments	Inert	6.00	in	S	6.00	0.50	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2I8I3	2120842.06	5742726.98	1729	213.80	635.30	130.07	73.11	39.94	11.14	1	1	6/30/2011 13:04	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	6.00	in	W	18.00	4.00	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2I8I4	2120873.00	5742823.25	2279	86.80	377.80	40.34	22.83	10.70	3.97	1	1	6/20/2011 9:17	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	3.00	in	S	3.00	0.10	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2I8I4	2120808.97	5742824.89	2291	105.30	273.70	45.59	31.32	16.66	6.57	1	1	6/28/2011 13:15	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	8.00	in	W	6.00	0.10	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2I8I4	2120861.75	5742820.75	2229	159.20	287.40	72.81	50.79	26.92	9.93	1	1	6/28/2011 13:34	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	4.00	in	SW	6.00	0.20	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2I8I4	2120826.00	5742822.13	2243	54.60	68.30	29.01	18.47	9.19	2.56	1	1	6/28/2011 13:30	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	4.00	in	NW	6.00	0.10	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2I8I4	2120867.25	5742819.50	2209	590.90	594.50	309.39	181.33	77.11	22.65	1	1	6/28/2011 13:51	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	4.00	in	NW	12.00	5.00	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2I8I4	2120880.00	5742856.50	2556	653.30	653.30	313.52	200.29	98.08	40.07	1	1	6/28/2011 14:15	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Base Plate	Inert	6.00	in	S	6.00	3.00	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2I8I4	2120876.75	5742856.00	2554	94.70	560.50	45.11	30.49	15.85	6.30	1	1	6/28/2011 14:14	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	5.00	in	SW	6.00	0.10	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2I8I4	2120885.00	5742851.13	2547	63.50	68.70	29.14	20.23	10.60	3.76	1	1	6/20/2011 9:03	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	12.00	in	W	3.00	0.25	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2I8I4	2120883.75	5742863.75	2579	123.50	130.20	58.32	38.30	19.44	7.30	1	1	6/28/2011 14:20	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	7.00	in	SE	6.00	0.10	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2I8I4	2120884.50	5742858.25	2560	94.50	95.30	52.14	29.89	11.14	1.74	1	1	6/28/2011 14:10	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	8.00	in	SW	6.00	0.10	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2I8I4	2120878.50	5742868.25	2593	95.40	98.80	45.69	29.26	15.33	6.38	1	1	6/30/2011 13:11	Bruce Moe	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	0.00	in		6.00	1.00	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2I8I4	2120867.75	5742874.00	2684	123.20	123.20	62.16	37.88	17.44	5.87	1	1	6/28/2011 15:36	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	6.00	in	S	6.00	0.10	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2I8I4	2120859.75	5742876.75	2750	71.20	202.40	42.15	21.26	8.12	2.65	1	1	6/28/2011 15:44	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	3.00	in	S	6.00	0.25	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2I8I4	2120844.75	5742875.50	2715	89.50	367.20	33.57	26.03	18.56	10.36	1	1	6/28/2011 16:04	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	6.00	in	E	3.00	0.25	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2I8I4	2120853.00	5742875.50	2716	612.00	612.00	262.25	175.72	94.49	44.40	1	1	6/28/2011 15:46	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	3.00	in	E	3.00	0.10	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2I8I4	2120879.22	5742833.67	2471	139.20	172.90	61.62	42.68	23.58	10.42	1	1	6/20/2011 9:12	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	3.00	in	N	3.00	0.10	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2I8I4	2120806.50	5742830.00	2445	52.10	153.90	22.04	13.23	6.53	2.32	1	0	6/28/2011 13:15	Andrew Caldwell	FALSE	No Contact	NA												FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2I8I4	2120867.22	5742827.09	2349	75.30	232.30	33.87	22.98	18.53	8.89	1	1	6/28/2011 14:03	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	4.00	in	W	6.00	0.10	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2I8I4	2120811.00	5742827.75	2393	270.40	273.70	117.28	76.06	35.29	12.34	1	1	6/20/2011 9:28	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	12.00	in	W	3.00	0.50	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2I8I4	2120871.50	5742825.50	2336	377.30	377.80	161.71	108.51	60.82	31.34	1	1	6/28/2011 14:05	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	5.00	in	NW	6.00	0.50	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2I8I4	2120817.25	5742825.25	2330	419.70	419.70	179.73	121.50	63.34	26.73	1	1	6/28/2011 13:20	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	10.00	in	SE	6.00	1.00	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2I8I4	2120814.82	5742879.48	2811	42.30	194.50	12.92	9.31	4.07	1.22	1	1	6/20/2011 8:57	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	3.00	in	S	3.00	0.25	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2I8I4	2120850.00	5742883.75	2883	234.00	235.70	109.64	69.07	32.75	11.50	1	1	6/28/2011 15:58	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Projectile	Inert	6.00	in	S	3.00	0.25	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2I8I4	2120845.00	5742884.00	2886	93.00	153.50	39.75	25.91	12.35	4.44	1	1	6/28/2011 16:00	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	3.00	in	E	6.00	0.25	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2I9C1	2120249.00	5743525.25	6529	210.30	210.30	90.36	63.37	33.05	12.56	1	1	6/22/2011 10:24	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	7.00	in	NE	6.00	0.50	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2I9C1	2120287.50	5743501.75	6505	155.60	322.10	81.13	49.80	22.93	7.25	1	1	6/22/2011 10:19	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	4.00	in	W	6.00	0.10	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2I9C1	2120267.31	5743579.37	6664	167.60	356.90	82.73	54.12	28.06	12.95	1	1	6/22/2011 10:35	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	5.00	in	NE	6.00	0.10	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2I9C1	2120279.63	5743579.63	6668	57.10	159.80	26.10	16.67	8.54	3.72	1	1	6/22/2011 10:39	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	9.00	in	NW	6.00	0.10	Stockpiled		FALSE							

Interim Action Ranges	E39 - MCP Reserve R44 South	B2J7C4	2121227.50	5741836.63	134	47.70	314.40	29.08	21.55	14.44	7.17	1	1	6/20/2011 15:50	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	2.00 in	W	6.00	0.10	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range	
Interim Action Ranges	E39 - MCP Reserve R44 South	B2J7C4	2121228.50	5741839.50	137	306.50	314.40	136.93	93.31	47.68	20.53	1	1	6/20/2011 15:54	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	3.00 in	SW	6.00	0.50	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range	
Interim Action Ranges	E39 - MCP Reserve R44 South	B2J7C4	2121230.25	5741843.75	139	132.50	159.00	73.99	41.31	15.62	3.07	1	1	6/20/2011 15:55	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	10.00 in	N	6.00	0.10	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range	
Interim Action Ranges	E39 - MCP Reserve R44 South	B2J7C4	2121277.08	5741866.73	156	45.40	110.00	20.25	14.84	8.23	2.95	1	1	6/20/2011 16:05	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	3.00 in	SW	6.00	0.10	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range	
Interim Action Ranges	E39 - MCP Reserve R44 South	B2J7C4	2121278.75	5741873.00	162	233.00	240.20	96.61	63.41	31.59	13.26	1	1	6/20/2011 16:07	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	12.00 in	NW	6.00	0.20	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range	
Interim Action Ranges	E39 - MCP Reserve R44 South	B2J7C4	2121229.25	5741899.25	180	94.10	94.10	49.10	28.29	11.32	3.71	1	1	6/20/2011 15:59	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	1.00 in	N	9.00	0.10	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range	
Interim Action Ranges	E39 - MCP Reserve R44 South	B2J7C5	2121223.50	5741915.25	187	116.00	120.90	55.08	36.24	18.30	7.35	1	1	6/20/2011 16:38	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	7.00 in	E	6.00	0.10	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range	
Interim Action Ranges	E39 - MCP Reserve R44 South	B2J7C5	2121276.25	5741924.50	192	61.90	63.40	35.98	21.12	7.64	2.14	1	0	6/20/2011 16:18	Andrew Caldwell	FALSE	No Contact	NA											FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range	
Interim Action Ranges	E39 - MCP Reserve R44 South	B2J7C5	2121274.75	5741930.00	196	68.00	70.50	29.27	18.96	9.96	4.04	1	1	6/20/2011 16:19	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	14.00 in	NE	12.00	0.10	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range	
Interim Action Ranges	E39 - MCP Reserve R44 South	B2J7C5	2121223.50	5741939.50	201	112.30	114.10	53.68	35.02	16.78	6.57	1	1	6/20/2011 16:31	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	3.00 in	E	6.00	0.10	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range	
Interim Action Ranges	E39 - MCP Reserve R44 South	B2J7C5	2121282.00	5741981.00	229	83.90	178.30	37.25	26.87	13.40	6.24	1	1	6/20/2011 16:24	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	4.00 in	N	6.00	0.10	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range	
Interim Action Ranges	E39 - MCP Reserve R44 South	B2J7C5	2121278.55	5741954.76	240	600.30	75145.30	369.76	146.19	140.10	76.03	1	0	6/20/2011 16:22	Andrew Caldwell	FALSE	No Contact	NA									hit in brushline outside of work area	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range		
Interim Action Ranges	E39 - MCP Reserve R44 South	B2J7C6	2121224.28	5742012.91	248	69.90	124.30	41.07	26.04	11.93	2.77	1	1	6/20/2011 16:44	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	12.00 in	W	6.00	0.10	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range	
Interim Action Ranges	E39 - MCP Reserve R44 South	B2J7C6	2121277.25	5742020.50	251	61.10	364.00	28.57	17.96	8.35	1.96	1	1	6/20/2011 16:55	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	4.00 in	NE	9.00	0.10	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range	
Interim Action Ranges	E39 - MCP Reserve R44 South	B2J7C6	2121230.25	5742046.25	263	259.70	259.70	117.63	77.64	42.82	21.34	1	1	6/20/2011 16:50	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	5.00 in	SE	6.00	0.50	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range	
Interim Action Ranges	E39 - MCP Reserve R44 South	B2J7C6	2121225.50	5742083.75	294	150.60	150.60	69.75	46.91	24.05	8.36	1	1	6/20/2011 16:51	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	5.00 in	SW	3.00	0.10	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range	
Interim Action Ranges	E39 - MCP Reserve R44 South	B2J7C6	2121267.50	5742084.00	295	378.20	1428.80	217.57	108.56	42.75	12.60	1	1	6/20/2011 16:45	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	8.00 in	E	6.00	0.50	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range	
Interim Action Ranges	E39 - MCP Reserve R44 South	B2J7C6	2121237.25	5742087.00	298	142.80	156.50	62.51	45.38	22.97	8.90	1	1	6/20/2011 16:54	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	9.00 in	N	6.00	0.10	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range	
Interim Action Ranges	E39 - MCP Reserve R44 South	B2J7C8	2121287.25	5742207.50	316	194.40	194.40	103.56	58.37	23.19	6.79	1	1	6/22/2011 13:30	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	4.00 in	SW	6.00	0.10	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range	
Interim Action Ranges	E39 - MCP Reserve R44 South	B2J7C8	2121284.94	5742212.34	319	106.80	186.80	59.93	33.44	15.93	5.40	1	1	6/22/2011 13:31	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	5.00 in	NE	6.00	0.10	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range	
Interim Action Ranges	E39 - MCP Reserve R44 South	B2J7C8	2121251.50	5742217.50	323	61.70	61.30	24.17	15.09	7.06	2.04	1	1	6/22/2011 13:41	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	5.00 in	SW	6.00	0.10	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range	
Interim Action Ranges	E39 - MCP Reserve R44 South	B2J7C8	2121279.25	5742269.75	411	65.50	95.10	25.84	17.60	8.04	3.39	1	1	6/22/2011 14:01	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	5.00 in	N	6.00	0.10	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range	
Interim Action Ranges	E39 - MCP Reserve R44 South	B2J7C8	2121271.12	5742271.26	418	139.40	204.50	56.11	35.64	17.69	7.36	1	1	6/22/2011 14:09	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	4.00 in	SW	9.00	0.10	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range	
Interim Action Ranges	E39 - MCP Reserve R44 South	B2J7C8	2121217.00	5742225.00	349	27.80	94.30	24.95	13.41	6.05	1.72	1	0	6/22/2011 13:55	Andrew Caldwell	FALSE	No Contact	NA										FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range		
Interim Action Ranges	E39 - MCP Reserve R44 South	B2J8A3	2121090.75	5742733.50	1822	54.60	54.60	26.85	17.68	7.68	2.39	1	1	6/22/2011 11:21	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	5.00 in	N	6.00	0.10	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range	
Interim Action Ranges	E39 - MCP Reserve R44 South	B2J8B3	2121129.25	5742726.50	1705	396.70	396.70	197.16	124.72	61.70	24.53	1	1	6/22/2011 11:02	Andrew Caldwell	FALSE	MD (standard)	fuze, projectile, PD, M557					Inert	8.00 in	W	6.00	0.50	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	116	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2J8B3	2121107.75	5742719.00	1583	87.80	78.10	37.96	23.52	10.37	3.06	1	0	6/22/2011 10:59	Andrew Caldwell	FALSE	No Contact	NA										FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range		
Interim Action Ranges	E39 - MCP Reserve R44 South	B2J8B3	2121113.00	5742778.25	2089	88.70	88.70	42.17	28.75	13.86	4.77	1	1	6/22/2011 11:06	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	8.00 in	SW	6.00	0.50	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range	
Interim Action Ranges	E39 - MCP Reserve R44 South	B2J8B3	2121152.78	5742776.95	2076	253.60	384.00	99.54	65.96	37.18	14.84	1	1	6/22/2011 11:15	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	8.00 in	SW	9.00	3.00	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range	
Interim Action Ranges	E39 - MCP Reserve R44 South	B2J8C0	2121227.25	5743430.50	6347	70.80	77.70	35.60	22.12	11.49	5.51	1	1	6/17/2011 10:34	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	6.00 in	E	9.00	0.20	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range	
Interim Action Ranges	E39 - MCP Reserve R44 South	B2J8C0	2121290.00	5743471.50	6450	64.80	414.50	26.84	16.64	6.78	2.01	1	1	6/17/2011 10:18	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	4.00 in	SE	6.00	0.10	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range	
Interim Action Ranges	E39 - MCP Reserve R44 South	B2J8C0	2121250.00	5743467.25	6418	67.50	67.90	37.17	20.87	6.79	1.52	1	1	6/17/2011 10:30	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	8.00 in	SE	6.00	0.10	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range	
Interim Action Ranges	E39 - MCP Reserve R44 South	B2J8C0	2121292.50	5743467.75	6423	608.70	1409.20	240.14	175.75	104.96	59.57	1	1	6/17/2011 10:17	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	11.00 in	NE	6.00	2.50	Stockpiled		FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range	
Interim Action Ranges	E39 - MCP Reserve R44 South	B2J8C3	2121212.75	5742777.75	2079	84.10	411.50	37.60	25.09	13.96	7.10	1	1	6/28/2011 13:02	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	5.00 in	E	6.00												

Interim Action Ranges	E39 - MCP Reserve R44 South	B2JBC9	2121214.25	5743330.78	5896	179.30	252.90	81.55	52.97	30.21	12.64	1	1	6/17/2011 12:44	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	5.00	in	SW	9.00	6.00	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2JBC9	2121263.25	5743323.75	5805	199.90	372.00	82.77	61.94	36.53	16.47	1	1	6/17/2011 12:52	Andrew Caldwell	FALSE	MD (standard)	fuze, projectile, PD, M557				Inert	4.00	in	SW	6.00	0.50	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	116	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2JBC9	2121272.25	5743324.00	5812	678.70	700.30	334.48	212.71	100.31	34.52	1	1	6/17/2011 13:54	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	8.00	in	S	15.00	7.00	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2JBD0	2121317.50	5743467.75	6425	107.20	116.00	70.76	30.41	4.26	-0.51	1	1	6/17/2011 0:00	Andrew Caldwell	FALSE	Munitions Debris	Rocket	3.5" M29 series	Practice	Fin	Inert	6.00	in	S	3.00	0.10	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2JBD0	2121369.75	5743469.25	6432	149.00	149.90	60.48	46.31	26.83	12.00	1	1	6/17/2011 10:04	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	6.00	in	E	6.00	0.50	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2JBD0	2121352.50	5743424.50	6292	103.60	103.60	56.82	32.46	12.46	3.21	1	1	6/17/2011 9:49	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	12.00	in	SE	9.00	0.50	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2JBD0	2121329.50	5743425.50	6302	183.50	190.60	72.07	52.70	29.32	12.36	1	1	6/17/2011 9:55	Andrew Caldwell	FALSE	Munitions Debris	Fuze	Unknown	Unknown	Components	Inert	5.00	in	SE	6.00	0.50	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2JBD9	2121393.00	5743330.00	5890	105.20	644.10	91.03	60.83	37.44	13.55	1	1	6/20/2011 10:22	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	24.00	in	N	9.00	0.50	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2JBD9	2121346.75	5743325.50	5830	655.30	662.90	247.70	155.94	72.70	27.38	1	1	6/17/2011 14:39	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	4.00	in	W	12.00	5.50	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2JBD9	2121396.00	5743332.50	5942	644.10	646.40	314.35	206.69	97.83	37.81	1	1	6/20/2011 10:22	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	24.00	in	E	12.00	2.00	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2JBD9	2121320.75	5743333.75	5974	78.50	81.80	38.73	24.66	11.38	3.80	1	1	6/17/2011 14:19	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	8.00	in	W	3.00	0.10	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2JBD9	2121314.97	5743370.01	6057	647.80	1242.40	310.46	197.30	82.95	30.57	1	1	6/20/2011 10:24	Andrew Caldwell	FALSE	Munitions Debris	Fuze	Unknown	Unknown	Components	Inert	5.00	in	E	6.00	0.50	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2JBD9	2121308.00	5743372.25	6128	285.20	703.00	143.59	91.82	39.69	14.11	1	1	6/20/2011 10:27	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	19.00	in	NE	15.00	1.00	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2JBE0	2121457.25	5743429.50	6336	701.00	702.40	312.50	201.01	95.58	32.84	1	1	6/17/2011 8:50	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	10.00	in	SE	12.00	4.00	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2JBE0	2121481.25	5743409.25	6244	1061.90	1061.90	524.37	329.47	151.45	51.68	1	1	6/17/2011 9:39	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	4.00	in	N	15.00	12.00	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2JBE0	2121416.88	5743422.13	6265	629.00	685.30	291.49	195.29	105.65	42.69	2	1	6/17/2011 8:20	Andrew Caldwell	FALSE	MD (standard)	fuze, projectile, PD, M557				Inert	5.00	in	E	6.00	0.50	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	116	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2JBE0	2121416.88	5743422.13	6265	629.00	685.30	291.49	195.29	105.65	42.69	1	1	6/17/2011 8:19	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	5.00	in	N	12.00	3.00	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2JBE0	2121400.79	5743472.05	6457	430.10	859.00	182.75	111.57	62.24	19.19	1	1	6/17/2011 8:02	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	9.00	in	SW	9.00	4.00	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2JBE9	2121434.00	5743377.75	6208	200.50	1442.30	82.35	61.21	35.22	15.61	1	1	6/20/2011 0:00	Andrew Caldwell	FALSE	Munitions Debris	Fuze	M557	Point Detonating	Components	Inert	4.00	in	E	6.00	0.50	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2JBE9	2121456.25	5743373.50	6144	74.60	93.30	26.15	23.85	15.89	8.86	1	1	6/20/2011 9:44	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	24.00	in	SE	6.00	2.00	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2JBE9	2121473.66	5743324.78	5839	133.70	320.60	83.42	56.35	27.59	12.17	1	1	6/20/2011 9:43	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	24.00	in	SW	9.00	1.00	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2JBE9	2121408.75	5743325.00	5823	953.40	1007.10	470.57	296.72	142.84	47.99	1	1	6/20/2011 9:43	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	24.00	in	NE	9.00	8.00	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2JBE9	2121452.73	5743325.36	5808	502.00	864.20	258.69	168.15	78.79	31.80	1	1	6/20/2011 9:41	Andrew Caldwell	FALSE	Munitions Debris	Projectile	105mm	Smoke	Smoke Canister	Inert	24.00	in	SE	6.00	0.50	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2JBE9	2121452.73	5743325.36	5808	502.00	864.20	258.69	168.15	78.79	31.80	2	1	6/20/2011 9:42	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	24.00	in	SW	12.00	3.00	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2JBE9	2121430.75	5743323.25	5799	351.00	367.90	158.24	98.50	51.72	19.50	1	1	6/20/2011 9:38	Andrew Caldwell	FALSE	MD (standard)	fuze, projectile, PD, M557				Inert	3.00	in	NE	6.00	2.00	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	116	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2JBE9	2121430.75	5743323.25	5799	351.00	367.90	158.24	98.50	51.72	19.50	3	1	6/20/2011 9:40	Andrew Caldwell	FALSE	Munitions Debris	Projectile	105mm	Smoke	Smoke Canister	Inert	17.00	in	S	12.00	0.50	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2JBE9	2121430.75	5743323.25	5799	351.00	367.90	158.24	98.50	51.72	19.50	2	1	6/20/2011 9:39	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	24.00	in	NE	9.00	0.50	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2JBF9	2121569.25	5743334.75	5985	167.80	167.80	84.62	52.85	24.23	7.19	1	1	6/20/2011 10:13	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	24.00	in	SE	6.00	0.50	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2JBF9	2121549.00	5743376.50	6190	115.60	371.90	47.91	36.56	21.37	10.13	1	1	6/20/2011 10:14	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	24.00	in	N	6.00	5.00	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range
Interim Action Ranges	E39 - MCP Reserve R44 South	B2JBF9	2121521.54	5743369.87	6091	397.50	513.30	196.24	124.36	64.66	24.64	1	1	6/20/2011 10:13	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	24.00	in	NE	9.00	2.00	Stockpiled	FALSE	FALSE	FALSE	UXO QC not conducted for Design Study Sampling Investigation	0	0	TRUE	Interim_Action_Range

Notes:

Requires Further Action: A "False" identifier in this column indicates that no additional actions (e.g. additional investigation, detonation, quality control) for this anomaly are required. A "True" identifier in this column indicates that additional actions for this anomaly are required.

Hole Cleared: A "False" identifier in the column indicates that the anomaly was not fully cleared as outlined in the Group 3 Work Plan. A "True" identifier in the column indicates that the anomaly was fully cleared as outlined in the Group 3 Work Plan. "Hole Cleared" may remain "False" if the area including the anomaly received additional subsequent investigation (for example a sifting operations in a DGM target anomaly area).

UXO QC Complete: A "False" identifier in this column indicates that UXO QC was not completed for the specified anomaly. A "True" identifier in this column indicates that UXO QC was completed for the specified anomaly. UXO QC may remain "False" if the area including the anomaly received additional subsequent investigation (for example a sifting operations in a DGM target anomaly area). UXO QC for DGM target anomalies consists of UXOQCS reinvestigation (i.e. QC-1) of each DGM target anomaly and UXOQCS management of blind seeds.

QC Final: A "False" identifier in this column indicates that one or all required QC activities were not completed for the specified anomaly. A "True" identifier in this column indicates that all required QC activities were completed for the specified anomaly. QC activities include, but are not limited to, UXO QC, data entry review, and Geo QC.

IOEModel ID: Indicates the model number assigned by the Army to the specific item type.

Standard: Indicates an item that is predominantly intact and for which there is an "IOEModel ID" in the Fort Ord Military Munitions Response Program Database.