

Project Site Name	Area Of Concern Name	Search Area Type	Search Area ID	Field Team Name	Northing	Easting	Is Burial Pit	Item Number	Item Count	Log Date	Logged By	Is MEC	Item Category	Item Type	MEC Category	MEC Description	MEC Part	MEC Condition	Depth (inches)	Weight (pounds)	Item Current Status	Comments	Requires Further Action	Hole Cleared	UXO QC Completed	UXOQC By	UXOQC Date	UXOQC Notes	QC Final	i OE Model ID
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	B2J8F3	ORD4			FALSE	401	1	6/2/2011 16:22	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	3.00	10.00	Stockpiled		FALSE	FALSE	FALSE			UXOQC not required	TRUE	0
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	B2J8F4	ORD4			FALSE	401	1	6/2/2011 16:53	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	3.00	3.00	Stockpiled		FALSE	FALSE	FALSE			UXOQC not required	TRUE	0
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	B2J8F5	ORD4			FALSE	402	1	6/2/2011 16:41	Matthew Lauchner	FALSE	Cultural Debris	Metal Scrap					3.00	2.00	Stockpiled		FALSE	FALSE	FALSE			UXOQC not required	TRUE	0
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	B2J8F5	ORD4			FALSE	404	11	6/2/2011 16:42	Matthew Lauchner	FALSE	MD (standard)	rocket, 35mm, subcal, prac, M73				Inert	3.00	5.50	Stockpiled		FALSE	FALSE	FALSE			UXOQC not required	TRUE	363
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	B2J8F5	ORD4			FALSE	401	1	6/2/2011 16:41	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	40mm	Base	Inert	3.00	0.25	Stockpiled		FALSE	FALSE	FALSE			UXOQC not required	TRUE	0
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	B2J8F5	ORD4			FALSE	403	1	6/2/2011 16:42	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	3.00	2.00	Stockpiled		FALSE	FALSE	FALSE			UXOQC not required	TRUE	0
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	B2J8F6	ORD4			FALSE	401	1	6/2/2011 16:36	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	3.00	5.00	Stockpiled		FALSE	FALSE	FALSE			UXOQC not required	TRUE	0
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	B2J8G3	ORD3			FALSE	301	1	10/26/2011 13:34	Matthew Lauchner	FALSE	Cultural Debris	Metal Scrap					0.00	0.50	Stockpiled		FALSE	FALSE	FALSE			UXOQC not required	TRUE	0
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	B2J8G3	ORD4			FALSE	402	1	10/26/2011 13:44	Matthew Lauchner	FALSE	Cultural Debris	Metal Scrap					3.00	0.50	Stockpiled	camera 2 pic 16	FALSE	FALSE	FALSE			UXOQC not required	TRUE	0
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	B2J8G3	ORD4			FALSE	401	1	6/2/2011 16:26	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Practice	155mm	Body	Inert	3.00	70.00	Stockpiled		FALSE	FALSE	FALSE			UXOQC not required	TRUE	0
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	B2J8G4	ORD4			FALSE	402	1	6/2/2011 16:47	Matthew Lauchner	FALSE	Cultural Debris	Metal Scrap					3.00	6.00	Stockpiled		FALSE	FALSE	FALSE			UXOQC not required	TRUE	0
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	B2J8G4	ORD4			FALSE	403	1	6/2/2011 16:52	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Smoke	155mm M116	Smoke Canister	Inert	3.00	5.00	Stockpiled	smoke canister	FALSE	FALSE	FALSE			UXOQC not required	TRUE	0
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	B2J8G4	ORD4			FALSE	401	1	6/2/2011 16:46	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	3.00	4.00	Stockpiled		FALSE	FALSE	FALSE			UXOQC not required	TRUE	0
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	B2J8G5	ORD3			FALSE	301	1	10/26/2011 13:46	Matthew Lauchner	FALSE	Cultural Debris	Metal Scrap					0.00	0.50	Stockpiled	camera 2 pic 16	FALSE	FALSE	FALSE			UXOQC not required	TRUE	0
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	B2J8G5	ORD4			FALSE	401	8	6/2/2011 16:39	Matthew Lauchner	FALSE	MD (standard)	rocket, 35mm, subcal, prac, M73				Inert	3.00	4.00	Stockpiled		FALSE	FALSE	FALSE			UXOQC not required	TRUE	363
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	B2J8G6	ORD4			FALSE	402	1	6/2/2011 16:38	Matthew Lauchner	FALSE	MD (standard)	fuze, projectile, PD, M557				Inert	3.00	2.00	Stockpiled		FALSE	FALSE	FALSE			UXOQC not required	TRUE	116
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	B2J8G6	ORD4			FALSE	401	1	6/2/2011 16:37	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	3.00	1.50	Stockpiled		FALSE	FALSE	FALSE			UXOQC not required	TRUE	0
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	B2J8H3	ORD3			FALSE	301	1	10/26/2011 13:47	Matthew Lauchner	FALSE	Cultural Debris	Metal Scrap					0.00	0.50	Stockpiled	camera 2 pic 16	FALSE	FALSE	FALSE			UXOQC not required	TRUE	0
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	B2J8H3	ORD4			FALSE	401	1	6/2/2011 16:55	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	3.00	10.00	Stockpiled		FALSE	FALSE	FALSE			UXOQC not required	TRUE	0
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	B2J8H4	ORD3			FALSE	301	1	10/26/2011 13:47	Matthew Lauchner	FALSE	Cultural Debris	Metal Scrap					0.00	0.50	Stockpiled	camera 2 pic 16	FALSE	FALSE	FALSE			UXOQC not required	TRUE	0
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	B2J8H4	ORD4			FALSE	402	1	6/2/2011 16:46	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Smoke	155mm M116	Smoke Canister	Inert	3.00	5.00	Stockpiled	smoke canister	FALSE	FALSE	FALSE			UXOQC not required	TRUE	0
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	B2J8H4	ORD4			FALSE	401	1	6/2/2011 16:43	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	3.00	10.00	Stockpiled		FALSE	FALSE	FALSE			UXOQC not required	TRUE	0
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	B2J8H5	ORD4			FALSE	402	9	6/2/2011 16:16	Matthew Lauchner	FALSE	MD (standard)	rocket, 35mm, subcal, prac, M73				Inert	3.00	4.50	Stockpiled		FALSE	FALSE	FALSE			UXOQC not required	TRUE	363
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	B2J8H5	ORD3	2121749.34	5742972.77	FALSE	312	1	6/2/2011 10:06	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73				Live	3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	B2J8H5	ORD3	2121763.77	5742971.19	FALSE	310	1	6/2/2011 10:04	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73				Live	3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	B2J8H5	ORD3	2121725.36	5742976.94	FALSE	314	1	6/2/2011 10:07	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73				Live	3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363

Project Site Name	Area Of Concern Name	Search Area Type	Search Area ID	Field Team Name	Northing	Easting	Is Burial Pit	Item Number	Item Count	Log Date	Logged By	Is MEC	Item Category	Item Type	MEC Category	MEC Description	MEC Part	MEC Condition	Depth (inches)	Weight (pounds)	Item Current Status	Comments	Requires Further Action	Hole Cleared	UXO QC Completed	UXOQC By	UXOQC Date	UXOQC Notes	QC Final	i OE Model ID
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	B2J8H5	ORD3	2121755.60	5742925.81	FALSE	303	1	6/2/2011 9:58	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	B2J8H5	ORD4	2121784.79	5742921.64	FALSE	401	1	6/2/2011 16:16	Matthew Lauchner	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	B2J8H5	ORD3	2121714.93	5742926.86	FALSE	306	1	6/2/2011 10:00	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	B2J8H5	ORD3	2121778.53	5742971.72	FALSE	309	1	6/2/2011 10:04	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	B2J8H5	ORD3	2121732.66	5742975.90	FALSE	313	1	6/2/2011 10:06	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	B2J8H5	ORD3	2121795.22	5742974.85	FALSE	308	1	6/2/2011 10:03	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	B2J8H5	ORD3	2121708.46	5742924.91	FALSE	307	1	6/2/2011 10:01	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	B2J8H5	ORD3	2121761.51	5742921.54	FALSE	302	1	6/2/2011 9:57	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	B2J8H5	ORD3	2121742.04	5742922.68	FALSE	304	1	6/2/2011 9:58	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	B2J8H5	ORD3	2121728.49	5742922.68	FALSE	305	1	6/2/2011 9:59	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	B2J8H5	ORD3	2121762.89	5742976.94	FALSE	311	1	6/2/2011 10:05	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	B2J8H5	ORD3	2121766.02	5742925.81	FALSE	301	1	6/2/2011 9:56	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	B2J8H5	ORD3	2121708.07	5742969.66	FALSE	315	1	6/2/2011 10:08	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	B2J8H6	ORD4			FALSE	402	1	6/2/2011 16:36	Matthew Lauchner	FALSE	Cultural Debris	Metal Scrap					3.00	0.50	Stockpiled		FALSE	FALSE	FALSE			UXOQC not required	TRUE	0
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	B2J8H6	ORD4			FALSE	401	1	6/2/2011 16:36	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	3.00	2.00	Stockpiled		FALSE	FALSE	FALSE			UXOQC not required	TRUE	0
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	B2J8I4	ORD4			FALSE	401	1	6/2/2011 16:38	Matthew Lauchner	FALSE	Cultural Debris	Metal Scrap					3.00	3.00	Stockpiled		FALSE	FALSE	FALSE			UXOQC not required	TRUE	0
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	B2J8I4	ORD3			FALSE	301	1	10/26/2011 13:50	Matthew Lauchner	FALSE	Cultural Debris	Metal Scrap					0.00	0.50	Stockpiled	camera 2 pic 16	FALSE	FALSE	FALSE			UXOQC not required	TRUE	0
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	B2J8I4	ORD4			FALSE	402	3	6/2/2011 16:39	Matthew Lauchner	FALSE	MD (standard)	rocket, 35mm, subcal, prac, M73			Inert		3.00	1.50	Stockpiled		FALSE	FALSE	FALSE			UXOQC not required	TRUE	363
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	B2J8I5	ORD3			FALSE	301	1	10/26/2011 13:50	Matthew Lauchner	FALSE	Cultural Debris	Metal Scrap					0.00	0.50	Stockpiled	camera 2 pic 16	FALSE	FALSE	FALSE			UXOQC not required	TRUE	0
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	B2J8I5	ORD1			FALSE	101	16	6/6/2011 16:56	Matthew Lauchner	FALSE	MD (standard)	rocket, 35mm, subcal, prac, M73			Inert		3.00	8.00	Stockpiled		FALSE	FALSE	FALSE			UXOQC not required	TRUE	363
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	B2J8I6	ORD3			FALSE	301	1	10/26/2011 13:48	Matthew Lauchner	FALSE	Cultural Debris	Metal Scrap					0.00	0.50	Stockpiled	camera 2 pic 16	FALSE	FALSE	FALSE			UXOQC not required	TRUE	0
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	B2J8I6	ORD4			FALSE	402	57	6/6/2011 17:15	Andrew Caldwell	FALSE	MD (standard)	rocket, 35mm, subcal, prac, M73			Inert		3.00	28.50	Stockpiled		FALSE	FALSE	FALSE			UXOQC not required	TRUE	363
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	B2J8I6	ORD4			FALSE	403	1	6/6/2011 17:16	Andrew Caldwell	FALSE	Munitions Debris	Rocket	Unknown	66mm	Fragments	Inert	3.00	1.00	Stockpiled		FALSE	FALSE	FALSE			UXOQC not required	TRUE	0
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	B2J8I6	ORD4			FALSE	404	1	6/6/2011 17:17	Andrew Caldwell	FALSE	Munitions Debris	Rocket	Unknown	66mm	Fragments	Inert	3.00	0.50	Stockpiled		FALSE	FALSE	FALSE			UXOQC not required	TRUE	0
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	B2J8I6	ORD5	2121835.85	5743078.06	FALSE	507	1	6/6/2011 17:55	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	B2J8I6	ORD5	2121879.53	5743070.68	FALSE	506	1	6/6/2011 17:55	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363

Project Site Name	Area Of Concern Name	Search Area Type	Search Area ID	Field Team Name	Northing	Easting	Is Burial Pit	Item Number	Item Count	Log Date	Logged By	Is MEC	Item Category	Item Type	MEC Category	MEC Description	MEC Part	MEC Condition	Depth (inches)	Weight (pounds)	Item Current Status	Comments	Requires Further Action	Hole Cleared	UXO QC Completed	UXOQC By	UXOQC Date	UXOQC Notes	QC Final	i OE Model ID	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	B2J8I6	ORD5	2121827.05	5743024.98	FALSE	505	1	6/6/2011 17:55	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	B2J8I6	ORD5	2121854.00	5743022.99	FALSE	502	1	6/6/2011 17:54	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	B2J8I6	ORD4	2121861.66	5743020.43	FALSE	401	1	6/6/2011 17:11	Andrew Caldwell	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	B2J8I6	ORD5	2121829.89	5743024.98	FALSE	504	1	6/6/2011 17:54	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	B2J8I6	ORD5	2121842.65	5743019.87	FALSE	503	1	6/6/2011 17:54	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	B2J8I6	ORD5	2121855.42	5743025.54	FALSE	501	1	6/6/2011 17:54	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	B2J8I6	ORD5	2121836.41	5743076.08	FALSE	508	1	6/6/2011 17:55	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	B2J8I6	ORD5	2121822.23	5743072.67	FALSE	509	1	6/6/2011 17:55	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	B2J8J4	ORD4			FALSE	402	1	6/2/2011 16:30	Matthew Lauchner	FALSE	Cultural Debris	Metal Scrap					3.00	12.50	Stockpiled		FALSE	FALSE	FALSE			UXOQC not required	TRUE	0	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	B2J8J4	ORD4			FALSE	403	3	6/2/2011 16:30	Matthew Lauchner	FALSE	MD (standard)	rocket, 35mm, subcal, prac, M73			Inert		3.00	1.50	Stockpiled		FALSE	FALSE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	B2J8J4	ORD3			FALSE	301	4	10/26/2011 13:53	Matthew Lauchner	FALSE	MD (standard)	rocket, 35mm, subcal, prac, M73			Inert		0.00	2.00	Stockpiled	camera 2 pic 11	FALSE	FALSE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	B2J8J4	ORD4			FALSE	401	1	6/2/2011 16:27	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert		3.00	10.00	Stockpiled		FALSE	FALSE	FALSE			UXOQC not required	TRUE	0
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	B2J8J5	ORD1			FALSE	102	15	6/6/2011 16:53	Matthew Lauchner	FALSE	MD (standard)	rocket, 35mm, subcal, prac, M73			Inert		3.00	7.50	Stockpiled		FALSE	FALSE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	B2J8J5	ORD3			FALSE	301	9	10/26/2011 13:54	Matthew Lauchner	FALSE	MD (standard)	rocket, 35mm, subcal, prac, M73			Inert		0.00	4.50	Stockpiled	camera 2 pic 10	FALSE	FALSE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	B2J8J5	ORD1			FALSE	103	1	6/6/2011 16:53	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert		3.00	3.00	Stockpiled		FALSE	FALSE	FALSE			UXOQC not required	TRUE	0
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	B2J8J5	ORD1			FALSE	104	1	6/6/2011 16:55	Matthew Lauchner	FALSE	Munitions Debris	Rocket	HEAT	66mm M72 series	Motor	Inert		3.00	0.50	Stockpiled		FALSE	FALSE	FALSE			UXOQC not required	TRUE	0
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	B2J8J5	ORD5	2121943.76	5742975.27	FALSE	501	1	6/6/2011 17:56	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	B2J8J5	ORD5	2121948.30	5742969.59	FALSE	502	1	6/6/2011 17:56	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	B2J8J5	ORD1	2121938.65	5742971.86	FALSE	101	1	6/6/2011 16:52	Matthew Lauchner	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	B2J8J6	ORD3			FALSE	302	1	10/26/2011 13:26	Matthew Lauchner	FALSE	MD (standard)	rocket, 35mm, subcal, prac, M73			Inert		0.00	0.50	Stockpiled		FALSE	FALSE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	B2J8J6	ORD4			FALSE	402	31	6/6/2011 17:10	Andrew Caldwell	FALSE	MD (standard)	rocket, 35mm, subcal, prac, M73			Inert		3.00	15.50	Stockpiled		FALSE	FALSE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	B2J8J6	ORD3			FALSE	301	1	10/26/2011 13:53	Matthew Lauchner	FALSE	Munitions Debris	Rocket	Unknown	66mm	Motor	Inert		0.00	0.50	Stockpiled	camera 2 pic 12 and 13	FALSE	FALSE	FALSE			UXOQC not required	TRUE	0
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	B2J8J6	ORD3	2121910.01	5743058.87	FALSE	304	1	10/26/2011 13:27	Matthew Lauchner	TRUE	UXO (standard)	Rocket motors, M222/M223 (DRAGON)			Live		0.00	0.10	Detonated	Disposed 12/2/11	FALSE	FALSE	FALSE			UXOQC not required	TRUE	201	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	B2J8J6	ORD5	2121938.38	5743071.27	FALSE	509	1	6/6/2011 17:53	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	B2J8J6	ORD5	2121936.96	5743022.72	FALSE	503	1	6/6/2011 17:52	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	B2J8J6	ORD5	2121929.30	5743020.17	FALSE	504	1	6/6/2011 17:52	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363	

Project Site Name	Area Of Concern Name	Search Area Type	Search Area ID	Field Team Name	Northing	Easting	Is Burial Pit	Item Number	Item Count	Log Date	Logged By	Is MEC	Item Category	Item Type	MEC Category	MEC Description	MEC Part	MEC Condition	Depth (inches)	Weight (pounds)	Item Current Status	Comments	Requires Further Action	Hole Cleared	UXO QC Completed	UXOQC By	UXOQC Date	UXOQC Notes	QC Final	i OE Model ID	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	B2J8J6	ORD5	2121940.65	5743069.85	FALSE	507	1	6/6/2011 17:53	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	B2J8J6	ORD5	2121955.11	5743022.15	FALSE	502	1	6/6/2011 17:52	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	B2J8J6	ORD5	2121937.81	5743072.69	FALSE	508	1	6/6/2011 17:53	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	B2J8J6	ORD5	2121957.30	5743022.66	FALSE	501	1	6/6/2011 17:52	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	B2J8J6	ORD5	2121940.65	5743072.12	FALSE	506	1	6/6/2011 17:52	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	B2J8J6	ORD4	2121957.95	5743021.87	FALSE	401	1	6/6/2011 17:10	Andrew Caldwell	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	B2J8J6	ORD5	2121949.16	5743072.69	FALSE	505	1	6/6/2011 17:52	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	B2J8J6	ORD3	2121926.80	5743011.17	FALSE	303	1	10/26/2011 13:26	Matthew Lauchner	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		0.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	B2J8J7	ORD4			FALSE	404	3	6/6/2011 17:02	Andrew Caldwell	FALSE	MD (standard)	fuze, projectile, PD, M557			Inert		3.00	6.00	Stockpiled		FALSE	FALSE	FALSE			UXOQC not required	TRUE	116	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	B2J8J7	ORD4			FALSE	402	84	6/6/2011 17:01	Andrew Caldwell	FALSE	MD (standard)	rocket, 35mm, subcal, prac, M73			Inert		3.00	42.00	Stockpiled		FALSE	FALSE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	B2J8J7	ORD3			FALSE	301	2	10/26/2011 13:52	Matthew Lauchner	FALSE	MD (standard)	rocket, 35mm, subcal, prac, M73			Inert		0.00	1.00	Stockpiled	camera 2 pic 14	FALSE	FALSE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	B2J8J7	ORD4			FALSE	403	1	6/6/2011 17:02	Andrew Caldwell	FALSE	Munitions Debris	Rocket	HEAT	66mm M72 series	Fragments	Inert		3.00	1.00	Stockpiled		FALSE	FALSE	FALSE			UXOQC not required	TRUE	0
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	B2J8J7	ORD5	2121950.69	5743173.24	FALSE	508	1	6/6/2011 17:42	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	B2J8J7	ORD5	2121923.48	5743122.80	FALSE	504	1	6/6/2011 17:42	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	B2J8J7	ORD5	2121938.89	5743122.95	FALSE	501	1	6/6/2011 17:41	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	B2J8J7	ORD5	2121923.77	5743123.38	FALSE	503	1	6/6/2011 17:41	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	B2J8J7	ORD5	2121950.84	5743173.82	FALSE	507	1	6/6/2011 17:42	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	B2J8J7	ORD5	2121911.53	5743124.39	FALSE	505	1	6/6/2011 17:42	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	B2J8J7	ORD5	2121940.61	5743173.10	FALSE	509	1	6/6/2011 17:43	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	B2J8J7	ORD4	2121939.75	5743122.52	FALSE	401	1	6/6/2011 17:01	Andrew Caldwell	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	B2J8J7	ORD5	2121924.34	5743122.66	FALSE	502	1	6/6/2011 17:41	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	B2J8J7	ORD5	2121966.53	5743168.20	FALSE	506	1	6/6/2011 17:42	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8A5	ORD3			FALSE	303	5	10/26/2011 13:21	Matthew Lauchner	FALSE	MD (standard)	rocket, 35mm, subcal, prac, M73			Inert		0.00	2.50	Stockpiled		FALSE	FALSE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8A5	ORD1			FALSE	102	11	6/6/2011 16:35	Matthew Lauchner	FALSE	MD (standard)	rocket, 35mm, subcal, prac, M73			Inert		3.00	5.50	Stockpiled		FALSE	FALSE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8A5	ORD3			FALSE	302	1	10/26/2011 13:21	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Practice	40mm M781	Projectile	Inert		0.00	0.10	Stockpiled		FALSE	FALSE	FALSE			UXOQC not required	TRUE	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8A5	ORD3			FALSE	304	1	10/26/2011 13:22	Matthew Lauchner	FALSE	Munitions Debris	Rocket	Unknown	66mm	Motor	Inert		0.00	30.00	Stockpiled		FALSE	FALSE	FALSE			UXOQC not required	TRUE	0

Project Site Name	Area Of Concern Name	Search Area Type	Search Area ID	Field Team Name	Northing	Easting	Is Burial Pit	Item Number	Item Count	Log Date	Logged By	Is MEC	Item Category	Item Type	MEC Category	MEC Description	MEC Part	MEC Condition	Depth (inches)	Weight (pounds)	Item Current Status	Comments	Requires Further Action	Hole Cleared	UXO QC Completed	UXOQC By	UXOQC Date	UXOQC Notes	QC Final	i OE Model ID
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8A5	ORD1	2122038.21	5742961.32	FALSE	105	1	10/26/2011 8:06	Matthew Lauchner	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live	0.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8A5	ORD1	2122050.21	5742959.99	FALSE	104	1	10/26/2011 8:06	Matthew Lauchner	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live	0.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8A5	ORD1	2122041.32	5742943.52	FALSE	103	1	10/26/2011 8:06	Matthew Lauchner	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live	0.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8A5	ORD5	2122013.54	5742971.86	FALSE	501	1	6/6/2011 18:01	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live	3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8A5	ORD1	2122052.88	5742960.43	FALSE	106	1	10/26/2011 8:06	Matthew Lauchner	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live	0.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8A5	ORD1	2122052.12	5742922.46	FALSE	101	1	6/6/2011 16:35	Matthew Lauchner	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live	3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8A5	ORD3	2122090.68	5742936.40	FALSE	301	1	10/26/2011 13:57	Matthew Lauchner	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live	0.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8A6	ORD4			FALSE	402	38	6/6/2011 17:08	Andrew Caldwell	FALSE	MD (standard)	rocket, 35mm, subcal, prac, M73			Inert	3.00	19.00	Stockpiled		FALSE	FALSE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8A6	ORD4			FALSE	404	1	6/6/2011 17:09	Andrew Caldwell	FALSE	Munitions Debris	Rocket	Incendiary	66mm	Fragments	Inert	3.00	2.00	Stockpiled		FALSE	FALSE	FALSE			UXOQC not required	TRUE	0
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8A6	ORD4			FALSE	403	1	6/6/2011 17:09	Andrew Caldwell	FALSE	Munitions Debris	Rocket	HEAT	66mm M72 series	Fragments	Inert	3.00	2.00	Stockpiled		FALSE	FALSE	FALSE			UXOQC not required	TRUE	0
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8A6	ORD5	2122056.60	5743075.52	FALSE	515	1	6/6/2011 17:50	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live	3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8A6	ORD5	2122056.88	5743023.28	FALSE	505	1	6/6/2011 17:49	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live	3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8A6	ORD5	2122027.95	5743074.67	FALSE	502	1	6/6/2011 17:48	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live	3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8A6	ORD5	2122056.02	5743023.02	FALSE	507	1	6/6/2011 17:49	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live	3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8A6	ORD5	2122044.12	5743072.68	FALSE	501	1	6/6/2011 17:48	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live	3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8A6	ORD5	2122048.66	5743021.29	FALSE	509	1	6/6/2011 17:49	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live	3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8A6	ORD5	2122050.08	5743022.71	FALSE	508	1	6/6/2011 17:49	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live	3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8A6	ORD5	2122018.87	5743019.59	FALSE	512	1	6/6/2011 17:50	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live	3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8A6	ORD5	2122057.45	5743021.58	FALSE	504	1	6/6/2011 17:48	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live	3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8A6	ORD5	2122071.64	5743070.69	FALSE	513	1	6/6/2011 17:50	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live	3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8A6	ORD5	2122033.91	5743022.43	FALSE	510	1	6/6/2011 17:50	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live	3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8A6	ORD5	2122013.77	5743072.68	FALSE	503	1	6/6/2011 17:48	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live	3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8A6	ORD5	2122033.06	5743023.85	FALSE	511	1	6/6/2011 17:50	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live	3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8A6	ORD4	2122064.54	5743019.02	FALSE	401	1	6/6/2011 17:08	Andrew Caldwell	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live	3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8A6	ORD5	2122056.54	5743022.11	FALSE	506	1	6/6/2011 17:49	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live	3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8A6	ORD5	2122057.17	5743073.81	FALSE	514	1	6/6/2011 17:50	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live	3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363	

Project Site Name	Area Of Concern Name	Search Area Type	Search Area ID	Field Team Name	Northing	Easting	Is Burial Pit	Item Number	Item Count	Log Date	Logged By	Is MEC	Item Category	Item Type	MEC Category	MEC Description	MEC Part	MEC Condition	Depth (inches)	Weight (pounds)	Item Current Status	Comments	Requires Further Action	Hole Cleared	UXO QC Completed	UXOQC By	UXOQC Date	UXOQC Notes	QC Final	i OE Model ID	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8A7	ORD3			FALSE	301	1	10/26/2011 13:39	Matthew Lauchner	FALSE	Cultural Debris	Metal Scrap					0.00	5.00	Stockpiled		FALSE	FALSE	FALSE			UXOQC not required	TRUE	0	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8A7	ORD3			FALSE	304	3	10/26/2011 13:42	Matthew Lauchner	FALSE	MD (standard)	rocket, 35mm, subcal, prac, M73			Inert		0.00	1.50	Stockpiled	camera 2 pic 18	FALSE	FALSE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8A7	ORD1			FALSE	102	48	6/2/2011 15:56	Andrew Caldwell	FALSE	MD (standard)	rocket, 35mm, subcal, prac, M73			Inert		3.00	24.00	Stockpiled		FALSE	FALSE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8A7	ORD3			FALSE	302	1	10/26/2011 13:41	Matthew Lauchner	FALSE	Munitions Debris	Rocket	Unknown	3.5" M29 series	Body	Inert		0.00	2.00	Stockpiled		FALSE	FALSE	FALSE			UXOQC not required	TRUE	0
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8A7	ORD1			FALSE	104	1	6/2/2011 15:57	Andrew Caldwell	FALSE	Munitions Debris	Rocket	Incendiary	66mm	Fragments	Inert		3.00	1.00	Stockpiled		FALSE	FALSE	FALSE			UXOQC not required	TRUE	0
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8A7	ORD3			FALSE	303	1	10/26/2011 13:41	Matthew Lauchner	FALSE	Munitions Debris	Rocket	Unknown	66mm	Motor	Inert		0.00	3.00	Stockpiled		FALSE	FALSE	FALSE			UXOQC not required	TRUE	0
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8A7	ORD1			FALSE	103	1	6/2/2011 15:57	Andrew Caldwell	FALSE	Munitions Debris	Rocket	HEAT	66mm M72 series	Fragments	Inert		3.00	10.00	Stockpiled		FALSE	FALSE	FALSE			UXOQC not required	TRUE	0
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8A7	ORD3	2122049.12	5743169.46	FALSE	311	1	6/2/2011 8:36	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8A7	ORD3	2122068.77	5743172.74	FALSE	309	1	6/2/2011 8:34	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8A7	ORD3	2122040.05	5743124.70	FALSE	306	1	6/2/2011 8:32	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8A7	ORD3	2122014.86	5743173.84	FALSE	313	1	6/2/2011 8:37	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8A7	ORD3	2122014.21	5743125.99	FALSE	308	1	6/2/2011 8:34	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8A7	ORD3	2122025.65	5743171.65	FALSE	312	1	6/2/2011 8:37	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8A7	ORD3	2122054.26	5743171.90	FALSE	310	1	6/2/2011 8:35	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8A7	ORD3	2122020.20	5743124.15	FALSE	307	1	6/2/2011 8:33	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8A7	ORD1	2122082.96	5743124.15	FALSE	101	1	6/2/2011 8:39	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8A7	ORD3	2122062.01	5743123.41	FALSE	305	1	6/2/2011 8:39	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8B5	ORD3			FALSE	303	1	10/26/2011 13:14	Matthew Lauchner	FALSE	Cultural Debris	Aluminum					0.00	1.00	Stockpiled		FALSE	FALSE	FALSE			UXOQC not required	TRUE	0	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8B5	ORD3			FALSE	302	1	10/26/2011 13:14	Matthew Lauchner	FALSE	MD (standard)	fuze, trench mortar, PD, MK VI			Inert		0.00	1.00	Stockpiled		FALSE	FALSE	FALSE			UXOQC not required	TRUE	130	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8B5	ORD1			FALSE	102	19	6/6/2011 16:33	Matthew Lauchner	FALSE	MD (standard)	rocket, 35mm, subcal, prac, M73			Inert		3.00	9.50	Stockpiled		FALSE	FALSE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8B5	ORD3			FALSE	301	21	10/26/2011 13:56	Matthew Lauchner	FALSE	MD (standard)	rocket, 35mm, subcal, prac, M73			Inert		0.00	10.50	Stockpiled	camera 2 pic 5,6,7	FALSE	FALSE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8B5	ORD3			FALSE	305	1	10/26/2011 13:16	Matthew Lauchner	FALSE	Munitions Debris	Fuze	Unknown	66mm	Fuze	Inert		0.00	0.25	Stockpiled		FALSE	FALSE	FALSE			UXOQC not required	TRUE	0
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8B5	ORD3			FALSE	304	1	10/26/2011 13:15	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Practice	40mm	Base	Inert		0.00	0.50	Stockpiled		FALSE	FALSE	FALSE			UXOQC not required	TRUE	0
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8B5	ORD3			FALSE	308	1	10/26/2011 13:19	Matthew Lauchner	FALSE	Munitions Debris	Rocket	Unknown	66mm	Motor	Inert		0.00	30.00	Stockpiled		FALSE	FALSE	FALSE			UXOQC not required	TRUE	0
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8B5	ORD3	2122135.16	5742937.73	FALSE	307	1	10/26/2011 13:17	Matthew Lauchner	TRUE	UXO (standard)	Rocket motors, M222/M223 (DRAGON)			Live		0.00	0.10	Detonated	Disposed 12/2/11	FALSE	FALSE	FALSE			UXOQC not required	TRUE	201	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8B5	ORD5	2122136.28	5742923.61	FALSE	504	1	6/6/2011 17:59	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363	

Project Site Name	Area Of Concern Name	Search Area Type	Search Area ID	Field Team Name	Northing	Easting	Is Burial Pit	Item Number	Item Count	Log Date	Logged By	Is MEC	Item Category	Item Type	MEC Category	MEC Description	MEC Part	MEC Condition	Depth (inches)	Weight (pounds)	Item Current Status	Comments	Requires Further Action	Hole Cleared	UXO QC Completed	UXOQC By	UXOQC Date	UXOQC Notes	QC Final	i OE Model ID	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8B5	ORD1	2122178.97	5742944.43	FALSE	108	1	10/26/2011 8:02	Matthew Lauchner	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		0.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8B5	ORD5	2122141.39	5742970.16	FALSE	509	1	6/6/2011 18:00	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8B5	ORD5	2122185.07	5742925.31	FALSE	506	1	6/6/2011 17:59	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8B5	ORD1	2122168.30	5742952.44	FALSE	110	1	10/26/2011 8:02	Matthew Lauchner	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		0.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8B5	ORD1	2122181.64	5742940.87	FALSE	109	1	10/26/2011 8:02	Matthew Lauchner	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		0.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8B5	ORD1	2122191.86	5742988.50	FALSE	103	1	10/26/2011 8:01	Matthew Lauchner	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		0.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8B5	ORD1	2122183.86	5742991.61	FALSE	105	1	10/26/2011 8:01	Matthew Lauchner	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		0.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8B5	ORD1	2122134.50	5742958.23	FALSE	115	1	10/26/2011 8:03	Matthew Lauchner	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		0.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8B5	ORD5	2122149.90	5742927.01	FALSE	502	1	6/6/2011 17:58	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8B5	ORD1	2122186.53	5742988.50	FALSE	106	1	10/26/2011 8:02	Matthew Lauchner	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		0.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8B5	ORD5	2122123.23	5742973.57	FALSE	510	1	6/6/2011 18:00	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8B5	ORD5	2122163.51	5742974.71	FALSE	507	1	6/6/2011 17:59	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8B5	ORD5	2122164.08	5742973.00	FALSE	508	1	6/6/2011 18:00	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8B5	ORD5	2122135.15	5742924.74	FALSE	505	1	6/6/2011 17:59	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8B5	ORD5	2122167.48	5742919.63	FALSE	501	1	6/6/2011 17:58	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8B5	ORD5	2122136.85	5742924.74	FALSE	503	1	6/6/2011 17:58	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8B5	ORD1	2122165.63	5742949.77	FALSE	111	1	10/26/2011 8:03	Matthew Lauchner	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		0.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8B5	ORD1	2122153.62	5742942.20	FALSE	112	1	10/26/2011 8:03	Matthew Lauchner	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		0.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8B5	ORD1	2122141.17	5742955.11	FALSE	113	1	10/26/2011 8:03	Matthew Lauchner	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		0.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8B5	ORD1	2122134.94	5742955.11	FALSE	114	1	10/26/2011 8:03	Matthew Lauchner	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		0.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8B5	ORD1	2122187.86	5742992.50	FALSE	104	1	10/26/2011 8:01	Matthew Lauchner	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		0.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8B5	ORD3	2122166.52	5742911.49	FALSE	306	1	10/26/2011 13:16	Matthew Lauchner	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		0.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8B5	ORD1	2122178.08	5742961.79	FALSE	107	1	10/26/2011 8:02	Matthew Lauchner	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		0.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8B6	ORD4			FALSE	402	34	6/6/2011 17:07	Andrew Caldwell	FALSE	MD (standard)	rocket, 35mm, subcal, prac, M73			Inert		3.00	17.00	Stockpiled		FALSE	FALSE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8B6	ORD3			FALSE	302	5	10/27/2011 14:19	Matthew Lauchner	FALSE	MD (standard)	rocket, 35mm, subcal, prac, M73			Inert		0.00	2.50	Stockpiled		FALSE	FALSE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8B6	ORD3			FALSE	303	1	10/27/2011 14:20	Matthew Lauchner	FALSE	Munitions Debris	Rocket	Unknown	66mm	Motor	Inert		0.00	8.00	Stockpiled	camera 2 pic 1,2	FALSE	FALSE	FALSE			UXOQC not required	TRUE	0

Project Site Name	Area Of Concern Name	Search Area Type	Search Area ID	Field Team Name	Northing	Easting	Is Burial Pit	Item Number	Item Count	Log Date	Logged By	Is MEC	Item Category	Item Type	MEC Category	MEC Description	MEC Part	MEC Condition	Depth (inches)	Weight (pounds)	Item Current Status	Comments	Requires Further Action	Hole Cleared	UXO QC Completed	UXOQC By	UXOQC Date	UXOQC Notes	QC Final	i OE Model ID
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8B6	ORD4			FALSE	403	1	6/6/2011 17:07	Andrew Caldwell	FALSE	Munitions Debris	Rocket	HEAT	66mm M72 series	Fragments	Inert	3.00	6.00	Stockpiled		FALSE	FALSE	FALSE			UXOQC not required	TRUE	0
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8B6	ORD5	2122109.93	5743073.25	FALSE	512	1	6/6/2011 17:46	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8B6	ORD4	2122152.20	5743021.58	FALSE	401	1	6/6/2011 17:06	Andrew Caldwell	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8B6	ORD5	2122109.08	5743074.95	FALSE	513	1	6/6/2011 17:47	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8B6	ORD5	2122154.18	5743068.99	FALSE	508	1	6/6/2011 17:46	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8B6	ORD5	2122140.28	5743021.86	FALSE	504	1	6/6/2011 17:45	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8B6	ORD5	2122148.79	5743023.57	FALSE	503	1	6/6/2011 17:45	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8B6	ORD5	2122151.35	5743023.85	FALSE	501	1	6/6/2011 17:44	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8B6	ORD5	2122125.25	5743017.89	FALSE	506	1	6/6/2011 17:45	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8B6	ORD5	2122149.08	5743022.43	FALSE	502	1	6/6/2011 17:44	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8B6	ORD5	2122132.06	5743072.11	FALSE	510	1	6/6/2011 17:46	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8B6	ORD5	2122146.52	5743073.25	FALSE	509	1	6/6/2011 17:46	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8B6	ORD5	2122111.63	5743023.28	FALSE	507	1	6/6/2011 17:46	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8B6	ORD5	2122133.19	5743072.40	FALSE	514	1	6/6/2011 17:47	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8B6	ORD3	2122161.86	5743086.13	FALSE	301	1	10/27/2011 14:19	Matthew Lauchner	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		0.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8B6	ORD5	2122138.01	5743023.85	FALSE	505	1	6/6/2011 17:45	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8B6	ORD5	2122132.62	5743075.52	FALSE	511	1	6/6/2011 17:46	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8B7	ORD3			FALSE	302	1	10/27/2011 14:21	Matthew Lauchner	FALSE	Cultural Debris	Metal Scrap					0.00	2.00	Stockpiled		FALSE	FALSE	FALSE			UXOQC not required	TRUE	0
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8B7	ORD1			FALSE	104	1	6/2/2011 16:01	Andrew Caldwell	FALSE	MD (standard)	fuze, proj, comb, M1907			Inert		3.00	1.00	Stockpiled		FALSE	FALSE	FALSE			UXOQC not required	TRUE	100
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8B7	ORD3			FALSE	301	3	10/27/2011 14:21	Matthew Lauchner	FALSE	MD (standard)	rocket, 35mm, subcal, prac, M73			Inert		0.00	1.50	Stockpiled		FALSE	FALSE	FALSE			UXOQC not required	TRUE	363
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8B7	ORD1			FALSE	102	65	6/2/2011 16:00	Andrew Caldwell	FALSE	MD (standard)	rocket, 35mm, subcal, prac, M73			Inert		3.00	32.50	Stockpiled		FALSE	FALSE	FALSE			UXOQC not required	TRUE	363
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8B7	ORD3			FALSE	303	5	10/27/2011 14:21	Matthew Lauchner	FALSE	Munitions Debris	Rocket	Unknown	66mm	Motor	Inert	0.00	15.00	Stockpiled	camera 2 pic 3	FALSE	FALSE	FALSE			UXOQC not required	TRUE	0
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8B7	ORD1			FALSE	103	1	6/2/2011 16:01	Andrew Caldwell	FALSE	Munitions Debris	Rocket	HEAT	66mm M72 series	Fragments	Inert	3.00	1.00	Stockpiled		FALSE	FALSE	FALSE			UXOQC not required	TRUE	0
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8B7	ORD3	2122146.18	5743169.38	FALSE	306	1	6/2/2011 8:44	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8B7	ORD3	2122134.91	5743172.72	FALSE	307	1	6/2/2011 8:45	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8B7	ORD3	2122171.23	5743171.47	FALSE	305	1	6/2/2011 8:44	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363

Project Site Name	Area Of Concern Name	Search Area Type	Search Area ID	Field Team Name	Northing	Easting	Is Burial Pit	Item Number	Item Count	Log Date	Logged By	Is MEC	Item Category	Item Type	MEC Category	MEC Description	MEC Part	MEC Condition	Depth (inches)	Weight (pounds)	Item Current Status	Comments	Requires Further Action	Hole Cleared	UXO QC Completed	UXOQC By	UXOQC Date	UXOQC Notes	QC Final	i OE Model ID	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8B7	ORD3	2122133.24	5743124.67	FALSE	304	1	6/2/2011 8:43	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8B7	ORD1	2122160.79	5743121.75	FALSE	101	1	6/2/2011 8:42	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8C4	ORD3			FALSE	303	1	10/27/2011 15:01	Matthew Lauchner	FALSE	Cultural Debris	Metal Scrap					0.00	3.00	Stockpiled	camera 2 pic 11	FALSE	FALSE	FALSE			UXOQC not required	TRUE	0	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8C4	ORD3			FALSE	301	2	10/27/2011 15:00	Matthew Lauchner	FALSE	MD (standard)	rocket, 35mm, subcal, prac, M73			Inert		0.00	1.00	Stockpiled		FALSE	FALSE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8C4	ORD3			FALSE	302	1	10/27/2011 15:00	Matthew Lauchner	FALSE	Munitions Debris	Rocket	Unknown	66mm	Motor	Inert		0.00	2.00	Stockpiled		FALSE	FALSE	FALSE			UXOQC not required	TRUE	0
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8C5	ORD3			FALSE	304	3	10/26/2011 13:08	Matthew Lauchner	FALSE	MD (standard)	fuze, projectile, PD, M557			Inert		0.00	6.00	Stockpiled		FALSE	FALSE	FALSE			UXOQC not required	TRUE	116	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8C5	ORD3			FALSE	303	43	10/26/2011 13:07	Matthew Lauchner	FALSE	MD (standard)	rocket, 35mm, subcal, prac, M73			Inert		0.00	21.50	Stockpiled		FALSE	FALSE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8C5	ORD4			FALSE	405	241	6/2/2011 16:21	Matthew Lauchner	FALSE	MD (standard)	rocket, 35mm, subcal, prac, M73			Inert		3.00	120.50	Stockpiled		FALSE	FALSE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8C5	ORD3			FALSE	306	1	10/26/2011 13:11	Matthew Lauchner	FALSE	Munitions Debris	Fuze	Unknown	Unknown	Body	Inert		0.00	0.50	Stockpiled		FALSE	FALSE	FALSE			UXOQC not required	TRUE	0
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8C5	ORD3			FALSE	302	4	10/26/2011 13:07	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	40mm	Base	Inert		0.00	1.50	Stockpiled		FALSE	FALSE	FALSE			UXOQC not required	TRUE	0
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8C5	ORD3			FALSE	305	1	10/26/2011 13:10	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	40mm	Body	Inert		0.00	0.50	Stockpiled	m397	FALSE	FALSE	FALSE			UXOQC not required	TRUE	0
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8C5	ORD4			FALSE	404	1	6/2/2011 16:21	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Shrapnel	75mm MK I	Fragments	Inert		3.00	5.00	Stockpiled		FALSE	FALSE	FALSE			UXOQC not required	TRUE	0
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8C5	ORD4			FALSE	403	1	6/2/2011 16:19	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert		3.00	3.00	Stockpiled		FALSE	FALSE	FALSE			UXOQC not required	TRUE	0
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8C5	ORD3			FALSE	301	14	10/26/2011 13:05	Matthew Lauchner	FALSE	Munitions Debris	Rocket	Unknown	66mm	Motor	Inert		0.00	20.00	Stockpiled		FALSE	FALSE	FALSE			UXOQC not required	TRUE	0
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8C5	ORD4			FALSE	402	1	6/2/2011 16:18	Matthew Lauchner	FALSE	Munitions Debris	Rocket	HEAT	66mm M72 series	Fragments	Inert		3.00	10.00	Stockpiled		FALSE	FALSE	FALSE			UXOQC not required	TRUE	0
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8C5	ORD3	2122248.34	5742986.27	FALSE	307	1	10/26/2011 7:53	Matthew Lauchner	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		0.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8C5	ORD3	2122253.55	5742972.94	FALSE	348	1	6/2/2011 10:47	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8C5	ORD1	2122221.66	5742910.16	FALSE	111	1	10/26/2011 7:57	Matthew Lauchner	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		0.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8C5	ORD3	2122245.29	5742924.20	FALSE	322	1	6/2/2011 10:28	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8C5	ORD3	2122267.76	5742973.75	FALSE	343	1	6/2/2011 10:44	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8C5	ORD3	2122242.57	5742970.81	FALSE	352	1	6/2/2011 10:50	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8C5	ORD3	2122297.29	5742923.18	FALSE	308	1	6/2/2011 10:14	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8C5	ORD3	2122258.54	5742924.88	FALSE	318	1	6/2/2011 10:25	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8C5	ORD1	2122249.67	5742991.17	FALSE	113	1	10/26/2011 7:58	Matthew Lauchner	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		0.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8C5	ORD3	2122230.33	5742923.01	FALSE	325	1	6/2/2011 10:30	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8C5	ORD3	2122274.01	5742924.20	FALSE	313	1	6/2/2011 10:18	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363	

Project Site Name	Area Of Concern Name	Search Area Type	Search Area ID	Field Team Name	Northing	Easting	Is Burial Pit	Item Number	Item Count	Log Date	Logged By	Is MEC	Item Category	Item Type	MEC Category	MEC Description	MEC Part	MEC Condition	Depth (inches)	Weight (pounds)	Item Current Status	Comments	Requires Further Action	Hole Cleared	UXO QC Completed	UXOQC By	UXOQC Date	UXOQC Notes	QC Final	i OE Model ID
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8C5	ORD1	2122235.44	5742944.43	FALSE	105	1	10/26/2011 7:56	Matthew Lauchner	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		0.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8C5	ORD1	2122249.67	5742911.05	FALSE	109	1	10/26/2011 7:57	Matthew Lauchner	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		0.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8C5	ORD3	2122247.16	5742924.88	FALSE	320	1	6/2/2011 10:27	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8C5	ORD3	2122240.53	5742971.15	FALSE	353	1	6/2/2011 10:50	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8C5	ORD3	2122228.97	5742973.53	FALSE	356	1	6/2/2011 10:52	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8C5	ORD3	2122229.82	5742971.15	FALSE	355	1	6/2/2011 10:51	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8C5	ORD3	2122252.25	5742924.20	FALSE	319	1	6/2/2011 10:26	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8C5	ORD1	2122210.99	5742990.72	FALSE	112	1	10/26/2011 7:58	Matthew Lauchner	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		0.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8C5	ORD3	2122283.87	5742974.74	FALSE	332	1	6/2/2011 10:34	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8C5	ORD3	2122230.16	5742972.34	FALSE	354	1	6/2/2011 10:51	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8C5	ORD4	2122297.80	5742920.29	FALSE	401	1	6/2/2011 16:18	Matthew Lauchner	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8C5	ORD3	2122268.85	5742973.95	FALSE	341	1	6/2/2011 10:43	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8C5	ORD3	2122275.07	5742969.72	FALSE	338	1	6/2/2011 10:41	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8C5	ORD1	2122259.01	5742952.89	FALSE	103	1	10/26/2011 7:56	Matthew Lauchner	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		0.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8C5	ORD3	2122290.45	5742972.35	FALSE	330	1	6/2/2011 10:33	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8C5	ORD3	2122270.39	5742973.97	FALSE	339	1	6/2/2011 10:41	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8C5	ORD3	2122242.91	5742969.61	FALSE	351	1	6/2/2011 10:49	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8C5	ORD3	2122245.29	5742922.16	FALSE	321	1	6/2/2011 10:27	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8C5	ORD3	2122266.02	5742921.48	FALSE	316	1	6/2/2011 10:24	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8C5	ORD3	2122282.63	5742970.56	FALSE	333	1	6/2/2011 10:37	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8C5	ORD3	2122279.96	5742973.21	FALSE	337	1	6/2/2011 10:40	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8C5	ORD3	2122228.46	5742972.00	FALSE	357	1	6/2/2011 10:52	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8C5	ORD3	2122284.88	5742972.02	FALSE	331	1	6/2/2011 10:34	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8C5	ORD3	2122261.46	5742968.84	FALSE	344	1	6/2/2011 10:45	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8C5	ORD3	2122220.98	5742971.49	FALSE	359	1	6/2/2011 10:54	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8C5	ORD1	2122210.99	5742945.32	FALSE	107	1	10/26/2011 7:56	Matthew Lauchner	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		0.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363

Project Site Name	Area Of Concern Name	Search Area Type	Search Area ID	Field Team Name	Northing	Easting	Is Burial Pit	Item Number	Item Count	Log Date	Logged By	Is MEC	Item Category	Item Type	MEC Category	MEC Description	MEC Part	MEC Condition	Depth (inches)	Weight (pounds)	Item Current Status	Comments	Requires Further Action	Hole Cleared	UXO QC Completed	UXOQC By	UXOQC Date	UXOQC Notes	QC Final	i OE Model ID
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8C5	ORD3	2122281.83	5742973.55	FALSE	335	1	6/2/2011 10:39	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8C5	ORD1	2122248.34	5742904.82	FALSE	110	1	10/26/2011 7:57	Matthew Lauchner	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		0.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8C5	ORD3	2122269.22	5742972.79	FALSE	340	1	6/2/2011 10:42	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8C5	ORD3	2122275.37	5742925.90	FALSE	312	1	6/2/2011 10:17	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8C5	ORD3	2122260.43	5742969.72	FALSE	346	1	6/2/2011 10:46	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8C5	ORD1	2122252.79	5742952.44	FALSE	104	1	10/26/2011 7:56	Matthew Lauchner	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		0.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8C5	ORD3	2122269.76	5742925.39	FALSE	315	1	6/2/2011 10:23	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8C5	ORD3	2122282.63	5742972.09	FALSE	334	1	6/2/2011 10:38	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8C5	ORD3	2122241.89	5742924.54	FALSE	323	1	6/2/2011 10:29	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8C5	ORD3	2122203.48	5742918.59	FALSE	327	1	6/2/2011 10:31	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8C5	ORD3	2122263.64	5742924.71	FALSE	317	1	6/2/2011 10:25	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8C5	ORD1	2122210.99	5742951.11	FALSE	106	1	10/26/2011 7:56	Matthew Lauchner	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		0.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8C5	ORD3	2122253.44	5742971.49	FALSE	349	1	6/2/2011 10:48	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8C5	ORD3	2122294.06	5742923.35	FALSE	309	1	6/2/2011 10:14	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8C5	ORD3	2122210.62	5742921.82	FALSE	326	1	6/2/2011 10:31	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8C5	ORD3	2122253.40	5742969.72	FALSE	347	1	6/2/2011 10:46	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8C5	ORD3	2122252.08	5742972.00	FALSE	350	1	6/2/2011 10:48	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8C5	ORD3	2122287.26	5742925.90	FALSE	311	1	6/2/2011 10:17	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8C5	ORD3	2122205.52	5742924.20	FALSE	329	1	6/2/2011 10:32	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8C5	ORD3	2122213.68	5742970.81	FALSE	360	1	6/2/2011 10:55	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8C5	ORD1	2122279.47	5742946.66	FALSE	101	1	10/26/2011 7:55	Matthew Lauchner	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		0.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8C5	ORD1	2122268.80	5742940.42	FALSE	102	1	10/26/2011 7:55	Matthew Lauchner	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		0.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8C5	ORD3	2122260.69	5742969.06	FALSE	345	1	6/2/2011 10:45	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8C5	ORD3	2122270.95	5742921.14	FALSE	314	1	6/2/2011 10:22	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8C5	ORD1	2122255.46	5742909.71	FALSE	108	1	10/26/2011 7:57	Matthew Lauchner	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		0.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8C5	ORD3	2122291.34	5742920.97	FALSE	310	1	6/2/2011 10:15	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live		3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363

Project Site Name	Area Of Concern Name	Search Area Type	Search Area ID	Field Team Name	Northing	Easting	Is Burial Pit	Item Number	Item Count	Log Date	Logged By	Is MEC	Item Category	Item Type	MEC Category	MEC Description	MEC Part	MEC Condition	Depth (inches)	Weight (pounds)	Item Current Status	Comments	Requires Further Action	Hole Cleared	UXO QC Completed	UXOQC By	UXOQC Date	UXOQC Notes	QC Final	i OE Model ID
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8C5	ORD3	2122206.71	5742922.16	FALSE	328	1	6/2/2011 10:32	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73				Live	3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8C5	ORD3	2122268.30	5742974.40	FALSE	342	1	6/2/2011 10:43	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73				Live	3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8C5	ORD3	2122280.30	5742971.17	FALSE	336	1	6/2/2011 10:40	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73				Live	3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8C5	ORD3	2122237.13	5742921.82	FALSE	324	1	6/2/2011 10:29	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73				Live	3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8C5	ORD3	2122221.66	5742970.12	FALSE	358	1	6/2/2011 10:53	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73				Live	3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8C6	ORD4			FALSE	402	80	6/6/2011 17:04	Andrew Caldwell	FALSE	MD (standard)	rocket, 35mm, subcal, prac, M73			Inert	3.00	40.00	Stockpiled		FALSE	FALSE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8C6	ORD3			FALSE	301	4	10/27/2011 14:51	Matthew Lauchner	FALSE	MD (standard)	rocket, 35mm, subcal, prac, M73			Inert	0.00	2.00	Stockpiled		FALSE	FALSE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8C6	ORD4			FALSE	405	1	6/6/2011 17:06	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	3.00	3.00	Stockpiled		FALSE	FALSE	FALSE			UXOQC not required	TRUE	0
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8C6	ORD4			FALSE	403	1	6/6/2011 17:05	Andrew Caldwell	FALSE	Munitions Debris	Rocket	Incendiary	66mm	Fragments	Inert	3.00	4.00	Stockpiled		FALSE	FALSE	FALSE			UXOQC not required	TRUE	0
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8C6	ORD3			FALSE	302	1	10/27/2011 14:52	Matthew Lauchner	FALSE	Munitions Debris	Rocket	Unknown	66mm	Motor	Inert	0.00	1.50	Stockpiled	camera 2 pic 5	FALSE	FALSE	FALSE			UXOQC not required	TRUE	0
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8C6	ORD4			FALSE	404	1	6/6/2011 17:05	Andrew Caldwell	FALSE	Munitions Debris	Rocket	HEAT	66mm M72 series	Fragments	Inert	3.00	7.00	Stockpiled		FALSE	FALSE	FALSE			UXOQC not required	TRUE	0
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8C6	ORD5	2122243.14	5743023.38	FALSE	501	1	6/6/2011 17:38	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73				Live	3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8C6	ORD5	2122226.14	5743023.80	FALSE	505	1	6/6/2011 17:39	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73				Live	3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8C6	ORD5	2122254.96	5743073.20	FALSE	507	1	6/6/2011 17:40	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73				Live	3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8C6	ORD5	2122238.37	5743022.97	FALSE	502	1	6/6/2011 17:38	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73				Live	3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8C6	ORD4	2122265.34	5743020.99	FALSE	401	1	6/6/2011 17:03	Andrew Caldwell	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73				Live	3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8C6	ORD5	2122253.93	5743073.61	FALSE	508	1	6/6/2011 17:40	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73				Live	3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8C6	ORD5	2122236.71	5743022.76	FALSE	504	1	6/6/2011 17:39	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73				Live	3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8C6	ORD5	2122255.38	5743074.03	FALSE	506	1	6/6/2011 17:39	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73				Live	3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8C6	ORD5	2122237.96	5743021.10	FALSE	503	1	6/6/2011 17:38	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73				Live	3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8C6	ORD5	2122237.96	5743075.69	FALSE	509	1	6/6/2011 17:40	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73				Live	3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8C7	ORD3			FALSE	301	3	10/27/2011 14:49	Matthew Lauchner	FALSE	MD (standard)	rocket, 35mm, subcal, prac, M73			Inert	0.00	1.50	Stockpiled		FALSE	FALSE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8C7	ORD1			FALSE	102	61	6/2/2011 15:51	Andrew Caldwell	FALSE	MD (standard)	rocket, 35mm, subcal, prac, M73			Inert	3.00	30.50	Stockpiled		FALSE	FALSE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8C7	ORD1			FALSE	105	1	6/2/2011 15:54	Andrew Caldwell	FALSE	Munitions Debris	Grenade, Rifle	Smoke	M22 Series	Fragments	Inert	3.00	0.10	Stockpiled		FALSE	FALSE	FALSE			UXOQC not required	TRUE	0
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8C7	ORD1			FALSE	104	1	6/2/2011 15:53	Andrew Caldwell	FALSE	Munitions Debris	Rocket	Incendiary	66mm	Fragments	Inert	3.00	1.00	Stockpiled		FALSE	FALSE	FALSE			UXOQC not required	TRUE	0
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8C7	ORD3			FALSE	302	1	10/27/2011 14:50	Matthew Lauchner	FALSE	Munitions Debris	Rocket	Unknown	66mm	Motor	Inert	0.00	3.00	Stockpiled	camera 2 pic 4	FALSE	FALSE	FALSE			UXOQC not required	TRUE	0

Project Site Name	Area Of Concern Name	Search Area Type	Search Area ID	Field Team Name	Northing	Easting	Is Burial Pit	Item Number	Item Count	Log Date	Logged By	Is MEC	Item Category	Item Type	MEC Category	MEC Description	MEC Part	MEC Condition	Depth (inches)	Weight (pounds)	Item Current Status	Comments	Requires Further Action	Hole Cleared	UXO QC Completed	UXOQC By	UXOQC Date	UXOQC Notes	QC Final	i OE Model ID
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8C7	ORD1			FALSE	103	1	6/2/2011 15:52	Andrew Caldwell	FALSE	Munitions Debris	Rocket	HEAT	66mm M72 series	Fragments	Inert	3.00	5.00	Stockpiled		FALSE	FALSE	FALSE			UXOQC not required	TRUE	0
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8C7	ORD3	2122281.63	5743173.98	FALSE	307	1	6/2/2011 8:50	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live	3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8C7	ORD3	2122254.50	5743170.22	FALSE	309	1	6/2/2011 8:52	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live	3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8C7	ORD3	2122237.38	5743173.56	FALSE	310	1	6/2/2011 8:52	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live	3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8C7	ORD3	2122214.42	5743122.17	FALSE	306	1	6/2/2011 8:50	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live	3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8C7	ORD3	2122272.86	5743173.14	FALSE	308	1	6/2/2011 8:51	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live	3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8C7	ORD1	2122293.73	5743126.35	FALSE	101	1	6/2/2011 8:46	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live	3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8C7	ORD3	2122283.30	5743121.75	FALSE	303	1	6/2/2011 8:47	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live	3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8C7	ORD3	2122219.40	5743126.33	FALSE	305	1	6/2/2011 8:48	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live	3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8C7	ORD3	2122263.68	5743122.17	FALSE	304	1	6/2/2011 8:48	Jack Kristensen	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live	3.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8D4	ORD3			FALSE	301	3	10/27/2011 14:15	Matthew Lauchner	FALSE	MD (standard)	rocket, 35mm, subcal, prac, M73			Inert	0.00	1.50	Stockpiled		FALSE	FALSE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8D4	ORD3			FALSE	302	5	10/27/2011 14:15	Matthew Lauchner	FALSE	Munitions Debris	Rocket	Unknown	66mm	Motor	Inert	0.00	15.00	Stockpiled	camera 2 pic 21	FALSE	FALSE	FALSE			UXOQC not required	TRUE	0
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8D5	ORD3			FALSE	303	11	10/27/2011 14:07	Matthew Lauchner	FALSE	MD (standard)	rocket, 35mm, subcal, prac, M73			Inert	0.00	5.50	Stockpiled	camera 2 pic 12,13	FALSE	FALSE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8D5	ORD3			FALSE	302	1	10/27/2011 14:07	Matthew Lauchner	FALSE	Munitions Debris	Rocket	Unknown	66mm	Motor	Inert	0.00	13.00	Stockpiled		FALSE	FALSE	FALSE			UXOQC not required	TRUE	0
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8D5	ORD1	2122300.77	5742924.48	FALSE	104	1	10/27/2011 8:10	Matthew Lauchner	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live	0.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8D5	ORD1	2122325.20	5742962.22	FALSE	102	1	10/27/2011 8:09	Matthew Lauchner	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live	0.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8D5	ORD1	2122322.35	5742975.04	FALSE	101	1	10/27/2011 8:09	Matthew Lauchner	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live	0.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8D5	ORD1	2122337.26	5742929.47	FALSE	103	1	10/27/2011 8:09	Matthew Lauchner	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live	0.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8D5	ORD3	2122305.75	5742940.14	FALSE	301	1	10/27/2011 14:06	Matthew Lauchner	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live	0.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8D6	ORD3			FALSE	302	7	10/27/2011 14:09	Matthew Lauchner	FALSE	MD (standard)	rocket, 35mm, subcal, prac, M73			Inert	0.00	3.50	Stockpiled		FALSE	FALSE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8D6	ORD3			FALSE	303	1	10/27/2011 14:09	Matthew Lauchner	FALSE	Munitions Debris	Rocket	Unknown	66mm	Motor	Inert	0.00	8.00	Stockpiled	camera 2 pic 14,15	FALSE	FALSE	FALSE			UXOQC not required	TRUE	0
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8D6	ORD1	2122334.31	5743067.61	FALSE	101	1	10/27/2011 8:10	Matthew Lauchner	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live	0.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8D6	ORD3	2122337.81	5743098.55	FALSE	301	1	10/27/2011 14:09	Matthew Lauchner	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live	0.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8D6	ORD1	2122308.60	5743004.05	FALSE	102	1	10/27/2011 8:10	Matthew Lauchner	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live	0.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8D7	ORD3			FALSE	302	11	10/27/2011 14:10	Matthew Lauchner	FALSE	MD (standard)	rocket, 35mm, subcal, prac, M73			Inert	0.00	5.50	Stockpiled		FALSE	FALSE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8D7	ORD3			FALSE	303	1	10/27/2011 14:11	Matthew Lauchner	FALSE	Munitions Debris	Rocket	Unknown	66mm	Motor	Inert	0.00	5.00	Stockpiled	camera 2 pic 16,17	FALSE	FALSE	FALSE			UXOQC not required	TRUE	0

Project Site Name	Area Of Concern Name	Search Area Type	Search Area ID	Field Team Name	Northing	Easting	Is Burial Pit	Item Number	Item Count	Log Date	Logged By	Is MEC	Item Category	Item Type	MEC Category	MEC Description	MEC Part	MEC Condition	Depth (inches)	Weight (pounds)	Item Current Status	Comments	Requires Further Action	Hole Cleared	UXO QC Completed	UXOQC By	UXOQC Date	UXOQC Notes	QC Final	i OE Model ID
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8D7	ORD3	2122306.06	5743134.55	FALSE	301	1	10/27/2011 14:10	Matthew Lauchner	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live	0.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8D7	ORD1	2122344.37	5743126.01	FALSE	101	1	10/27/2011 8:11	Matthew Lauchner	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live	0.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8D7	ORD1	2122307.89	5743123.16	FALSE	102	1	10/27/2011 8:11	Matthew Lauchner	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live	0.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8D8	ORD3			FALSE	302	7	10/27/2011 14:12	Matthew Lauchner	FALSE	MD (standard)	rocket, 35mm, subcal, prac, M73			Inert	0.00	3.50	Stockpiled		FALSE	FALSE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8D8	ORD3			FALSE	303	1	10/27/2011 14:13	Matthew Lauchner	FALSE	Munitions Debris	Rocket	Unknown	66mm	Component s	Inert	0.00	8.00	Stockpiled	camera 2 pic 18,19	FALSE	FALSE	FALSE			UXOQC not required	TRUE	0
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8D8	ORD3	2122342.27	5743251.34	FALSE	301	1	10/27/2011 14:11	Matthew Lauchner	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live	0.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8D8	ORD1	2122330.18	5743280.53	FALSE	101	1	10/27/2011 8:12	Matthew Lauchner	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live	0.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8E5	ORD3			FALSE	301	1	10/27/2011 14:18	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	90mm	Tail Boom	Inert	0.00	1.50	Stockpiled	camera 2 pic 24	FALSE	FALSE	FALSE			UXOQC not required	TRUE	0
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8E8	ORD3			FALSE	301	2	10/27/2011 14:16	Matthew Lauchner	FALSE	MD (standard)	rocket, 35mm, subcal, prac, M73			Inert	0.00	1.00	Stockpiled		FALSE	FALSE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8E8	ORD3			FALSE	302	1	10/27/2011 14:16	Matthew Lauchner	FALSE	Munitions Debris	Rocket	Unknown	66mm	Motor	Inert	0.00	4.00	Stockpiled	camera 2 pic 23	FALSE	FALSE	FALSE			UXOQC not required	TRUE	0
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8F5	ORD3			FALSE	301	1	10/27/2011 14:17	Matthew Lauchner	FALSE	Munitions Debris	Rocket	Unknown	66mm	Motor	Inert	0.00	1.00	Stockpiled	camera 2 pic 22	FALSE	FALSE	FALSE			UXOQC not required	TRUE	0
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8F6	ORD3			FALSE	301	3	10/27/2011 14:13	Matthew Lauchner	FALSE	MD (standard)	rocket, 35mm, subcal, prac, M73			Inert	0.00	1.50	Stored In Magazine #765		FALSE	FALSE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8F6	ORD3			FALSE	302	1	10/27/2011 14:14	Matthew Lauchner	FALSE	Munitions Debris	Rocket	Unknown	66mm	Motor	Inert	0.00	10.00	Stockpiled	camera 2 pic 20	FALSE	FALSE	FALSE			UXOQC not required	TRUE	0
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8F7	ORD3			FALSE	304	1	10/27/2011 14:54	Matthew Lauchner	FALSE	Cultural Debris	Aluminum				0.00	4.00	Stockpiled		FALSE	FALSE	FALSE			UXOQC not required	TRUE	0	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8F7	ORD3			FALSE	305	1	10/27/2011 14:54	Matthew Lauchner	FALSE	Cultural Debris	Metal Scrap				0.00	15.00	Stockpiled	camera 2 pic 6,7	FALSE	FALSE	FALSE			UXOQC not required	TRUE	0	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8F7	ORD3			FALSE	303	4	10/27/2011 14:53	Matthew Lauchner	FALSE	MD (standard)	rocket, 35mm, subcal, prac, M73			Inert	0.00	2.00	Stockpiled		FALSE	FALSE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8F7	ORD3			FALSE	302	1	10/27/2011 14:53	Matthew Lauchner	FALSE	Munitions Debris	Rocket	Unknown	66mm	Motor	Inert	0.00	9.00	Stockpiled		FALSE	FALSE	FALSE			UXOQC not required	TRUE	0
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8F7	ORD3	2122543.31	5743128.17	FALSE	301	1	10/27/2011 14:53	Matthew Lauchner	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live	0.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8G6	ORD3			FALSE	303	1	10/27/2011 14:59	Matthew Lauchner	FALSE	Cultural Debris	Metal Scrap				0.00	12.00	Stockpiled	camera 2 pic 10	FALSE	FALSE	FALSE			UXOQC not required	TRUE	0	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8G6	ORD3			FALSE	301	4	10/27/2011 14:58	Matthew Lauchner	FALSE	MD (standard)	rocket, 35mm, subcal, prac, M73			Inert	0.00	2.00	Stockpiled		FALSE	FALSE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8G6	ORD3			FALSE	302	1	10/27/2011 14:58	Matthew Lauchner	FALSE	Munitions Debris	Rocket	Unknown	66mm	Motor	Inert	0.00	5.00	Stockpiled		FALSE	FALSE	FALSE			UXOQC not required	TRUE	0
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8G7	ORD3			FALSE	304	1	10/27/2011 14:56	Matthew Lauchner	FALSE	Cultural Debris	Aluminum				0.00	2.00	Stockpiled		FALSE	FALSE	FALSE			UXOQC not required	TRUE	0	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8G7	ORD3			FALSE	303	1	10/27/2011 14:56	Matthew Lauchner	FALSE	Cultural Debris	Metal Scrap				0.00	5.00	Stockpiled		FALSE	FALSE	FALSE			UXOQC not required	TRUE	0	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8G7	ORD3			FALSE	302	4	10/27/2011 14:55	Matthew Lauchner	FALSE	MD (standard)	rocket, 35mm, subcal, prac, M73			Inert	0.00	2.00	Stockpiled		FALSE	FALSE	FALSE			UXOQC not required	TRUE	363	
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8G7	ORD3			FALSE	305	1	10/27/2011 14:57	Matthew Lauchner	FALSE	Munitions Debris	Fuze	Unknown	Unknown	Body	Inert	0.00	0.50	Stockpiled	camera 2 pic 8,9	FALSE	FALSE	FALSE			UXOQC not required	TRUE	0
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8G7	ORD3	2122640.06	5743170.90	FALSE	301	1	10/27/2011 14:55	Matthew Lauchner	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73			Live	0.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363	

Project Site Name	Area Of Concern Name	Search Area Type	Search Area ID	Field Team Name	Northing	Easting	Is Burial Pit	Item Number	Item Count	Log Date	Logged By	Is MEC	Item Category	Item Type	MEC Category	MEC Description	MEC Part	MEC Condition	Depth (inches)	Weight (pounds)	Item Current Status	Comments	Requires Further Action	Hole Cleared	UXO QC Completed	UXOQC By	UXOQC Date	UXOQC Notes	QC Final	i OE Model ID
Interim Action Ranges	E39 – MCP Reserve R44 North	Grid	C2A8G7	ORD1	2122635.08	5743158.79	FALSE	101	1	10/27/2011 8:12	Matthew Lauchner	TRUE	UXO (standard)	rocket, 35mm, subcal, prac, M73				Live	0.00	0.50	Detonated	Disposed 5/28/13	FALSE	TRUE	FALSE			UXOQC not required	TRUE	363

Notes:

Requires Further Action: A "False" identifier in this column indicates that no additional actions (e.g. additional investigation, detonation, quality control) for this anomaly are required. A "True" identifier in this column indicates that additional actions for this anomaly are required.

Hole Cleared: A "False" identifier in the column indicates that the anomaly was not fully cleared as outlined in the Group 3 Work Plan. A "True" identifier in the column indicates that the anomaly was fully cleared as outlined in the Group 3 Work Plan. "Hole Cleared" may remain "False" if the area including the anomaly received additional subsequent investigation (for example a sifting operations in a DGM target anomaly area).

UXO QC Complete: A "False" identifier in this column indicates that UXO QC was not completed for the specified anomaly. A "True" identifier in this column indicates that UXO QC was completed for the specified anomaly. UXO QC may remain "False" if the area including the anomaly received additional subsequent investigation (for example a sifting operations in a DGM target anomaly area). UXO QC for analog anomalies consists of UXOQCS reinvestigation of 10 % of each 100' x 100' ft grid in which analog investigation was performed and UXOQCS management of blind seeds.

QC Final: A "False" identifier in this column indicates that one or all required QC activities were not completed for the specified anomaly. A "True" identifier in this column indicates that all required QC activities were completed for the specified anomaly. QC activities include, but are not limited to, UXO QC, and data entry review.

iOEModel ID: Indicates the model number assigned by the Army to the specific item type.

Standard: Indicates an item that is predominantly intact and for which there is an "iOEModel ID" in the Fort Ord Military Munitions Response Program Database.