

Project Site Name	Area Of Concern Name	Search Area Type	Search Area ID	Field Team Name	Northing	Easting	Is Burial Pit	Item Number	Item Count	Log Date	Logged By	Is MEC	Item Category	Item Type	MEC Category	MEC Description	MEC Part	MEC Condition	Depth (inches)	Weight (pounds)	Item Current Status	Comments	Requires Further Action	Hole Cleared	UXO QC Completed	UXOQC By	UXOQC Date	UXOQC Notes	QC Final	i OE Model ID
Interim Action Ranges	E39 – MCP Reserve R44 South	Grid	B218G9	ORD1			FALSE	102	1	6/7/2011 15:09	Andrew Caldwell	FALSE	Small Arms	Blank Ammunition				Inert	3.00	0.10	Stockpiled		FALSE	FALSE	FALSE		UXO QC not conducted for Pre-DGM Analog	TRUE	10	
Interim Action Ranges	E39 – MCP Reserve R44 South	Grid	B218C8	ORD1			FALSE	102	1	6/7/2011 15:13	Andrew Caldwell	FALSE	MD (standard)	fuze, projectile, PD, M557				Inert	3.00	0.50	Stockpiled		FALSE	FALSE	FALSE		UXO QC not conducted for Pre-DGM Analog	TRUE	116	
Interim Action Ranges	E39 – MCP Reserve R44 South	Grid	B218D7	ORD1			FALSE	102	1	6/7/2011 15:15	Andrew Caldwell	FALSE	MD (standard)	fuze, projectile, PD, M557				Inert	3.00	0.50	Stockpiled		FALSE	FALSE	FALSE		UXO QC not conducted for Pre-DGM Analog	TRUE	116	
Interim Action Ranges	E39 – MCP Reserve R44 South	Grid	B218E6	ORD1			FALSE	102	1	6/7/2011 15:41	Andrew Caldwell	FALSE	MD (standard)	fuze, projectile, PD, M557				Inert	3.00	0.50	Stockpiled		FALSE	FALSE	FALSE		UXO QC not conducted for Pre-DGM Analog	TRUE	116	
Interim Action Ranges	E39 – MCP Reserve R44 South	Grid	B218F1	ORD1			FALSE	101	1	6/6/2011 16:29	Matthew Lauchner	FALSE	MD (standard)	fuze, projectile, PD, M557				Inert	3.00	0.50	Stockpiled		FALSE	FALSE	FALSE		UXO QC not conducted for Pre-DGM Analog	TRUE	116	
Interim Action Ranges	E39 – MCP Reserve R44 South	Grid	B218F6	ORD1			FALSE	102	1	6/7/2011 15:34	Andrew Caldwell	FALSE	MD (standard)	fuze, projectile, PD, M557				Inert	3.00	0.50	Stockpiled		FALSE	FALSE	FALSE		UXO QC not conducted for Pre-DGM Analog	TRUE	116	
Interim Action Ranges	E39 – MCP Reserve R44 South	Grid	B218F7	ORD1			FALSE	102	1	6/7/2011 15:19	Andrew Caldwell	FALSE	MD (standard)	fuze, projectile, PD, M557				Inert	3.00	0.50	Stockpiled		FALSE	FALSE	FALSE		UXO QC not conducted for Pre-DGM Analog	TRUE	116	
Interim Action Ranges	E39 – MCP Reserve R44 South	Grid	B218H8	ORD1			FALSE	102	1	6/7/2011 15:10	Andrew Caldwell	FALSE	MD (standard)	fuze, projectile, PD, M557				Inert	3.00	0.50	Stockpiled		FALSE	FALSE	FALSE		UXO QC not conducted for Pre-DGM Analog	TRUE	116	
Interim Action Ranges	E39 – MCP Reserve R44 South	Grid	B219C1	ORD1			FALSE	102	1	6/7/2011 14:48	Andrew Caldwell	FALSE	MD (standard)	fuze, projectile, PD, M557				Inert	3.00	0.50	Stockpiled		FALSE	FALSE	FALSE		UXO QC not conducted for Pre-DGM Analog	TRUE	116	
Interim Action Ranges	E39 – MCP Reserve R44 South	Grid	B218C0	ORD4			FALSE	402	1	6/6/2011 17:28	Andrew Caldwell	FALSE	MD (standard)	fuze, projectile, PD, M557				Inert	3.00	0.50	Stockpiled		FALSE	FALSE	FALSE		UXO QC not conducted for Pre-DGM Analog	TRUE	116	
Interim Action Ranges	E39 – MCP Reserve R44 South	Grid	B218C9	ORD4			FALSE	402	1	6/6/2011 17:27	Andrew Caldwell	FALSE	MD (standard)	fuze, projectile, PD, M557				Inert	3.00	0.50	Stockpiled		FALSE	FALSE	FALSE		UXO QC not conducted for Pre-DGM Analog	TRUE	116	
Interim Action Ranges	E39 – MCP Reserve R44 South	Grid	B218D0	ORD4			FALSE	402	1	6/6/2011 17:26	Andrew Caldwell	FALSE	MD (standard)	fuze, projectile, PD, M557				Inert	3.00	0.50	Stockpiled		FALSE	FALSE	FALSE		UXO QC not conducted for Pre-DGM Analog	TRUE	116	
Interim Action Ranges	E39 – MCP Reserve R44 South	Grid	B218E0	ORD4			FALSE	402	2	6/6/2011 17:24	Andrew Caldwell	FALSE	MD (standard)	fuze, projectile, PD, M557				Inert	3.00	1.00	Stockpiled		FALSE	FALSE	FALSE		UXO QC not conducted for Pre-DGM Analog	TRUE	116	
Interim Action Ranges	E39 – MCP Reserve R44 South	Grid	B218F9	ORD4			FALSE	401	1	6/6/2011 17:22	Andrew Caldwell	FALSE	MD (standard)	fuze, projectile, PD, M557				Inert	3.00	0.50	Stockpiled		FALSE	FALSE	FALSE		UXO QC not conducted for Pre-DGM Analog	TRUE	116	
Interim Action Ranges	E39 – MCP Reserve R44 South	Grid	B217F0	ORD1			FALSE	101	1	6/6/2011 16:46	Matthew Lauchner	FALSE	Cultural Debris	Metal Scrap					3.00	15.00	Stockpiled		FALSE	FALSE	FALSE		UXO QC not conducted for Pre-DGM Analog	TRUE	0	
Interim Action Ranges	E39 – MCP Reserve R44 South	Grid	B218E7	ORD1			FALSE	102	1	6/7/2011 15:18	Andrew Caldwell	FALSE	MD (standard)	Proj, 105mm, Illum, M314 series				Inert	3.00	39.00	Stockpiled		FALSE	FALSE	FALSE		UXO QC not conducted for Pre-DGM Analog	TRUE	340	
Interim Action Ranges	E39 – MCP Reserve R44 South	Grid	B217J9	ORD1			FALSE	101	1	6/6/2011 16:30	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	3.00	2.00	Stockpiled		FALSE	FALSE	FALSE		UXO QC not conducted for Pre-DGM Analog	TRUE	0	
Interim Action Ranges	E39 – MCP Reserve R44 South	Grid	B218B6	ORD1			FALSE	101	1	6/7/2011 15:44	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	3.00	4.00	Stockpiled		FALSE	FALSE	FALSE		UXO QC not conducted for Pre-DGM Analog	TRUE	0	
Interim Action Ranges	E39 – MCP Reserve R44 South	Grid	B218B7	ORD1			FALSE	101	1	6/7/2011 15:14	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	3.00	4.00	Stockpiled		FALSE	FALSE	FALSE		UXO QC not conducted for Pre-DGM Analog	TRUE	0	
Interim Action Ranges	E39 – MCP Reserve R44 South	Grid	B218B8	ORD1			FALSE	101	1	6/7/2011 15:13	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	3.00	2.00	Stockpiled		FALSE	FALSE	FALSE		UXO QC not conducted for Pre-DGM Analog	TRUE	0	

Project Site Name	Area Of Concern Name	Search Area Type	Search Area ID	Field Team Name	Northing	Easting	Is Burial Pit	Item Number	Item Count	Log Date	Logged By	Is MEC	Item Category	Item Type	MEC Category	MEC Description	MEC Part	MEC Condition	Depth (inches)	Weight (pounds)	Item Current Status	Comments	Requires Further Action	Hole Cleared	UXO QC Completed	UXOQC By	UXOQC Date	UXOQC Notes	QC Final	i OE Model ID
Interim Action Ranges	E39 – MCP Reserve R44 South	Grid	B218B9	ORD1			FALSE	101	1	6/7/2011 15:07	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	3.00	5.00	Stockpiled		FALSE	FALSE	FALSE			UXO QC not conducted for Pre-DGM Analog	TRUE	0
Interim Action Ranges	E39 – MCP Reserve R44 South	Grid	B218C0	ORD1			FALSE	101	1	6/7/2011 15:06	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	3.00	6.00	Stockpiled		FALSE	FALSE	FALSE			UXO QC not conducted for Pre-DGM Analog	TRUE	0
Interim Action Ranges	E39 – MCP Reserve R44 South	Grid	B218C4	ORD1			FALSE	101	1	6/6/2011 16:51	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	3.00	3.00	Stockpiled		FALSE	FALSE	FALSE			UXO QC not conducted for Pre-DGM Analog	TRUE	0
Interim Action Ranges	E39 – MCP Reserve R44 South	Grid	B218C6	ORD1			FALSE	101	1	6/7/2011 15:43	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	3.00	3.00	Stockpiled		FALSE	FALSE	FALSE			UXO QC not conducted for Pre-DGM Analog	TRUE	0
Interim Action Ranges	E39 – MCP Reserve R44 South	Grid	B218C7	ORD1			FALSE	101	1	6/7/2011 15:14	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	3.00	3.00	Stockpiled		FALSE	FALSE	FALSE			UXO QC not conducted for Pre-DGM Analog	TRUE	0
Interim Action Ranges	E39 – MCP Reserve R44 South	Grid	B218C8	ORD1			FALSE	101	1	6/7/2011 15:12	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	3.00	3.00	Stockpiled		FALSE	FALSE	FALSE			UXO QC not conducted for Pre-DGM Analog	TRUE	0
Interim Action Ranges	E39 – MCP Reserve R44 South	Grid	B218C9	ORD1			FALSE	101	1	6/7/2011 15:07	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	3.00	5.00	Stockpiled		FALSE	FALSE	FALSE			UXO QC not conducted for Pre-DGM Analog	TRUE	0
Interim Action Ranges	E39 – MCP Reserve R44 South	Grid	B218D6	ORD1			FALSE	101	1	6/7/2011 15:43	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	3.00	3.00	Stockpiled		FALSE	FALSE	FALSE			UXO QC not conducted for Pre-DGM Analog	TRUE	0
Interim Action Ranges	E39 – MCP Reserve R44 South	Grid	B218D7	ORD1			FALSE	101	1	6/7/2011 15:15	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	3.00	3.00	Stockpiled		FALSE	FALSE	FALSE			UXO QC not conducted for Pre-DGM Analog	TRUE	0
Interim Action Ranges	E39 – MCP Reserve R44 South	Grid	B218E2	ORD1			FALSE	101	1	6/6/2011 16:47	Matthew Lauchner	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	3.00	3.00	Stockpiled		FALSE	FALSE	FALSE			UXO QC not conducted for Pre-DGM Analog	TRUE	0
Interim Action Ranges	E39 – MCP Reserve R44 South	Grid	B218E6	ORD1			FALSE	101	1	6/7/2011 15:41	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	3.00	2.00	Stockpiled		FALSE	FALSE	FALSE			UXO QC not conducted for Pre-DGM Analog	TRUE	0
Interim Action Ranges	E39 – MCP Reserve R44 South	Grid	B218E7	ORD1			FALSE	101	1	6/7/2011 15:15	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	3.00	2.00	Stockpiled		FALSE	FALSE	FALSE			UXO QC not conducted for Pre-DGM Analog	TRUE	0
Interim Action Ranges	E39 – MCP Reserve R44 South	Grid	B218E8	ORD1			FALSE	101	1	6/7/2011 15:12	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	3.00	3.00	Stockpiled		FALSE	FALSE	FALSE			UXO QC not conducted for Pre-DGM Analog	TRUE	0
Interim Action Ranges	E39 – MCP Reserve R44 South	Grid	B218F0	ORD1			FALSE	101	1	6/7/2011 15:06	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	3.00	7.00	Stockpiled		FALSE	FALSE	FALSE			UXO QC not conducted for Pre-DGM Analog	TRUE	0
Interim Action Ranges	E39 – MCP Reserve R44 South	Grid	B218F6	ORD1			FALSE	101	1	6/7/2011 15:34	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	3.00	3.00	Stockpiled		FALSE	FALSE	FALSE			UXO QC not conducted for Pre-DGM Analog	TRUE	0
Interim Action Ranges	E39 – MCP Reserve R44 South	Grid	B218F7	ORD1			FALSE	101	1	6/7/2011 15:18	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	3.00	4.00	Stockpiled		FALSE	FALSE	FALSE			UXO QC not conducted for Pre-DGM Analog	TRUE	0
Interim Action Ranges	E39 – MCP Reserve R44 South	Grid	B218F8	ORD1			FALSE	101	1	6/7/2011 15:11	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	3.00	3.00	Stockpiled		FALSE	FALSE	FALSE			UXO QC not conducted for Pre-DGM Analog	TRUE	0
Interim Action Ranges	E39 – MCP Reserve R44 South	Grid	B218G7	ORD1			FALSE	101	1	6/7/2011 15:19	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	3.00	2.00	Stockpiled		FALSE	FALSE	FALSE			UXO QC not conducted for Pre-DGM Analog	TRUE	0
Interim Action Ranges	E39 – MCP Reserve R44 South	Grid	B218G8	ORD1			FALSE	101	1	6/7/2011 15:11	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	3.00	2.00	Stockpiled		FALSE	FALSE	FALSE			UXO QC not conducted for Pre-DGM Analog	TRUE	0
Interim Action Ranges	E39 – MCP Reserve R44 South	Grid	B218G9	ORD1			FALSE	101	1	6/7/2011 15:08	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	3.00	2.00	Stockpiled		FALSE	FALSE	FALSE			UXO QC not conducted for Pre-DGM Analog	TRUE	0

Project Site Name	Area Of Concern Name	Search Area Type	Search Area ID	Field Team Name	Northing	Easting	Is Burial Pit	Item Number	Item Count	Log Date	Logged By	Is MEC	Item Category	Item Type	MEC Category	MEC Description	MEC Part	MEC Condition	Depth (inches)	Weight (pounds)	Item Current Status	Comments	Requires Further Action	Hole Cleared	UXO QC Completed	UXOQC By	UXOQC Date	UXOQC Notes	QC Final	iOE Model ID
Interim Action Ranges	E39 – MCP Reserve R44 South	Grid	B2I8H7	ORD1			FALSE	101	1	6/7/2011 15:20	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	3.00	3.00	Stockpiled		FALSE	FALSE	FALSE			UXO QC not conducted for Pre-DGM Analog	TRUE	0
Interim Action Ranges	E39 – MCP Reserve R44 South	Grid	B2I8H8	ORD1			FALSE	101	1	6/7/2011 15:10	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	3.00	2.00	Stockpiled		FALSE	FALSE	FALSE			UXO QC not conducted for Pre-DGM Analog	TRUE	0
Interim Action Ranges	E39 – MCP Reserve R44 South	Grid	B2I8I4	ORD1			FALSE	101	1	6/6/2011 16:50	Matthew Lauchner	FALSE	Munitions Debris	Projectile	HEAT	90mm	Tail Boom	Inert	3.00	1.00	Stockpiled		FALSE	FALSE	FALSE			UXO QC not conducted for Pre-DGM Analog	TRUE	0
Interim Action Ranges	E39 – MCP Reserve R44 South	Grid	B2I9C1	ORD1			FALSE	101	1	6/7/2011 14:48	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	3.00	1.00	Stockpiled		FALSE	FALSE	FALSE			UXO QC not conducted for Pre-DGM Analog	TRUE	0
Interim Action Ranges	E39 – MCP Reserve R44 South	Grid	B2I9E1	ORD1			FALSE	101	1	6/7/2011 14:49	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	3.00	3.00	Stockpiled		FALSE	FALSE	FALSE			UXO QC not conducted for Pre-DGM Analog	TRUE	0
Interim Action Ranges	E39 – MCP Reserve R44 South	Grid	B2I9F1	ORD1			FALSE	101	1	6/7/2011 15:05	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	3.00	5.00	Stockpiled		FALSE	FALSE	FALSE			UXO QC not conducted for Pre-DGM Analog	TRUE	0
Interim Action Ranges	E39 – MCP Reserve R44 South	Grid	B2J8C0	ORD4			FALSE	401	1	6/6/2011 17:28	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	3.00	2.00	Stockpiled		FALSE	FALSE	FALSE			UXO QC not conducted for Pre-DGM Analog	TRUE	0
Interim Action Ranges	E39 – MCP Reserve R44 South	Grid	B2J8C9	ORD4			FALSE	401	1	6/6/2011 17:27	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	3.00	1.00	Stockpiled		FALSE	FALSE	FALSE			UXO QC not conducted for Pre-DGM Analog	TRUE	0
Interim Action Ranges	E39 – MCP Reserve R44 South	Grid	B2J8D0	ORD4			FALSE	401	1	6/6/2011 17:26	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	3.00	2.00	Stockpiled		FALSE	FALSE	FALSE			UXO QC not conducted for Pre-DGM Analog	TRUE	0
Interim Action Ranges	E39 – MCP Reserve R44 South	Grid	B2J8D9	ORD4			FALSE	401	1	6/6/2011 17:25	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	3.00	3.00	Stockpiled		FALSE	FALSE	FALSE			UXO QC not conducted for Pre-DGM Analog	TRUE	0
Interim Action Ranges	E39 – MCP Reserve R44 South	Grid	B2J8E0	ORD4			FALSE	401	1	6/6/2011 17:24	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	3.00	2.00	Stockpiled		FALSE	FALSE	FALSE			UXO QC not conducted for Pre-DGM Analog	TRUE	0
Interim Action Ranges	E39 – MCP Reserve R44 South	Grid	B2J8E9	ORD4			FALSE	401	1	6/6/2011 17:23	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	3.00	3.00	Stockpiled		FALSE	FALSE	FALSE			UXO QC not conducted for Pre-DGM Analog	TRUE	0
Interim Action Ranges	E39 – MCP Reserve R44 South	Grid	B2J8F9	ORD4			FALSE	402	1	6/6/2011 17:23	Andrew Caldwell	FALSE	Munitions Debris	Projectile	Unknown	Unknown	Fragments	Inert	3.00	3.00	Stockpiled		FALSE	FALSE	FALSE			UXO QC not conducted for Pre-DGM Analog	TRUE	0
Interim Action Ranges	E39 – MCP Reserve R44 South	Grid	B2J7C4	ORD1			FALSE	101	2	6/6/2011 16:39	Matthew Lauchner	FALSE	MD (standard)	projo, 81mm, mrtr, illum, M301 ser				Inert	0.00	20.00	Stockpiled		FALSE	FALSE	FALSE			UXO QC not conducted for Pre-DGM Analog	TRUE	325
Interim Action Ranges	E39 – MCP Reserve R44 South	Grid	B2J7C5	ORD1			FALSE	101	1	6/6/2011 16:43	Matthew Lauchner	FALSE	MD (standard)	projo, 81mm, mrtr, illum, M301 ser				Inert	3.00	10.00	Stockpiled		FALSE	FALSE	FALSE			UXO QC not conducted for Pre-DGM Analog	TRUE	325
Interim Action Ranges	E39 – MCP Reserve R44 South	Grid	B2J7C6	ORD1			FALSE	101	1	6/6/2011 16:45	Matthew Lauchner	FALSE	MD (standard)	projo, 81mm, mrtr, illum, M301 ser				Inert	0.00	10.00	Stockpiled		FALSE	FALSE	FALSE			UXO QC not conducted for Pre-DGM Analog	TRUE	325

Notes:
 Requires Further Action: A "False" identifier in this column indicates that no additional actions (e.g. additional investigation, detonation, quality control) for this anomaly are required. A "True" identifier in this column indicates that additional actions for this anomaly are required.
 Hole Cleared: A "False" identifier in the column indicates that the anomaly was not fully cleared as outlined in the Group 3 Work Plan. A "True" identifier in the column indicates that the anomaly was fully cleared as outlined in the Group 3 Work Plan. "Hole Cleared" may remain "False" if the area including the anomaly received additional subsequent investigation (for example a sifting operations in a DGM target anomaly area).
 UXO QC Complete: A "False" identifier in this column indicates that UXO QC was not completed for the specified anomaly. A "True" identifier in this column indicates that UXO QC was completed for the specified anomaly. UXO QC may remain "False" if the area including the anomaly received additional subsequent investigation (for example a sifting operations in a DGM target anomaly area). UXO QC for analog anomalies consists of UXOQCS reinvestigation of 10 % of each 100' x 100' ft grid in which analog investigation was performed and UXOQCS management of blind seeds.
 QC Final: A "False" identifier in this column indicates that one or all required QC activities were not completed for the specified anomaly. A "True" identifier in this column indicates that all required QC activities were completed for the specified anomaly. QC activities include, but are not limited to, UXO QC, and data entry review.
 IOEModel ID: Indicates the model number assigned by the Army to the specific item type.
 Standard: Indicates an item that is predominantly intact and for which there is an "IOEModel ID" in the Fort Ord Military Munitions Response Program Database.