Date:	Time begin monitoring:	Time end monitoring:	
1/5/2015	10:00	10:45	
Observer(s) - please list all persons pre	sent:		
Joshua Tallis	+ Alvaro R	viz	
Weather conditions:			
Partly clouds.	50's -760"s" F		
General location (MRA, nearby	Specific location description:		
crossroads, etc):	R47 Sulsa	nea B+C	
Coordinates:			
36.623421,	-121.795624	)	
Describe any ongoing human disturban observations:	ce in location where infestation occ	curs along with any related	
Observations.			
No			
Weed species observed:	Diagnostic features observed:		
Ice plant			
	_		
Estimated population size: (	1:00	2-30:	
	Tamasas		
30-100:	101-500:	>500:10e plant	
Proportion of population with	<1%:)	1-10%:	
reproductive structures (indicate			
buds, flowers, fruits):			
10-25%:	25-50%:	>50%:	
Surrounding vegetation type:	2 Maritime C	rapavial	
Wildlife observed in area (if relevant to	weed treatment efforts):		
No			
Weed treatment activities:	1		
Handrewoval of one pampas grasses			
Photographs: Yes		, ,	
Notes:			
Followup activities and dates:			

Date:	Time begin monitoring/treatment:	Time end monitoring/treatment:	
1/22/2015	08:30	08:45	
Observer(s) - please list all persons present:			
Joshua Tallis, Alvano Ruiz			
Weather conditions:	THEOLO ROIZ		
Partly church	~ Shor in marning		
General location (MRA, nearby		Strip of devel. pa	cel
crossroads, etc) (S. of ASP/ES	) along Barloy Con	April ord Texes	PITAL
Coordinates:		0 6	.,-,,
36° 38' 1.6 N	121°44'04.8" W		
Describe any ongoing human disturb			
1 . 9	raffic common a	long roads + dirt	
Target (or other highly invasive) week	spread ice plan	<b>₹</b> .	
	t in habitat area	and not	
observed along. E	Sorloy Conyon Re	a delegement same	
	Salay Carry Til	perce.	
Diagnostic features observed:			
			105
Estimated population size:	1	(2-30) in proposed was	karea
31-100	101-500	>500	
Proportion of population with reproductive structures (indicate	(<1%)	1-10%	
buds, flowers, fruits):			
11-25%	26-50%	>50%	
Surrounding vegetation type: Cen-	ral Maritime (h	aparra	
		ľ	
Wildlife observed in area (if relevant t	o weed treatment efforts):		
Weed treatment activities:			
None in area S. o	JASP. Hand wooding	Like North area	ale
Photographs: Yan	3707. 10000	range	
Notes, non-target weeds observed or	treated:	1 ange	
Most icas plant	is located are	und permeter	
# #	5.00 ha occurad	,	
Most ice plant is located around perimeter of area that will be proved.			
Followup activities and dates:	7 - 5 - 7 - 5 - 7 - 7		
None			

2/23/2015 12:30 Observer(s) Iplease list all persons present:
J. Tallis A. Kuin
Weather conditions:
Clear, windy, ~50°F
General location (MRA, nearby ) Specific location description:
crossroads, etc): SEA Blue Line Rd.
Coordinates:
This is a large area. See a wap.  Describe any ongoing human disturbance in location where infestation occurs along with any related
observations: Pick up traffic along road;
Ice plant herbiciding on Darmy side of tene
Target (or other nignly invasive) weed species observed:
Tee Plant, tampas Girass
Diagnostic features observed:
Estimated population size: (1) Fampas 2-30
31-100 101-500 (500) ice o aut
Proportion of population with <1% Powerpas + 1-10%
reproductive structures (indicate buds, flowers, fruits):
11-25% 26-50% Pampas
Surrounding vegetation type:
Central Maritime chaparral
Wildlife observed in area (if relevant to weed treatment efforts):
None
Weed treatment activities:
None
Photographs: You
Notes, non-target weeds observed or treated:
In NE SEA Theres a berm completely
in NE SEA Theres a berm completely infected w/a thistle that looks like
MIK Thistle
Followup activities and dates:
None.

Date: /	Time begin monitoring/treatment:	Time end monitoring/treatment:
2/23/2015	12:45	13:30
Observer(s) - please list all persons p	present:	
J. Tallis	)	
Weather conditions:		
Clear, wind	1,~50 F	
General location (MRA, nearby crossroads, etc):	Specific location description: RH7 + Deve	I fancel soil ber
Coordinates:	7 110	1
fermores of tou	ce on outside. No	u de vel parce lin
Describe any ongoing human disturb observations:	ance in location where intestation oc	curs along with any related
Observations. None.		į.
Target (or other highly/invasive) week	d species observed:	
Ice plant	v	
, ,		
Diagnostic features observed:		
_		
Estimated population size:	1	2-30
31-100) R47 + Soil Berry	101-500	>500
Proportion of population with reproductive structures (indicate buds, flowers, fruits):	<1%	1-10%
11-25%	26-50%	>50%
Surrounding vegetation type:	a chapoural	2
Wildlife observed in area (if relevant	to weed treatment efforts):	
None		
Weed treatment activities: 25 ice plant	individuals remov	ول
Photographs: Yes		
Notes and description	r treated:	-H 1 0
No. Centaura	za melitensis ro	selles observed.
Followup activities and dates:	¥	
No		

Date:	Time begin monitoring/treatment:	Time end monitoring/treatment:	
3/9/7/15	09:45	11.45	
Observer(s) - please list all persons p		10.75	
J-11			
Weather conditions:	<b>&gt;</b>		
P. Afra January	-70° F R = 1.	00	
General location (MRA, nearby	Specific location description:	Il is early morn	
crossroads, etc): 1 $\triangle$	2 H 7		
Coordinates:			
36°37'23.9"N	1 1210 47 42	-/" (a )	
Describe any ongoing human disturb		· · · · · · · · · · · · · · · · · · ·	
observations:			
None e-			
Target (or other highly invasive) week	species observed:		
Ice plant +	pampas gras	s	
	Y Y		
Diagnostic features observed:	1		
Pampas + ice plan	t non flowering		
	1		
Estimated population size:	1	1 mpes	
31-100	101-500	>500) 12 plant	
Proportion of population with reproductive structures (indicate	19% ) Poth	1-10%	
buds, flowers, fruits):			
11-25%	26-50%	>50%	
Surrounding vegetation type:	. /	7	
Central Mariti	me Chaparra	2	
Wildlife observed in area (if relevant t			
Done			
Weed treatment activities:	1		
all three paper		moved ,	
Photographs:	removed In a	and planting	
		67174672 5	
Notes, non-target weeds observed or	treated:	1	
London rocket. (5			
Followup activities and dates:			
		1	

Date:	Time begin monitoring/treatment:	Time end monitoring/treatment:	
3/24/2015	1300	1345	
Observer(s) - please list all persons p	resent:		
J. Tallis			
Weather conditions:			
Clear, 70	F		
General location (MRA, nearby	Specific location description:	. /	
crossroads, etc): RHT//AR	Subarea C	south of example	
Coordinates:	121047149		
36° 37' 233' N  Describe any ongoing human disturba			
observations:	ance in location where intestation occ	curs along with any related	
Vein cutt	ina		
Target (or other highly invasive) weed			
	,		
le plant			
Diagnostic features observed:			
91 1	1-14		
Estimated population size:	ema	2-30	
	1 0		
Proportion of population with	101-500	>500 1-10%	
reproductive structures (indicate	176	1-1070	
buds, flowers, fruits):			
11-25%	26-50%	>50%	
Surrounding vegetation type:	$\cap$		
Marifine chap	arral		
Wildlife observed in area (if relevant t	o weed treatment efforts):		
Ne			
Weed treatment activities:	0 1 10	(4 -	
Yes, Hand removal started in This area			
Photographs: Yes			
Notes, non-target weeds observed or	treated:		
No			
Followup activities and dates:			
Current treatm	Current treatment of ice plant started		
A STATE OF THE STA	The second of th		

Date: )	Time begin monitoring/treatment:	Time end monitoring/treatment:		
3/26/2015	1300	1315		
Observer(s) - please list all persons p	resent:			
Joshua Ta	lis			
Weather conditions:				
Clear, to F				
General location (MRA, nearby	Specific location description:			
crossroads, etc): FEG	Grenade Ra	mag		
Coordinates:	1,000			
		O		
Describe any ongoing human disturba	nce in location where infestation occ	curs along with any related		
observations:				
None				
Target (or other highly invasive) weed	species observed:			
T. 11				
The plant				
Diagnostic features observed:				
		all tiny plants		
Estimated population size:	1	2-30		
31-100	101-500	>500		
Proportion of population with reproductive structures (indicate	<1%	1-10%		
buds, flowers, fruits):				
11-25%	26-50%	>50%		
Surrounding vegetation type;		1		
Oak woodland	1 11/00 - 1			
Wildlife observed in area (if relevant to	weed treatment efforts):	Chapterrax		
\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	weed treatment enous).	,		
None				
Weed treatment activities:		1 10 . 1 1		
None today, We recently removed all ico Dant				
Photographs:				
Notes, non-target weeds observed or treated:				
Serecio glomerata				
· V				
Followup activities and dates:	Followup activities and dates:			
		i		

Date: 1	Time begin monitoring/treatment:	Time end monitoring/treatment:	
827/2015	1300	1330	
Observer(s) - please list all persons p	resent:		
Toslavia I			
Weather conditions:			1
	+ ° F		
General location (MRA, nearby	Specific location description:	_ ^	
crossroads, etc):	Blue Lin	120%.	
Coordinates:			
Describe any ongoing human disturba	ance in location where infestation occ	curs along with any related	
observations:	$\Omega$		
Vehicle traffic	calona road	F	
Target (or other highly invasive) weed	species observed:		
116000	V		
I ce parvi			
Diagnostic features observed:	/ / \	11: 1	
Mainly large	- (10+ ft diam.)	reactative done	0.
Estimated population size:	1	2-30	
31-100	101-500	>500	
Proportion of population with	<1%	1-10%	
reproductive structures (indicate			
buds, flowers, fruits):			
11-25%	26-50%	>50%	
Surrounding vegetation type:	(	()	
Central Man	time Chapa	val	
Wildlife observed in area (if relevant t	o weed treatment efforts):		
None			
Weed treatment activities:	0	1	1
None, however	weeks were d	riven over tod	ut
Photographs:	Sice of out mate	Moses - +	!
Notes, non-target weeds observed or	1 Com Via		
Notes, non-target weeks oboty (c. o.	appears son	egue nas spr	er je c
	rund Killed m	got ice plant of	n
	the 100 11 A - 5	6 1 th. 6	0
	100 NIVIII SI	ne of the tenc	-
Followup activities and dates:		-	

Date: /	Time begin monitoring/treatment:	Time end monitoring/treatment:		
10/27/2015	11:30	11-35		
Observer(s) - please list all persons present:				
Joshua.	Tallis			
Weather conditions:				
Clour to	5°F			
General location (MRA, nearby	Specific location description:	1 2 1 22		
crossroads, etc):	Watking Gate Ro	+ Gigling Rd.		
Coordinates:		$\bigcup J$		
Describe any ongoing human disturb observations:	ance in location where infestation oc	curs along with any related		
A 3				
Target (or other highly invasive) wee	d enecies observed.			
		0 1-1		
Miner presence	- of ice plant	along va. No		
Diagnostic features observed:	French by	sond observed		
Diagnostic features observed:		1		
-				
Estimated population size:	1	(2-30) 1 (c p ant		
31-100	101-500	>500		
Proportion of population with	<1%	1-10%		
reproductive structures (indicate buds, flowers, fruits):				
11-25%	26-50%	>50%		
Surrounding vegetation type:	<i>f</i>		-0	
Carta Mais	Changes	1 + Dala 1000	30_ 1	
Wildlife observed in area (if relevant	o weed treatment efforts):	w rough area	XXUM	
Weed treatment activities:				
, Voca acamena acamena				
Photographs:				
Notes, non-target weeds observed or	treated:			
Notes, non larger needs observed or				
The second datases				
Followup activities and dates:				

Date:	1	Time to six and its six alternation onto	Time end monitoring/treatment:	
Date.	100/000	Time begin monitoring/treatment:	Time end monitoring/treatment.	
101	21(2015	1350	1400	
Observer(s) - p	lease list all persons p	resent:		
	J05/m/	Tallis.		
Weather condit	tions:	66		
1 (10)	ar, to	50 8		
General location	n (MRA, nearby	Specific location description:		
crossroads, etc	FEG	(TIPMUDE K	ande 1	
Coordinates:				
			9	
Describe any o	ngoing human disturb	ance in location where infestation oc	curs along with any related	
observations:				
Target (or othe	r highly invasivę) weed	species observed:		
1		0	a h	
100	almit	and Damman	MANN E - IM	
700	10 90	ovid jovingous C	Jeechin	90
Diagnostic feat	ures observed:	1 /	7	
Estimated popu	ulation size:	9 Pampas	2-30	
(31-100) / (	e dant	101-500	>500	
Proportion of p		<1%	1-10%	
reproductive st	ructures (indicate			
buds, flowers, f	fruits):			
11-25%		26-50%	>50%	
Surrounding ve	egetation type;		1 1	
1 10	was II am	+ ( 0.101) 11	1 11 no A	
Wildlife observe	ed in area (if relevant t	o weed treatment efforts):	White Cresp	
VVIIdine observi	/ area (il relevant t	o weed treatment enorts).	//	
Weed treatmen	nt activities:			
_				
Photographs:	VO1 3-	Tilhone		
Notes, non-tarc	get weeds observed or	treated:		
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	,			
Followup activit			0	
NPON	to son	nove ice plan	A (//simal)	
1-000	70 700	or the pran	u seex ( nop)	
Locar	1 5 int +	25 mm 5 00	<i>(</i> /	

Data	T: 1 : '4 : #	T:
Date: 1627 1015	Time begin monitoring/treatment:	Time end monitoring/treatment:
Observer(s) - please list all persons p	present:	
105MA	1 ally	
Weather conditions: 70/5		
General location (MRA, nearby crossroads, etc):	Specific location description:	Rd.
Coordinates:		
Describe any ongoing human disturb observations:	ance in location where infestation occ	curs along with any related
Target (or other highly invasive) week	d species observed:  Visible a Onc	y roodside.
Diagnostic features observed:	0	V .
Elmerina	and mm-the	1857 MM
Estimated population size:	1	2-30
31-100	101-500	>500
Proportion of population with reproductive structures (indicate buds, flowers, fruits):	<1%	1-10%
11-25%	26-50%	>50%
Surrounding vegetation type:  Why will life observed in area (if relevant	J M Cen L to weed treatment efforts):	varitue chapara
DEER		
Weed treatment activities:		
None		
Photographs: 5++ where		
Notes, non-target weeds observed or	r treated:	
Followup activities and dates:		

Date: /	Time begin monitoring/treatment:	Time end monitoring/treatment:	
10/27/2015	12:30	12:45	
Observer(s) - please list all persons p	resent:		
J-Tallis			
Weather conditions:	m (-		
	, o F		
General location (MRA, nearby	Specific location description:	100	
crossroads, etc): A	Levelasma	at Parcel	
Coordinates:			
Describe any ongoing human disturba	ance in location where infestation occ	curs along with any related	
observations:			
Target (or other highly invasive) weed	species observed:		
Pampao or as	$\sim$	1	
Diagnostic features observed: f			
Flowering slun	0. O.O		
Estimated population size:	1	2-30	
J ,		2-30	
31-100	101-500	>500	
Proportion of population with reproductive structures (indicate	<1%	1-10%	
buds, flowers, fruits):			
11-25%	26-50%	>50%	
Surrounding vegetation type:		$\cap$	
Contral Music	time ( ray Da	MAL	
Wildlife observed in area (if relevant t	o weed treatment efforts):	7 000	
	,		
Weed treatment activities:			
Photographs: 4 TT			
-160/-1	Tiphone		
Notes, non-target weeds observed or	treated:		
•			
Followup activities and dates:			
The state of	ring pampas	1	
in dencionani	parcel, Th	100 1300 2 50	
in acreofiner	de de la companya de	Til valor 10	
ha somon	o W	$\circ$	

Date: /	Time begin monitoring/treatment:	Time end monitoring/treatment:	
10/27/2015	1200	12:30	
Observer(s) - please list all persons p	resent:		
Doshua	Iallin		
Weather conditions:	0=/ 10		
	> F (midday	)	
General location (MRA, nearby crossroads, etc):	Specific location description:	7	
Coordinates:			
Describe any ongoing human disturb	ance in location where infestation oc	curs along with any related	
observations:			
Target (or other highly invasive) weed	d species observed:		
Ice plant, po	umpas grass		
Diagnostic features observed:		,"	
_			
Estimated population size:	1	(2-30) pampas gra	11
31-100	101-500 ile sant	>500	
Proportion of population with	<1%	1-10%	
reproductive structures (indicate buds, flowers, fruits):	Nove ,		
	20 50%	>500/	
11-25% Surroupding vegetation type:	26-50%	>50%	
Surroupaing vegetation type.	$\mathcal{C}^{C}$	v	
Wildlife observed in area (if relevant t	(Vapana)		
	o weed treatment enorts).	. 1 41	
	orn plastic cove	zing 10 plant hou	rone
Weed treatment activities:	ppears ice plant	w dead .	
tampas Seed	mas removed	by hand.	
Photographs: Jes Notes, non-target weeds observed or	JTT Thone		
Notes, non-target weeds observed or	treated:		
		T.	
Followup activities and dates:			

Date:	Time begin monitoring/treatment:	Time end monitoring/treatment:				
12/11/2015	n7:30	08:15				
	Observer(s) please list all persons present:					
Jos hus -	Jos has Tallis					
Weather conditions:	- 1.	. 1				
Mainly clouds	, rainoma light	thy				
General location (MRA, nearby crossroads, etc):	Specific location description:	)				
1691	Grenade va	nge				
Coordinates:						
Describe any anguing human disturb		•				
Describe any ongoing human disturbations:	ance in location where intestation occ	curs along with any related				
_						
Target (or other highly invasive) weed	Lancaige channed:					
Target (or other highly invasive) weed Ac	species observed.					
Mesumes Re	acia sarupra					
	•					
Diagnostic features observed:						
Estimated population size:	1 (	2-30				
31-100	101-500	>500				
Proportion of population with	<1%	1-10%				
reproductive structures (indicate	0%					
buds, flowers, fruits):	/					
11-25%	26-50%	>50%				
Surrounding vegetation type:						
Chapanal						
Wildlife observed in area (if relevant to	weed treatment efforts):					
Weed treatment activities:	0					
2 donte so						
Photographs:						
Notes, non-target weeds observed or treated:						
Followup activities and dates:						

# Table D-1 2015 Weed Monitoring and Maintenance

2015 Annual Natural Resource Report - Appendix D

Date	MRA	Location	Туре	Findings	Treatment
January 2015	IAR	Range 47	Treatment	-Ongoing ice plant presence.	-lce plant removal on 2, 5- 9, 14-16, 19-23, 28, and 30 January 2015.
1/5/2015	IAR	Range 47- subareas B&C	Monitoring &Treatment	-Ice plant growing abundantly in subarea C north of R47 fence (2-30 plants).	-One pampas grass plant removedMore than 500 ice plant individuals removed since last monitoring.
1/22/2015	FEG	South and west of Ammo. Supply Point (ASP)	Monitoring	-Ice plant mats observed south of ASPIce plant not observed between Barloy Canyon Rd. and ASP.	-Monitoring only
February 2015	IAR	Range 47	Treatment	-Ongoing ice plant presence.	-lce plant removal on 2-6, 9, 16-20, and 24-27 February 2015.
2/18/2015	FEG	Grenade Range	Treatment	-Treatment only	-Removed three 5-gallon buckets of ice plant and Senecio glomeratus.
2/23/2015	SEA	Blue Line Road	Monitoring	-Large mats of ice plant growing beside and under blue line road fence line. Approximately 10% of fence line has ice plant growing on Seaside MRA side.	-Monitoring only
2/23/2015	IAR	Range 47	Monitoring	-Large mats of ice plant are extending from undisturbed central maritime chaparral areas toward R47 restoration area fence line.	-Monitoring only
March 2015	IAR	Range 47	Treatment	-Ongoing ice plant and pampas grass presence.	-lce plant and pampas grass removal on 3, 9, 11, 12, 16, 18, 19, 23, 25, and 26 March 2015.
3/9/2015	IAR	Range 47	Monitoring &Treatment	-Pampas and ice plant presentFirst London rocket weed observed.	-Removed three Pampas grass seedlingsWeeded ice plant.
3/24/2015	IAR	Range 47- Subarea C south of escarpment	Monitoring &Treatment	-Ice plant starting to flower.	-Approximately 2 cubic yards of ice plant removed.
3/26/2015	FEG	Grenade Range	Monitoring &Treatment	-2-30 tiny ice plant seedlings. -Senecio glomeratus present	-ice plant removed.
April 2015	IAR	Range 47	Monitoring &Treatment	-Ongoing ice plant and pampas grass presence. Sonchus sp. also removed.	-lce plant and pampas grass removal on 6, 8, 9, 29, 30 April 2015.
May 2015	IAR	Range 47	Monitoring &Treatment	-Ongoing ice plant and pampas grass presence.	-Ice plant and pampas grass removal on 5-8 May 2015.

# Table D-1 2015 Weed Monitoring and Maintenance

2015 Annual Natural Resource Report - Appendix D

Date	MRA	Location	Туре	Findings	Treatment
July 2015	IAR	Range 47	Monitoring &Treatment	-Ongoing ice plant and pampas grass presence.	-Ice plant and pampas grass removal on 28-31 July 2015.
8/27/2015	SEA	Blue Line Road	Monitoring &Treatment	-It appears someone has sprayed ice plant on the NRMA (opposite) side of the fence. In many locations there are large ice plant clones growing under the concertina wire and into the blue line road.	-Drove vehicle over ice plant mats growing into Blue Line Road to slow growth.
10/27/2015	IAR	Range 47	Monitoring &Treatment	-Ice plant abundance is very low within the fenced R47. Hundreds of small plants are present but require considerable searching to find. Small pampas grass seedlings are present in low numbersIce plant seedlings are more abundant in subarea B outside the fence, on the escarpment, and at the foot of the escarpment. Some of these plants are 1-2 ft wideLarge ice plant mats are present above the escarpment in subarea C. Considerable weeding has been done here, but more work existsAnimals have torn the plastic and uncovered part of the ice plant pile being solarized on the north side of R47. It appears all ice plant inside are deadRecommended Action: 1) Weed inside and outside fence in subareas A&B. 2) Weed subarea C above escarpment. Cover iceplant pile above escarpment with plastic to solarize.	-One 8 inch tall pampas seedling was removedIceplant and pampas grass removal on 27 October 2015.
10/27/2015	IAR	Development Parcel	Monitoring	-Four large flowering pampas plants observed in development parcel close to habitat parcel.	-Monitoring only
10/27/2015	FEG	MRA-wide	Monitoring	-Flowering and non-flowering pampas grass growing along Barloy Canyon Rd. and east of grenade range (four plants observed). Plants are in habitat parcel and probably in the road development parcel.	-Monitoring only
10/27/2015	FEG	Grenade Range	Monitoring	-Ice plant seedlings observed across east facing slope of grenade range. Plants range from 3-18 inch diameter.	-Monitoring only
10/27/2015	PF	Watkins Gate and Gigling Rds.	Monitoring	-No pampas or French broom observed. Ice plant observed intermittently.	-Monitoring only
11/11/2015	IAR	Range 47	Monitoring &Treatment	-Low density of iceplant present	-Pulled iceplant in subarea B
11/30/2015	IAR	Range 47	Treatment	-Treatment only	-Pulled iceplant in half of subarea A & B

# Table D-1 2015 Weed Monitoring and Maintenance

2015 Annual Natural Resource Report - Appendix D

Date	MRA	Location	Туре	Findings	Treatment
12/2- 4/2015	IAR	Range 47	Treatment	-Treatment only	-Pulled iceplant and pampas grass seedlings in deer control area, on escarpment, and in subarea C above escarpment.
12/3/2015	FEG	Grenade Range	Treatment	-Treatment only	-Pulled all iceplant on east facing slope.
12/11/2015	FEG	Grenade Range	_	-Two 12-inch tall <i>Acacia saligna</i> observed in natural vegetation outside scraped area.	-Acacia saligna removed.

### Appendix D - Weed Monitoring and Maintenance Photo-documentation



### Photograph 1

Interim Action Ranges MRA-Range 47

Ice plant encroaching on fenced restoration area from neighboring natural habitat.

**23 February 2015** 



### Photograph 2

Seaside MRA-Blue Line Road

Ice plant growing along fenceline between Blue Line Road and Natural Resource Management Area.

**23 February 2015** 









### <u>Appendix D - Weed Monitoring and Maintenance Photo-documentation</u>



### Photograph 3

Interim Action Ranges MRA-Range 47-Subarea C (north side)

Ice plant being solarized below black plastic to kill plants in place.

12 March 2015



### Photograph 4

Interim Action Ranges MRA-Range 47-Subarea C (south side)

Central Maritime Chaparral after large ice plant mats were removed above escarpment.

6 April 2015









### Appendix D - Weed Monitoring and Maintenance Photo-documentation



### Photograph 5

Future East Garrison MRA-Barloy Canyon Road (west side)

Juvenile pampas grass close to road side

27 October 2015



### Photograph 6

Interim Action Ranges MRA-Range 47-Subarea C (north side)

Dead ice plant after solarizing pile under black plastic. Curious and probably hungry animals tore open the plastic.

27 October 2015









### Appendix D - Weed Monitoring and Maintenance Photo-documentation



### Photograph 7

Interim Action Ranges MRA-Range 47

Very few tiny ice plant seedling (arrows) were observed in the fenced part of Range 47 after successive weeding events.

27 October 2015



#### Photograph 8

Interim Action Ranges MRA-Range 47-Subarea C (south side)

Live and dead ice plant above the escarpment. Arrows point to areas previously covered in large mats of ice plant.

27 October 2015







