

***Appendix Q***  
***USACE Interim Guidance, Notification Procedures for***  
***Discovery of RCWM During USACE Projects, 23 Apr 2004***

---

MEMORANDUM FOR SEE DISTRIBUTION

SUBJECT: Interim Guidance - Notification Procedures for Discovery of Recovered Chemical Warfare Materiel (RCWM) During USACE Projects

1. The enclosed subject Interim Guidance provides a summary of the notification requirements when suspected RCWM (with known or unknown fillers – herein called RCWM) are discovered. This guidance shall be distributed to all military munitions response and construction project teams for incorporation into future site health and safety plans. Existing site health and safety plans will be reviewed to comply with these requirements.
2. This guidance supersedes any prior USACE guidance on the subject. This guidance only addresses RCWM discovery notification procedures. It does not address notification requirements of other regulations for chemical release, accidents or incidents.
3. Questions regarding RCWM notification requirements should be directed to the CEHNC-OE-CX office at (256) 895-1761, or the CESO-E office at (202) 761-4989.

FOR THE COMMANDER:

Encl

// s //  
Chief, Environmental  
Community of Practice  
Directorate of Military Programs

CEMP-CE (200-1a)

SUBJECT: Interim Guidance - Notification Procedures for Discovery of Recovered Chemical Warfare Materiel (RCWM) During USACE Projects

DISTRIBUTION:

COMMANDER, U.S. ARMY ENGINEER DIVISION, NORTH ATLANTIC (CENAD-E)  
COMMANDER, U.S. ARMY ENGINEER DIVISION, SOUTH ATLANTIC (CESAD-DE)  
COMMANDER, U.S. ARMY ENGINEER DIVISION, GREAT LAKES AND OHIO RIVER (CELRD-DE)  
COMMANDER, U.S. ARMY ENGINEER DIVISION, SOUTHWESTERN (CESWD-DE)  
COMMANDER, U.S. ARMY ENGINEER DIVISION, NORTHWESTERN (CENWD-DE)  
COMMANDER, U.S. ARMY ENGINEER DIVISION, SOUTH PACIFIC (CESPD-DE)  
COMMANDER, U.S. ARMY ENGINEER DIVISION, PACIFIC OCEAN (CEPOD-DE)  
COMMANDER, U.S. ARMY ENGINEER DIVISION, MISSISSIPPI VALLEY (CEMVD-DE)  
COMMANDER, U.S. ARMY ENGINEER DIVISION, GULF REGION (CEGRD-DE)

CF:

COMMANDER, U.S. ARMY ENGINEER DISTRICT, BALTIMORE  
COMMANDER, U.S. ARMY ENGINEER DISTRICT, BUFFALO  
COMMANDER, U.S. ARMY ENGINEER DISTRICT, CHICAGO  
COMMANDER, U.S. ARMY ENGINEER DISTRICT, DETROIT  
COMMANDER, U.S. ARMY ENGINEER DISTRICT, NASHVILLE  
COMMANDER, U.S. ARMY ENGINEER DISTRICT, PITTSBURGH  
COMMANDER, U.S. ARMY ENGINEER DISTRICT, MEMPHIS  
COMMANDER, U.S. ARMY ENGINEER DISTRICT, NEW ORLEANS  
COMMANDER, U.S. ARMY ENGINEER DISTRICT, ROCK ISLAND  
COMMANDER, U.S. ARMY ENGINEER DISTRICT, ST. LOUIS  
COMMANDER, U.S. ARMY ENGINEER DISTRICT, ST. PAUL  
COMMANDER, U.S. ARMY ENGINEER DISTRICT, VICKSBURG  
COMMANDER, U.S. ARMY ENGINEER DISTRICT, PHILADELPHIA  
COMMANDER, U.S. ARMY ENGINEER DISTRICT, EUROPE  
COMMANDER, U.S. ARMY ENGINEER DISTRICT, NEW YORK  
COMMANDER, U.S. ARMY ENGINEER DISTRICT, NORFOLK

CEMP-CE (200-1a)

SUBJECT: Interim Guidance - Notification Procedures for Discovery of Recovered Chemical Warfare Materiel (RCWM) During USACE Projects

COMMANDER, U.S. ARMY ENGINEER DISTRICT, NEW ENGLAND

COMMANDER, U.S. ARMY ENGINEER DISTRICT, PORTLAND

COMMANDER, U.S. ARMY ENGINEER DISTRICT, WALLA WALLA

COMMANDER, U.S. ARMY ENGINEER DISTRICT, FAR EAST

COMMANDER, U.S. ARMY ENGINEER DISTRICT, JAPAN

COMMANDER, U.S. ARMY ENGINEER DISTRICT, SAN FRANCISCO

COMMANDER, U.S. ARMY ENGINEER DISTRICT, GALVESTON

COMMANDER, U.S. ARMY ENGINEER DISTRICT, JACKSONVILLE

COMMANDER, U.S. ARMY ENGINEER DISTRICT, CHARLESTON

COMMANDER, U.S. ARMY ENGINEER DISTRICT, MOBILE

COMMANDER, U.S. ARMY ENGINEER DISTRICT, SAVANNAH

COMMANDER, U.S. ARMY ENGINEER DISTRICT, WILMINGTON

COMMANDER, U.S. ARMY ENGINEER DISTRICT, HUNTINGTON

COMMANDER, U.S. ARMY ENGINEER DISTRICT, LOUISVILLE

COMMANDER, U.S. ARMY ENGINEER DISTRICT, FORT WORTH

COMMANDER, U.S. ARMY ENGINEER DISTRICT, TULSA

COMMANDER, U.S. ARMY ENGINEER DISTRICT, LITTLE ROCK

COMMANDER, U.S. ARMY ENGINEER DISTRICT, KANSAS CITY

COMMANDER, U.S. ARMY ENGINEER DISTRICT, OMAHA

COMMANDER, U.S. ARMY ENGINEER DISTRICT, OMAHA (CENWO-HX)

COMMANDER, U.S. ARMY ENGINEER DISTRICT, SEATTLE

COMMANDER, U.S. ARMY ENGINEER DISTRICT, SACRAMENTO

COMMANDER, U.S. ARMY ENGINEER DISTRICT, LOS ANGELES

COMMANDER, U.S. ARMY ENGINEER DISTRICT, ALBUQUERQUE

COMMANDER, U.S. ARMY ENGINEER DISTRICT, HONOLULU

COMMANDER, U.S. ARMY ENGINEER DISTRICT, ALASKA

COMMANDER, U.S. ARMY ENGINEER DISTRICT NORTH, GULF REGIONAL

COMMANDER, U.S. ARMY ENGINEER DISTRICT CENTRAL, GULF REGIONAL

COMMANDER, U.S. ARMY ENGINEER DISTRICT SOUTH, GULF REGIONAL

CEMP-CE (200-1a)

SUBJECT: Interim Guidance - Notification Procedures for Discovery of Recovered  
Chemical Warfare Materiel (RCWM) During USACE Projects

COMMANDER, U.S. ARMY ENGINEERING AND SUPPORT CENTER, HUNTSVILLE  
(CEHNC-OE)

COMMANDER, U.S. ARMY CORPS OF ENGINEERS HTRW CENTER OF EXPERTISE  
(CENWO-HX)

CESO

CECW-E

**USACE Interim Guidance**  
**Notification Procedures for Discovery of Recovered Chemical Warfare**  
**Materiel (RCWM) During USACE Projects**

1. **Purpose.** To provide interim guidance procedures for notification of RCWM discoveries during execution of USACE projects.
  
2. **Applicability.** This interim guidance applies to all USACE commands having responsibilities for munitions response action and construction projects.
  
3. **References.**
  - a. EP 75-1-3, Recovered Chemical Warfare Materiel (RCWM) Response
  - b. AR 50-6. Chemical Surety
  - c. AR 360-1. The Army Public Affairs Program
  - d. EP 75-1-2. Unexploded Ordnance (UXO) Support During Hazardous, Toxic, and Radioactive Waste (HTRW) and Construction Activities
  
4. **Background.**
  - a. This Interim Guidance provides procedures to ensure the timely notification (AR 50-6, Chapter 11) of discovered RCWM.
  - b. USACE will report any discovery of RCWM at the projects it manages and/or executes:
    - 1) For planned RCWM activities. The notification (see attached RCWM Notification Format) procedures will be addressed in the workplan (WP). At a minimum, it will include: (a) Project specific agencies and/or organizations receiving the report, (b) Reporting chain-of-command, (c) Initial telephonic notification within 3 hrs of discovery, (d) Written notification within 24 hrs of discovery, and (e) Follow up written notifications the first working day of each quarter, if changes to prior written reports occur or upon report closeout or suspension of operations.
    - 2) For unplanned RCWM activities. Follow the procedures specified in paragraphs 4.c and 5, below.
  - c. Upon an unexpected discovery of RCWM, all work will immediately cease. Project personnel will withdraw along cleared path upwind from the discovery. A team, consisting of a minimum

## USACE Interim Guidance

### Notification Procedures for Discovery of Recovered Chemical Warfare Materiel (RCWM) During USACE Projects (page 2 of 4)

of two personnel, will secure the area to prevent unauthorized access. Personnel must position themselves as far upwind as possible while still maintaining visual security of the area.

**5. Requirements/Procedures.** The following requirements/procedures apply to RCWM notifications and are for inclusion in the notification section of the project WP, as applicable. The attached RCWM Notification Format shall be used as a guide for both, telephonic and written notification. Provide as much information as is available at the time of report.

#### **a. Projects managed and executed by USACE (e.g., FUDS sites).**

1) Immediately after RCWM discovery, the UXO/HTRW/Construction team (or on-site USACE project team) will follow paragraph 4.c and notify the local point of contact (POC) as designated in the WP. The local POC will contact and facilitate Explosive Ordnance Disposal (EOD) response. If the local POC is not the local law enforcement agent, he/she will notify the local enforcement agency of the discovery, which will contact EOD. Simultaneously, the UXO/HTRW/Construction team (or on-site USACE project team) will notify the Chemical Warfare Design Center (OE-CW) at USAESCH by calling the 24/7 telephone number at 256-895-1180.

2) Within three hours of discovery, the OE-CW will (in coordination with the on-site USACE project team), notify the Army Operation Center, the Director of Army Safety and HQ USACE (USACE Operation Center, Safety and Environmental offices). After telephonic notification or as soon as additional information becomes available but not later than 24 hrs, the OE-CW will follow-up with written notification to offices above and those in AR 50-6, paragraph 11-3(7)(a). Status report will be required until the disposition of the item, see paragraph 5.a.5. Close out reports are required after final disposition of the item. The UXO/HTRW/Construction team (or on-site USACE project team) will also inform the project chain of Command, including its Public Affairs Office (PAO) within the same time limits stated above.

3) The UXO/HTRW/Construction Team with support from the PAO (or through the PAO) will notify State/local government officials and the local Congressional office before news releases to the general public if at all possible. If the attempt to notify the Congressional office is unsuccessful, state this fact in the chemical event report, and make the news release (see paragraph 5.a.4). In cases where health and safety reasons preclude prior Congressional notification, the news release and local Congressional notification may occur simultaneously.

4) The District Commander (in consultation with his/her staff) will authorize release of information to the media regarding RCWM discoveries. Prior to the initial release of information, the information will be coordinated with the Army Office of the Chief of Public Affairs (OCA) through the chain of Command. This applies to all Army agencies, contractors, subcontractors, vendors, and suppliers. Releasing of new information on chemical munitions may become an item of national interest. Such information must be cleared through the Office of the Assistant Secretary of Defense for Public Affairs (OASD (PA)) by the OCA (ref 3.c).

## USACE Interim Guidance

### Notification Procedures for Discovery of Recovered Chemical Warfare Materiel (RCWM) During USACE Projects (page 3 of 4)

5) The UXO/HTRW/Construction team (or on-site USACE project team) will provide periodic status of the RCWM to the OE-CW. The OE-CW will provide status report the first working day of each month to offices on paragraph 5.a.2). Status reports are required when there are changes to prior written notifications (e.g., a) to confirm the item's identification as RCWM, b) to advise that it was determined not to be RCWM, c) to inform the item movement to storage, transport off-site for disposition, or demilitarization on-site, d) to inform of suspension of operations or upon project closeout). The EOD/TEU is also responsible for providing status reports thru their chain-of- command once they have custody of the item.

6) To ensure the notification has been accomplished, the on-site USACE project team will perform quality assurance check to ensure the notification was done. This quality assurance check could be feedback from the OE-CW and vice versa. Copies of the chemical event report shall be submitted to the Project Team for inclusion in the project administrative file.

#### **b. Project executed for Active/BRAC installations.**

1) The UXO/HTRW/Construction team (or on-site USACE project team) will notify the installation POC who will follow paragraph 4.c and notify the installation Range Control Officer, Facility Engineer, Post Headquarters, BRAC Environmental Coordinator (BEC) and others as designated in the WP. The installation POC will provide prompt information to the Commander for his/her notification. Per AR 50-6, Chapter 11-3, the installation Commander (or his/her designee) is responsible for making the chemical event report.

2) The installation Commander should follow their own established procedures for notification IAW AR 50-6 and AR 360-1.

3) The on-site USACE project team shall provide quality assurance check on the notification, verifying the telephonic notification was made and by requesting a copy of the written notification. The USACE project team shall document notification efforts in the project administrative file.

4) To ensure that UXO/HTRW/Construction team (or on-site USACE project team) keeps the USAESCH informed, the UXO/HTRW/Construction team (or on-site USACE project team) will notify the OE-CW of the discovery and actions taken by calling the 24/7 telephone number at 256-895-1180.

5) If USACE is responsible for the installation notification (per agreement or negotiation), then the UXO/HTRW/Construction team (or the on-site USACE project team) will contact and facilitate the closest Army EOD unit (unless USACE has an agreement with other services EOD or by the installation service EOD unit). The EOD unit will notify the Technical Escort Unit (TEU) after their assessment of the item, if required. If the item is a suspect RCWM, the BRAC/Installation will secure the item until TEU arrives. The UXO/HTRW/Construction team (or on-site USACE project team) will also notify the OE-CW by calling the 24/7 telephone



## USACE Interim Guidance

### Notification Procedures for Discovery of Recovered Chemical Warfare Materiel (RCWM) During USACE Projects (page 4 of 4)

number at 256-895-1180. The UXO/HTRW/Construction team (or on-site USACE project team) will also inform the project chain of Command, including its Public Affairs office. Then follow paragraph 5.a.2)-6). The on-site USACE team will keep the installation POC informed.

#### **c. Projects executed for state, federal and/or local government (e.g., work for others (WFO)).**

1) At discovery the UXO/HTRW/Construction team (or on-site USACE project team) will notify the WFO POC who will make notification as appropriate or as required by the WP. We understand that the WFO will notify the closest local EOD enforcement unit or closest DoD EOD unit. The on-site USACE project team will provide quality assurance, ensuring an EOD unit is called-up to the site since they are the primary group to handle the materiel and follow paragraph 4.c.

2) The WFO POC should follow their own established procedures for notification to State/local government officials, the local Congressional office, and to the general public.

3) To keep the USAESCH informed, the UXO/HTRW/Construction team (or on-site USACE project team) will notify the OE-CW of the discovery and actions taken by calling the 24/7 telephone number at 256-895-1180. The USACE project team shall document notification efforts in the project administrative file.

4) The OE-CW will (in coordination with the on-site USACE project team) provide notification to the Army Operation Center, the Director of Army Safety and HQ USACE (USACE Operation Center, Safety and Environmental offices), within three hours of discovery. As soon as information is available regarding ownership of the item (if munitions, it belongs to DOD), the OE-CW will provide status and follow paragraph 5.a. or b, and the WFO WP as applicable.

5) If USACE is responsible for the WFO notification (per agreement or negotiation), then follow paragraph 5.a, and the agreement requirements, as applicable. The on-site USACE team will keep the WFO POC informed.

*Attachment*  
*Interim Guidance - Notification Procedures for Discovery of Recovered Chemical Warfare  
Materiel (RCWM) During USACE Projects*

**RCWM NOTIFICATION FORMAT**

CHEMICAL EVENT REPORT

FOUO

THIS IS A CATEGORY X CHEMICAL EVENT REPORT, RCS: CSGPO-453

1. Date, time and event number. (i.e.31Mar04, 1100 hrs) (event number-acronym of the organization doing the report locally (e.g., district acronym), year of the event and sequent number assigned locally (i.e., SPL 04-01)).
2. Project Title, Number/Location. (i.e., Big Mountain Manufacturing Facility, CA1234567, Big Mountain, CA).
3. Quantity and type of munitions/container and chemical agents involved. (Number of discovered items, markings (e.g., identification fixtures), condition of the item, is it leaking, concentration of agent and detection methods for both initial detection and confirmation. Include as much information available at the time of report). (i.e., pieces of crockery, one large piece with a small amount of liquid).
4. Description of what has happened. (Tell us why or how the item was found. Include as much detail as possible at the time of report). (i.e., Workers were removing a root ball from an arsenic contaminated area next to Bldg 384, Manufacturing Facility, Big Mountain, CA, Grid XXX-XX. This work was being accomplished under the Time Critical Removal Action for arsenic contamination from the Manufacturing Facility grounds. Workers were using a backhoe and hand held equipment to remove the root ball from a previous cut tree so they could remove the arsenic. At approximately 18 inches, pieces of crockery similar to that used during WWII was discovery. Team immediately covered the site with plastic and secured the area. Team also recovered a large piece of crockery and a grab soil sample before covering the hole. Personnel were wearing gloves and rubber boots; no respiratory (arsenic levels were being monitored) protection was being worn. Personnel were sent to Chemical Event Hospital (8 personnel). EOD was called to the site. EOD and TEU responded within 5 hrs. TEU was in Tyvek and approved respirators. Telephonic notification made to the Army Operation Center, USATCES and HQ USACE. DA MINICAM reading indicated H (mustard) and L (Lewisite) contamination. DAAMS tubes were taken and are being sent to Edgewood Arsenal for processing. THIS IS AN UNCONFIRMED UNTIL DAAMS TUBES ARE PROCESSED).
5. Emergency notification level. (Non-surety emergency, limited area emergency, post only emergency, community emergency. If not applicable, so state). (i.e., Non-surety emergency (informational)).
6. Description of property damage. (i.e., None.) Atch.

7. Personnel deaths and/or injuries. (i.e. 8 personnel were sent to CA National Hospital for medical check. No injuries have been reported).
8. Whether medical services and/or facilities were required. (i.e., See 7 above).
9. State if Service Response Force (SRF) commander is required. (i.e., None required).
10. Assistance required. (i.e., None required).
11. Any other pertinent information. (e.g., if news release was issue, safety and security measures taken, amount of agent release, weather patterns and/or conditions at the time of the event). (i.e. This work was being accomplished under a TCRA HTW contract. Area had been soil sampled and geophysical mapping accomplished. There was no indication of CWM but high arsenic reading. Excavation has been backfilled and construction fencing put around the site. It will be excavated under the Chemical Safety Submission when the other suspect CWM grids are excavated. Weather was normal).
12. Commander's assessment of the situation. (i.e No additional assistance is required. Situation is under control).
13. In reporting emergency destruction of the hazardous munitions (e.g., suspected chemical munitions or materials), reporting agencies must add the following: (i.e., N/A)
  - a. Type of air samples and test kits used and results obtained.
  - b. Type and amount of explosives used to destroy each munition.
14. Elements of media release. (i.e., None, as advised buy the district PAO until additional information is known).
15. Notification of senior government officials. (i.e., None made).
16. Points of Contact. (HNC and District POC, names, telephone numbers, mail address and/or Email).

(NOTE: Info in () contains directions/guidance on information required and when accompanied by \_ is information regarding the sample).